Start: Dec 18, 7:50:54.274 am End: Dec 18, 7:51:02.222 am **Duration: 7.948 s** Scenarios **Features** Steps PASSED - 0 PASSED - 1 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 6 40 50 60 30 Pass % 70 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 20 20 80 20 80 80 90 90 10 50 % 50 % 100 100


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Data Tables in Cucumbers using list and maps	7.948 s	2	1	1	0	6	3	1	2	

Tag		Scenario				Feature			
Name	T	P	F	S	T	P	F	S	
@DataTablesList	2	1	1	0	1	0	1	0	
@new	2	1	1	0	1	0	1	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	2	1	1	0	7.948 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	Data Table as list only	3	3	0	0	4.899 s
2	Data Tables in Cucumbers using list and maps	Data Table as list of list only	3	0	1	2	2.984 s

DETAILED SECTION -- 6 --

Data Tables in Cucumbers using list and maps


FAILED	DURATION - 7.948 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 7:50:54.274 am // 3	7:51:02.222 am /	Pass - 1	2	Pass - 3	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Data Table as list only



#	Step / Hook Details	Status	Duration
1	Given I want to show data table as list	PASSED	0.001 s
2	When I recevie below mentioned data in table as list	PASSED	0.006 s
	Amruta Bhagyashree Priya Nikhil		
3	Then my list is iterated successfully	PASSED	0.000 s

Data Table as list of list only



#			Step / Hook Details	Status	Duration	
1	Given I want	FAILED	0.002 s			
	Step undefined					
2	When I recevie below mentioned data in table as list of list					0.004 s
	Amruta	Amruta@gmail.com	Nagpur	987456		
	Bhagyashree	Bhagyashree@gmail.com	Pune	654789		
	Priya	Priya@gmail.com	Mumbai	123654		
	Nikhil	Nikhil@gmail.com	Banglore	456258		
3	Then my list i	s iterated successfully			SKIPPED	0.001 s