

Cucumber Report

12-Dec-2023, 8:31:27 am

Start : Dec 12, 8:28:27.216 am

End : Dec 12, 8:31:26.285 am

Duration : 2 m 59.069 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 14
FAILED - 4
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate login functionality</u>	2 m 59.069 s	4	0	4	0	24	14	4	6





#	Feature Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	4	0	4	0	2 m 59.069 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	<u>Verify user is able to login to sauce labs with correct credentials</u>	6	4	1	1	1 m 25.292 s
2	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect username</u>	6	4	1	1	4.167 s
3	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect password</u>	6	4	1	1	1 m 2.385 s
4	<u>Validate login functionality</u>	<u>Verify user error message when user clicks on submit without entering un or pw</u>	6	2	1	3	27.179 s

Validate login functionality


FAILED	DURATION - 2 m 59.069 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 24 Pass - 14 Fail - 4 Skip - 6	
/ 8:28:27.216 am // 8:31:26.285 am /					

Verify user is able to login to sauce labs with correct credentials



<div><div>FAILED</div><div>DURATION - 1 m 25.292 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 4</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div></div>
/ 8:28:27.221 am // 8:29:52.513 am /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.031 s
2	Then User lands on login page of saucelabs	PASSED	0.612 s
3	When User Enters username "standard_user"	PASSED	0.545 s
4	And User Enters password "secret_sauce"	PASSED	0.478 s
5	And User clicks on Login button org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e9f45a8b50e595ca079506a06faf97, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\glend\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63883}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63883/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e9f45a8b50e595ca079506a06faf97 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	0.230 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:60) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:40) at stepdefinition.LoginStepDefinition.user_clicks_on_login_button(LoginStepDefinition.java:48) at ?.User clicks on Login button(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting5/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:11) * Not displayable characters are replaced by '?'. </pre>		
6	Then User should land on home page of saucelabs	SKIPPED	0.001 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.684 s
	Verify_user_is_able_to_login_to_sauce_labs_with_correct_credentials		

#	Step / Hook Details	Status	Duration
			



Verify user is not able to login to sauce labs with incorrect username

<div>FAILED</div> <div>DURATION - 4.167 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 8:29:52.544 am // 8:29:56.711 am /				
Validate login functionality				


#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.256 s
3	When User Enters username "incorrectUn"	PASSED	0.519 s
4	And User Enters password "secret_sauce"	PASSED	0.457 s
5	And User clicks on Login button	FAILED	0.275 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee3c0cbd3ee68af9e77d68f14c9c4c87, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\glend\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\ff97b98a204523c41338c72552c5e..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63931}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63931/devtools/page/1/ee3c0cbd3ee68af9e77d68f14c9c4c87, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ee3c0cbd3ee68af9e77d68f14c9c4c87 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:60) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:40) at stepdefinition.LoginStepDefinition.user_clicks_on_login_button(LoginStepDefinition.java:48) at ?.User clicks on Login button(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting5/src/test/resources/Ecommerc%20Product%20Ordering/LoginToSaucelabs.feature:19) * Not displayable characters are replaced by '?'. </pre>		
6	Then Validate correct error message should come for UN	SKIPPED	0.000 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.581 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_username		
			



Verify user is not able to login to sauce labs with incorrect password

<div>FAILED</div> <div>DURATION - 1 m 2.385 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 8:29:56.715 am // 8:30:59.100 am /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.229 s
3	When User Enters username "standard_user"	PASSED	0.502 s
4	And User Enters password "incorrectpw"	PASSED	0.467 s
5	And User clicks on Login button	FAILED	0.221 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b61669992dc8115d579225d836cb899b, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\glend\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63957}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63957/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b61669992dc8115d579225d836cb899b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:60) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:40) at stepdefinition.LoginStepDefinition.user_clicks_on_login_button(LoginStepDefinition.java:48) at ?.User clicks on Login button(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting5/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:27) * Not displayable characters are replaced by '?'. </pre>		
6	Then Validate correct error message should come for PW	SKIPPED	0.001 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.668 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_password		
			

Verify user error message when user clicks on submit without entering un or pw

<div>FAILED</div> <div>DURATION - 27.179 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 8:30:59.106 am // 8:31:26.285 am /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.000 s
2	Then User lands on login page of saucelabs	PASSED	0.208 s
3	And User clicks on Login button	FAILED	0.237 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2de6ba55b6feb65dfd064cbbb44012f4, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\glend\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64000}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64000/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2de6ba55b6feb65dfd064cbbb44012f4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:60) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:40) at stepdefinition.LoginStepDefinition.user_clicks_on_login_button(LoginStepDefinition.java:48) at ?.User clicks on Login button(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting5/src/test/resources/ Ecommerc%20Product%20Ordering/LoginToSaucelabs.feature:33) * Not displayable characters are replaced by '?'. </pre>		
4	Then Validate correct error message should come	SKIPPED	0.000 s
5	When User clicks on close button	SKIPPED	0.001 s
6	Then error message should disappear	SKIPPED	0.000 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.656 s
	Verify_user_error_message_when_user_clicks_on_submit_without_entering_un_or_pw		
	