

# Cucumber Report

14-Dec-2023, 8:01:13 am

Start : Dec 14, 8:00:28.900 am

End : Dec 14, 8:01:13.073 am

Duration : 44.173 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 10  
FAILED - 2  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate login functionality</u>	44.173 s	2	0	2	0	12	10	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	2	0	2	0	44.173 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect password</u>	6	5	1	0	41.342 s
2	<u>Validate login functionality</u>	<u>Verify user error message when user clicks on submit without entering un or pw</u>	6	5	1	0	2.814 s


## Validate login functionality

<b>FAILED</b>	DURATION - 44.173 s	Scenarios		Steps	
/ 8:00:28.900 am // 8:01:13.073 am /		Total - 2		Total - 12	
		Pass - 0		Pass - 10	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	



## Verify user is not able to login to sauce labs with incorrect password

<div><div>FAILED</div><div>DURATION - 41.342 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:00:28.904 am // 8:01:10.246 am /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.018 s
2	Then User lands on login page of saucelabs	PASSED	0.240 s
3	When User Enters username "standard_user"	PASSED	0.514 s
4	And User Enters password "incorrectpw"	PASSED	0.331 s
5	And User clicks on Login button	PASSED	0.328 s
6	Then Validate correct error message should come for PW	FAILED	0.003 s
	java.lang.Exception: Rerun Functionality at stepdefinition.LoginStepDefinition.validate_correct_error_message_should_come_for_pw(LoginStepDefinition.java:69) at ?.Validate correct error message should come for PW(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting5/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.457 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_password		

#	Step / Hook Details	Status	Duration
			

### Verify user error message when user clicks on submit without entering un or pw

<div>FAILED</div> <div>DURATION - 2.814 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:01:10.259 am // 8:01:13.073 am /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.196 s
3	And User clicks on Login button	PASSED	0.399 s
4	Then Validate correct error message should come	PASSED	0.001 s
5	When User clicks on close button	PASSED	0.000 s
6	Then error message should disappear	FAILED	0.001 s
	<pre>java.lang.Exception: Rerun Functionality     at stepdefinition.LoginStepDefinition.error_message_should_disappear(LoginStepDefinition.java:88)     at ?.error message should disappear(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting5/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:36)     * Not displayable characters are replaced by '?'. </pre>		
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.436 s
	Verify_user_error_message_when_user_clicks_on_submit_without_entering_un_or_pw		
	