
**Duration: 9.383 s** Start: Dec 18, 7:44:35.679 am End: Dec 18, 7:44:45.062 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 6 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Data Tables in Cucumbers using list and maps	9.383 s	2	0	2	0	6	0	2	4	


Tag		Scenario				Feature			
Name		P	F	S	T	P	F	S	
@DataTablesList	2	0	2	0	1	0	1	0	
@new		0	2	0	1	0	1	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	2	0	2	0	9.383 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	Data Table as list only	3	0	1	2	6.244 s
2	Data Tables in Cucumbers using list and maps	Data Table as list of list only	3	0	1	2	3.089 s

DETAILED SECTION -- 6 --

## **Data Tables in Cucumbers using list and maps**


Scenarios		Steps	
Total - 2		Total - 6	
Pass - 0	2	Pass - 0	6
Fail - 2		Fail - 2	🦊 ് 🥊
Skip - 0		Skip - 4	
	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2	Total - 2  Pass - 0  Fail - 2  Total - 6  Pass - 0  Fail - 2

## **Data Table as list only**



#	Step / Hook Details	Status	Duration
1	Given I want to show data table as list	FAILED	0.003 s
	Step undefined		
2	When I recevie below mentioned data in table as list	SKIPPED	0.004 s
	Amruta		
	Bhagyashree		
	Priya Nikhil		
		CKIDDED	0.004 -
3	Then my list is iterated successfully	SKIPPED	0.001 s

## **Data Table as list of list only**



#		Step / Hook Details						
1	Given I want	FAILED	0.000 s					
	Step undefined							
2	When I recev	SKIPPED	0.005 s					
	Amruta	Amruta@gmail.com	Nagpur	987456				
	Bhagyashree	Bhagyashree@gmail.com	Pune	654789				
	Priya	Priya@gmail.com	Mumbai	123654				
	Nikhil	Nikhil@gmail.com	Banglore	456258				
3	Then my list i	s iterated successfully			SKIPPED	0.000 s		