

# Cucumber Report

18-Dec-2023, 7:59:36 am

**Start : Dec 18, 7:59:26.494 am**

**End : Dec 18, 7:59:35.039 am**

**Duration : 8.545 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 2**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 6**

**FAILED - 0**

**SKIPPED - 0**



<i>Feature</i>		<i>Scenario</i>				<i>Step</i>			
<i>Name</i>	<i>Duration</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<u><i>Data Tables in Cucumbers using list and maps</i></u>	8.545 s	2	2	0	0	6	6	0	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@DataTablesList	2	2	0	0	1	1	0	0
@new	2	2	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Data Tables in Cucumbers using list and maps</u>	2	2	0	0	8.545 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Data Tables in Cucumbers using list and maps</u>	<u>Data Table as list only</u>	3	3	0	0	5.223 s
2	<u>Data Tables in Cucumbers using list and maps</u>	<u>Data Table as list of list only</u>	3	3	0	0	3.298 s

## Data Tables in Cucumbers using list and maps

<b>PASSED</b>	<i>DURATION - 8.545 s</i>	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:59:26.494 am // 7:59:35.039 am /					

## Data Table as list only

<b>PASSED</b>	<i>DURATION - 5.223 s</i>		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:59:26.499 am // 7:59:31.722 am /				
<i>Data Tables in Cucumbers using list and maps</i>				
@DataTablesList @new				

#	Step / Hook Details	Status	Duration
1	Given I want to show data table as list	PASSED	0.001 s
2	When I recevie below mentioned data in table as list	PASSED	0.006 s
	Amruta		
	Bhagyashree		
	Priya		
	Nikhil		
3	Then my list is iterated successfully	PASSED	0.000 s

## Data Table as list of list only

<b>PASSED</b>	<b>DURATION - 3.298 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:59:31.741 am // 7:59:35.039 am /				
<i>Data Tables in Cucumbers using list and maps</i>				
@DataTablesList @new				

#	Step / Hook Details	Status	Duration																
1	Given I want to show data table as list of list	PASSED	0.000 s																
2	When I recevie below mentioned data in table as list of list	PASSED	0.002 s																
	<table border="1"> <tr> <td>Amruta</td><td>Amruta@gmail.com</td><td>Nagpur</td><td>987456</td></tr> <tr> <td>Bhagyashree</td><td>Bhagyashree@gmail.com</td><td>Pune</td><td>654789</td></tr> <tr> <td>Priya</td><td>Priya@gmail.com</td><td>Mumbai</td><td>123654</td></tr> <tr> <td>Nikhil</td><td>Nikhil@gmail.com</td><td>Banglore</td><td>456258</td></tr> </table>	Amruta	Amruta@gmail.com	Nagpur	987456	Bhagyashree	Bhagyashree@gmail.com	Pune	654789	Priya	Priya@gmail.com	Mumbai	123654	Nikhil	Nikhil@gmail.com	Banglore	456258		
Amruta	Amruta@gmail.com	Nagpur	987456																
Bhagyashree	Bhagyashree@gmail.com	Pune	654789																
Priya	Priya@gmail.com	Mumbai	123654																
Nikhil	Nikhil@gmail.com	Banglore	456258																
3	Then my list is iterated successfully	PASSED	0.001 s																