

# Cucumber Report

18-Dec-2023, 8:02:20 am

Start : Dec 18, 8:02:10.188 am

End : Dec 18, 8:02:19.642 am

Duration : 9.454 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 4



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Data Tables in Cucumbers using list and maps</u>	9.454 s	2	0	2	0	6	0	2	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@DataTablesMap	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Data Tables in Cucumbers using list and maps</u>	2	0	2	0	9.454 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Data Tables in Cucumbers using list and maps</u>	<u>Data Table as Maps</u>	3	0	1	2	5.726 s
2	<u>Data Tables in Cucumbers using list and maps</u>	<u>Data Table as Maps only</u>	3	0	1	2	3.680 s

## Data Tables in Cucumbers using list and maps

<b>FAILED</b>	DURATION - 9.454 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 0 Fail - 2 Skip - 4	
/ 8:02:10.188 am // 8:02:19.642 am /					

## Data Table as Maps

<b>FAILED</b>	DURATION - 5.726 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:02:10.193 am // 8:02:15.919 am /				
Data Tables in Cucumbers using list and maps				
@DataTablesMap				

#	Step / Hook Details	Status	Duration																				
1	Given I want to show data table as map	FAILED	0.004 s																				
	Step undefined																						
2	When I receive below mentioned data in table as map	SKIPPED	0.008 s																				
	<table border="1"> <thead> <tr> <th>Name</th><th>Email</th><th>City</th><th>Number</th></tr> </thead> <tbody> <tr> <td>Amruta</td><td>Amruta@gmail.com</td><td>Nagpur</td><td>987456</td></tr> <tr> <td>Bhagyashree</td><td>Bhagyashree@gmail.com</td><td>Pune</td><td>654789</td></tr> <tr> <td>Priya</td><td>Priya@gmail.com</td><td>Mumbai</td><td>123654</td></tr> <tr> <td>Nikhil</td><td>Nikhil@gmail.com</td><td>Banglore</td><td>456258</td></tr> </tbody> </table>	Name	Email	City	Number	Amruta	Amruta@gmail.com	Nagpur	987456	Bhagyashree	Bhagyashree@gmail.com	Pune	654789	Priya	Priya@gmail.com	Mumbai	123654	Nikhil	Nikhil@gmail.com	Banglore	456258		
Name	Email	City	Number																				
Amruta	Amruta@gmail.com	Nagpur	987456																				
Bhagyashree	Bhagyashree@gmail.com	Pune	654789																				
Priya	Priya@gmail.com	Mumbai	123654																				
Nikhil	Nikhil@gmail.com	Banglore	456258																				
3	Then my list is iterated successfully	SKIPPED	0.002 s																				

## Data Table as Maps only

<b>FAILED</b>	DURATION - 3.680 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:02:15.962 am // 8:02:19.642 am /				
Data Tables in Cucumbers using list and maps				
@DataTablesMap				

#	Step / Hook Details	Status	Duration										
1	Given I want to show data table as map only	FAILED	0.000 s										
	Step undefined												
2	When I recevie below mentioned data in table as map only	SKIPPED	0.001 s										
	<table><tr><td>Name</td><td>Email</td></tr><tr><td>Amruta</td><td>Amruta@gmail.com</td></tr><tr><td>Bhagyashree</td><td>Bhagyashree@gmail.com</td></tr><tr><td>Priya</td><td>Priya@gmail.com</td></tr><tr><td>Nikhil</td><td>Nikhil@gmail.com</td></tr></table>			Name	Email	Amruta	Amruta@gmail.com	Bhagyashree	Bhagyashree@gmail.com	Priya	Priya@gmail.com	Nikhil	Nikhil@gmail.com
	Name			Email									
	Amruta			Amruta@gmail.com									
	Bhagyashree			Bhagyashree@gmail.com									
	Priya			Priya@gmail.com									
Nikhil	Nikhil@gmail.com												
3	Then my list is iterated successfullly	SKIPPED	0.000 s										