


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Data Tables in Cucumbers using list and maps	7.294 s	2	2	0	0	6	6	0	0	


Tag		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@DataTablesList	2	2	0	0	1	1	0	0	
@new	2	2	0	0	1	1	0	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	2	2	0	0	7.294 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	Data Table as list only	3	3	0	0	4.575 s
2	Data Tables in Cucumbers using list and maps	Data Table as list of list only	3	3	0	0	2.695 s

DETAILED SECTION -- 6 --

Data Tables in Cucumbers using list and maps


PASSED	DURATION - 7.294 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 7:52:18.640 am /	// 7:52:25.934 am /	Pass - 2	2	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Data Table as list only



#	Step / Hook Details	Status	Duration
1	Given I want to show data table as list	PASSED	0.001 s
2	When I recevie below mentioned data in table as list	PASSED	0.004 s
	Amruta Bhagyashree Priya Nikhil		
3	Then my list is iterated successfully	PASSED	0.002 s

Data Table as list of list only



#			Status	Duration		
1	Given I want	PASSED	0.000 s			
2	When I recev	PASSED	0.001 s			
	Amruta	Amruta@gmail.com	Nagpur	987456		
	Bhagyashree	Bhagyashree@gmail.com	Pune	654789		
	Priya	Priya@gmail.com	Mumbai	123654		
	Nikhil	Nikhil@gmail.com	Banglore	456258		
3	Then my list i	PASSED	0.000 s			