Start: Dec 18, 7:46:05.776 am End: Dec 18, 7:46:12.919 am **Duration: 7.143 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 6 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Data Tables in Cucumbers using list and maps	7.143 s	2	0	2	0	6	0	2	4


Tag		Scer	nario			Feature		
Name	T	P	F	S	T	P	F	S
@DataTablesList	2	0	2	0	1	0	1	0
@new	2	0	2	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	2	0	2	0	7.143 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Data Tables in Cucumbers using list and maps	Data Table as list only	3	0	1	2	4.415 s
2	Data Tables in Cucumbers using list and maps	Data Table as list of list only	3	0	1	2	2.688 s

DETAILED SECTION -- 6 --

Data Tables in Cucumbers using list and maps


FAILED	DURATION - 7.143 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 7:46:05.776 am // 7	:46:12.919 am /	Pass - 0	2	Pass - 0	6
		Fail - 2		Fail - 2	🖊 ~ 🥊
		Skip - 0		Skip - 4	

Data Table as list only



#	Step / Hook Details	Status	Duration
1	Given I want to show data table as list	FAILED	0.003 s
	Step undefined		
2	When I recevie below mentioned data in table as list	SKIPPED	0.008 s
	Amruta		
	Bhagyashree		
	Priya Nilatili		
	Nikhil		
3	Then my list is iterated successfully	SKIPPED	0.000 s

Data Table as list of list only



#				Step / Hook Details	Status	Duration
1	Given I want	FAILED	0.000 s			
	Step undefined	i				
2	When I recevie below mentioned data in table as list of list					0.001 s
	Amruta	Amruta@gmail.com	Nagpur	987456		
	Bhagyashree	Bhagyashree@gmail.com	Pune	654789		
	Priya	Priya@gmail.com	Mumbai	123654		
	Nikhil	Nikhil@gmail.com	Banglore	456258		
3	Then my list i	s iterated successfully			SKIPPED	0.000 s