

# Research Web Apps on Azure

Martin Callaghan & Alex Coleman

Research Computing Group

- 1 Introductions
- 2 Communication and Research Outputs
- 3 Different types of App
- 4 Our pipeline
- 5 The finished app

# Introductions

# Who we are

- Martin Callaghan
- Alex Coleman

# What we do

- Run the University High Performance Computing Service
- Support computational and data-focussed research
  - Writing grant proposals
  - Collaborations with research groups
  - Gateway to external collaborations
  - Researcher training
  - Computational, training and teaching consultancy
  - Code optimisation
  - Support and guidance on Cloud
  - GPU-accelerated Deep learning and AI support

## Questions?

If you have any questions, pop then in the chat as we go and we'll deal with them at the right time.

## Communication and Research Outputs

# What is scholarly communication?

- Key part of every research project is disseminating outputs
- Or gathering data from study participants
- A Web App can be a part of this
- Most research data has no need to be kept *secure*



# What's a Web App?

- For us, a tool that allows a researcher to share the outputs of a project
- Allows other researchers to interact with models or data
- Facilitates open and reproducible research
- An adjunct to a paper or poster

# The tools

- Docker
- Shiny and R
- Streamlit (or Flask) and Python

# Our pipeline

- Build a container of the app and it's framework
- Test locally
- Configure Azure Container Registry (ACR) and Azure App Service (AAS)
- Deploy local container to ACR
- Deploy from ACR to AAS

## Different types of App

## Completely self-contained

- Data is read-only in a flat file inside the container

## Apps with a sidecar

- Database in a container 'next to' the App container
- Data usually read-only

## Apps that use a native Cloud database

- Cosmos DB
- Azure SQL server
- Apps that need to read and write data

## Our pipeline



# Dockerise the App

- Create a Dockerfile
- Build the container locally
- Run it and check it works
- Over to Alex for a demo of this stage

# Explaining the Dockerfile

Think of this as *infrastructure as code*

It describes the actions to build a Docker image from a pre-existing template

```
FROM rocker/shiny-verse
```

```
EXPOSE 3838
```

```
COPY /SpheroidAnalyseR/ /srv/shiny-server/
```

```
RUN install2.r --error \  
    ggthemes \  
    gridExtra \  
    readxl \  
    
```

## Building the container locally

```
docker build -t myimage .
```

# Run it locally to test

We create a **container** from the **image**

```
docker run --name mycontainer \ --rm -d -p 3838:3838
myimage
```

Check it works and then stop it.

```
docker stop mycontainer
```

## Retag the container

```
docker tag myimage myreg.azurecr.io/my_app
```

# Azure CLI

- Create Azure Container Registry (ACR)
- Create Azure App Service
- Deploy to ACR
- Create the App from the ACR image
- Over to Alex for a demo

The finished app

# Here it is!

Link to this URL (it's in the chat):



## Future work

- AAS has the concept of production and development apps
- Full integration with a ResOps (~DevOps) CI/CD pipeline
- Research communications built and developed alongside the data and analysis