

PartsDesk Module Walkthrough

Presentation and implementation guide for the current BlueFolder-backed OpsHub ecosystem.

Role

PartsDesk is the parts operations frontend. It gives parts staff a focused board for parts cases, requests, and BlueFolder-backed parts lifecycle updates.

PartsDesk talks to OpsHub. OpsHub talks to BlueFolder.

Primary Jobs

- show parts board status
- load parts cases and requests
- show BlueFolder SR status context
- support request claim/status flows
- support BlueFolder-native parts lifecycle updates
- link to RouteDesk and FieldDesk when useful

Identity

PartsDesk should use an OpsHub operator ID.

Current presentation value:

```
parts-desk
```

This goes in PartsDesk Settings under [OpsHub operator ID](#) .

Legacy linked Discord IDs still work, but Discord is not required for a parts operator to use PartsDesk.

Screen Walkthrough

1. Open <https://partsdesk.ops-hub.org> .
2. Open Settings first.
3. Confirm API base points at <https://ops-hub.org> .
4. Confirm OpsHub operator ID is set to a parts/admin operator, such as [parts-desk](#) .
5. Confirm ecosystem launchers point at OpsHub, RouteDesk, and FieldDesk.
6. Return to the board.
7. Load cases and requests.
8. Open one case and explain its BlueFolder status context.

What To Demonstrate

Board:

- Explain open parts workload and high-risk case counts.
- Show that the board is role-specific and not a generic BlueFolder clone.

Cases:

- Open a case.
- Show service request reference, stage, age, parts context, and BlueFolder SR status.
- Explain whether the case is active parts work or blocked by quote/customer/closed SR status.

Requests:

- Show supplemental tracked requests if enabled.
- Explain that request tracking helps operations, but BlueFolder remains the record.

BlueFolder-native lifecycle:

- Ordered, ETA, tracking, received, and ready updates should be routed through OpsHub.
- Use known safe SRs when demonstrating live writes.

How PartsDesk Writes

PartsDesk writes should go through OpsHub:

- request claim/unclaim/status
- parts request sync/reconcile when enabled
- BlueFolder parts note/update routes for ordered/ETA/tracking/received/ready

PartsDesk should not hold BlueFolder API credentials.

BlueFolder Safety

For a real tenant rollout:

- start by reading cases and requests
- verify a known SR status in BlueFolder before writing updates
- perform one controlled parts note/update with clear attribution
- avoid bulk behavior until the team agrees on how utility-account authorship appears in BlueFolder

Common Errors

- `Could not reach OpsHub` : API base URL or tunnel problem.
- `Check the OpsHub API token` : frontend token problem.
- `Check the OpsHub parts/admin operator allowlist` : missing or invalid operator ID.
- cases empty: verify BlueFolder data, parts workflow state, and request sync assumptions.

Presentation Script

PartsDesk is the parts desk's operating layer. It keeps BlueFolder as the official record but gives the parts team a cleaner view of cases, request history, SR status, and parts lifecycle actions. The operator identity is an OpsHub ID, not a Discord requirement.

Preflight

- browser hard refreshed after rebuild
- Settings operator ID set
- API base correct
- cases load
- requests load
- known SR ready for safe parts update demonstration