
### **PIZZA SALES SQL QUERIES**

### A. KPI's

#### 1. Total Revenue:



#### 2. Average Order Value

```
SELECT (SUM(total_price) / COUNT(DISTINCT order_id)) AS Avg_order_Value
FROM pizza_sales
```




#### 3. Total Pizzas Sold

SELECT SUM(quantity) AS Total\_pizza\_sold FROM pizza\_sales



#### 4. Total Orders

SELECT COUNT(DISTINCT order\_id) AS Total\_Orders FROM pizza\_sales



### 5. Average Pizzas Per Order

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) /
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2))
AS Avg_Pizzas_per_order
FROM pizza_sales
```



# **B. Daily Trend for Total Orders**

FROM pizza\_sales

GROUP BY DATENAME(DW, order\_date)

#### **Output:**

⊞ F	Results 🗐 M	essages
	order_day	total_orders
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

# **C. Monthly Trend for Orders**

select DATENAME(MONTH, order\_date) as Month\_Name, COUNT(DISTINCT order\_id)

as Total\_Orders

from pizza\_sales

GROUP BY DATENAME(MONTH, order\_date)
Output

	_	J
	Month_Name	Total_Orders
1	February	1685
2	June	1773
3	August	1841
4	April	1799
5	May	1853
6	December	1680
7	January	1845
8	September	1661
9	October	1646
10	July	1935
11	November	1792
12	March	1840

### D. % of Sales by Pizza Category

```
SELECT pizza_category, CAST(SUM(total_price) AS DECIMAL(10,2)) as
total_revenue,
CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales)
AS DECIMAL(10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_category
```

#### <u>Output</u>

⊞F	Results 🗐 Mes	sages	
	pizza_category	total_revenue	PCT
1	Classic	220053.10	26.91
2	Chicken	195919.50	23.96
3	Veggie	193690.45	23.68
4	Supreme	208197.00	25.46

### E. % of Sales by Pizza Size

```
SELECT pizza_size, CAST(SUM(total_price) AS DECIMAL(10,2)) as
total_revenue,
CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales)
AS DECIMAL(10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_size
ORDER BY pizza_size
```

#### **Output**

⊞ F	Results 🗐 N	Messages	
	pizza_size	total_revenue	PCT
1	L	375318.70	45.89
2	M	249382.25	30.49
3	S	178076.50	21.77
4	XL	14076.00	1.72
5	XXL	1006.60	0.12

### F. Total Pizzas Sold by Pizza Category

```
SELECT pizza_category, SUM(quantity) as Total_Quantity_Sold
FROM pizza_sales
WHERE MONTH(order_date) = 2
GROUP BY pizza_category
ORDER BY Total_Quantity_Sold DESC
```

#### **Output**

<b>Ⅲ</b> F	Results 🗐 Mess	sages
	pizza_category	Total_Quantity_Sold
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

### G. Top 5 Pizzas by Revenue

```
SELECT Top 5 pizza_name, SUM(total_price) AS Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue DESC
```

■F	Results 📳 Messages	
	pizza_name	Total_Revenue
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768
3	The California Chicken Pizza	41409.5
4	The Classic Deluxe Pizza	38180.5
5	The Spicy Italian Pizza	34831.25

# H. Bottom 5 Pizzas by Revenue

```
SELECT Top 5 pizza_name, SUM(total_price) AS Total_Revenue
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Revenue ASC
```

	pizza_name	Total_Revenue
1	The Brie Carre Pizza	11588.4998130798
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.5
5	The Spinach Pesto Pizza	15596

# I. Top 5 Pizzas by Quantity

SELECT Top 5 pizza\_name, SUM(quantity) AS Total\_Pizza\_Sold
FROM pizza\_sales
GROUP BY pizza\_name
ORDER BY Total\_Pizza\_Sold DESC

#### <u>Output</u>

	pizza_name	Total_Pizza_Sold
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

# J. Bottom 5 Pizzas by Quantity

SELECT TOP 5 pizza\_name, SUM(quantity) AS Total\_Pizza\_Sold

FROM pizza\_sales
GROUP BY pizza\_name
ORDER BY Total\_Pizza\_Sold ASC

### **Output**

⊞ R	Results 🖺 Messages	
	pizza_name	Total_Pizza_Sold
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961

# K. Top 5 Pizzas by Total Orders

SELECT Top 5 pizza\_name, COUNT(DISTINCT order\_id) AS Total\_Orders FROM pizza\_sales
GROUP BY pizza\_name
ORDER BY Total\_Orders DESC

⊞ F	Results 🖺 Messages	
	pizza_name	Total_Orders
1	The Classic Deluxe Pizza	2329
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Pizza	2273
5	The Thai Chicken Pizza	2225

# L. Bottom 5 Pizzas by Total Orders

SELECT Top 5 pizza\_name, COUNT(DISTINCT order\_id) AS Total\_Orders FROM pizza\_sales
GROUP BY pizza\_name
ORDER BY Total\_Orders ASC

	pizza_name	Total_Orders
1_	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Spinach Supreme Pizza	918
4	The Calabrese Pizza	918
5	The Chicken Pesto Pizza	938