The academicons package High quality icons of online academic profiles

Diogo A. B. Fernandes* (LATEX code) James Walsh (font and icons design)

v1.9.1, released on 26 November 2021

Abstract

The academicons package provides specific ($\!$ LA)TEX bindings with the free $\!$ Academicons font, allowing access to 124 high quality icons of online academic profiles.

1 Description

The academicons package provides access in (A)TEX to 124 high quality icons of online academic profiles included in the free *Academicons* font. This package requires either the X_H(A)TEX or Lua(A)TEX engine to load the *Academicons* font from the system, which requires installing the bundled academicons.ttf font file. As new releases come out, it is recommended to install the bundled font version as there may be differences between the package and previous font versions or newest font versions not yet contemplated in the package.

The *Academicons* font was designed by James Walsh and released¹ under the open SIL Open Font License². This package is a redistribution of the free *Academicons* font with specific bindings for (A)TEX. It is inspired and based on the fontawesome³ package.

2 Usage

\aiicon

The academicons package provides the generic \aiicon command to access icons, which takes as mandatory argument the $\langle name \rangle$ of the desired icon. It also provides individual direct commands for each specific icon. The full list of icons and their respective names and direct commands can be found below. For example, \aiicon{googlescholar} yields the same result as \aiGoogleScholar.

^{*}Email: diogoabfernandes@gmail.com

¹See http://jpswalsh.github.io/academicons/.

²Available at http://scripts.sil.org/OFL.

³Available at http://www.ctan.org/pkg/fontawesome.

2.1 Academicons Icons

Icon	Name $(\langle name \rangle)$	Direct Command
A	academia	\aiAcademia
A	academia- $square$	\aiAcademiaSquare
≈	acclaim	\aiAcclaim
	acclaim- $square$	\aiAcclaimSquare
•	acm	\aiACM
•	acm- $square$	\aiACMSquare
•	acmdl	\aiACMDL
O	acmdl-square	\aiACMDLSquare
,	ads	\aiADS
.	ads- $square$	\aiADSSquare
*	africarxiv	\aiAfricArXiv
3	a fricar xiv-square	\aiAfricArXivSquare
<u>.</u>	arxiv	\aiarXiv
\odot	arxiv-square	\aiarXivSquare
$R\chi$	biorxiv	\aibioRxiv
$R\chi$	biorxiv-square	\aibioRxivSquare
[]	ceur	\aiCEUR
	ceur- $square$	\aiCEURSquare
	$ciencia ext{-}vitae$	\aiCIENCIAVITAE
**	$ciencia\hbox{-}vitae\hbox{-}square$	\aiCIENCIAVITAESquare
Q	conversation	\aiConversation
Ω	$conversation\hbox{-} square$	$\arrowversation Square$
တ	coursera	\aiCoursera
ω ₀	$course ra\hbox{-} square$	\aiCourseraSquare
_	crossref	\aiCrossref
\$	$crossref ext{-}square$	\aiCrossrefSquare
cv	cv	\aiCV
cv	cv-square	\aiCVSquare
₽	datacite	\aiDataCite
Ď	$datacite ext{-}square$	\aiDataCiteSquare
ð	dataverse	\aiDataverse
ð	dataverse-square	\aiDataverseSquare
¥	dblp	\aidblp
	dblp- $square$	\aidblpSquare
0	depsy	\aiDepsy
<u> </u>	depsy-square	\aiDepsySquare
⊕	doi	\aiDoi
	doi-square	\aiDoiSquare
	dryad	\aiDryad
Ø E	dryad- $square$ $elsevier$	\aiDryadSquare
E		\aiElsevier
	$elsevier\hbox{-} square$	\aiElsevierSquare

Icon	Name $(\langle name \rangle)$	Direct Command
ŷ	ideas-repec	\aiIDEASRePEc
(ideas-repec-square	\aiIDEASRePEcSquare
	figshare	\aiFigshare
	figshare- $square$	\aiFigshareSquare
3	google scholar	\aiGoogleScholar
প্ত	google scholar-square	\aiGoogleScholarSquare
(A)	hal	\aiHAL
	hal- $square$	\aiHALSquare
�	ieee	\aiIEEE
	ieee-square	\aiIEEESquare
(1)	impacts tory	$\ailmath{ t Impactstory}$
(1)	impacts tory-square	\arrowvert aiImpactstorySquare
*	in a tural ist	\aiiNaturalist
>	in a tural ist-square	\arrow aiiNaturalistSquare
8	inpn	\aiINPN
8	$inpn\mbox{-}square$	\aiINPNSquare
Ŕ	inspire	\aiInspire
i∻	inspire-square	\aiInspireSquare
X 0	isidore	\aiISIDORE
x	is idore-square	\aiISIDORESquare
J	jstor	\aiJSTOR
J	jstor-square	\aiJSTORSquare
9	lattes	\aiLattes
6	lattes-square	\aiLattesSquare
$\mathbf{m}\boldsymbol{o}$	mathover flow	\aiMathOverflow
$\mathbf{m}_{\boldsymbol{o}}$	mathover flow-square	\aiMathOverflowSquare
AA .	mendeley	\aiMendeley
w	$mendeley ext{-}square$	\aiMendeleySquare
۳'n	moodle	\aiMoodle
m	$moodle\hbox{-} square$	\aiMoodleSquare
mt	mtmt	\aiMTMT
mt mt	mtmt-square	\aiMTMTSquare
❤	nakala	\aiNAKALA
••	$nakala\hbox{-} square$	\aiNAKALASquare
8	closed-access	\aiClosedAccess
8	$closed\hbox{-}access\hbox{-}square$	\aiClosedAccessSquare
8	open- $access$	\aiOpenAccess
8	open- $access$ - $square$	\aiOpenAccessSquare
0	$open ext{-}data$	\aiOpenData
(1)	$open\hbox{-}data\hbox{-}square$	\aiOpenDataSquare
0	open-materials	\aiOpenMaterials
0	open-materials-square	\aiOpenMaterialsSquare
Q	openedition	\aiOpenEdition
6	$openedition\hbox{-} square$	\aiOpenEditionSquare

Icon	Name $(\langle name \rangle)$	Direct Command
(D	orcid	\aiOrcid
(D)	or cid-square	\aiOrcidSquare
; ;	osf	\aiOSF
	osf- $square$	\aiOSFSquare
Ø	overleaf	\aiOverleaf
Ø	overleaf- $square$	\aiOverleafSquare
P	philpapers	\aiPhilPapers
\mathbf{P}	philp apers-square	\aiPhilPapersSquare
ρ	piazza	\aiPiazza
ρ	piazza-square	\aiPiazzaSquare
•	preregistered	\aiPreregistered
Ø	$preregistered\hbox{-} square$	\aiPreregisteredSquare
\bigotimes	protocols	\aiProtocols
	$protocols\mbox{-}square$	\aiProtocolsSquare
Ψ A X	psyarxiv	\aiPsyArXiv
W X	$psyarxiv\mbox{-}square$	\aiPsyArXivSquare
p	publons	\aiPublons
P	$publons\hbox{-} square$	\aiPublonsSquare
M	pubmed	\aiPubMed
M	pubmed-square	\aiPubMedSquare
P	pubpeer	\aiPubPeer
P	pubpeer-square	\aiPubPeerSquare
R	researcherid	\aiResearcherID
R	researcher id-square	\aiResearcherIDSquare
R^{G}	research gate	\aiResearchGate
\mathbb{R}^{G}	research gate-square	\aiResearchGateSquare
Ψ	scirate	\aiSciRate
Ψ	$scirate ext{-} square$	\aiSciRateSquare
1	semantic-scholar	\aiSemanticScholar
₹	$semantic\hbox{-}scholar\hbox{-}square$	\aiSemanticScholarSquare
<u> 2</u>	springer	\aiSpringer
<u></u>	springer- $square$	\aiSpringerSquare
SSRN	ssrn	\aiSSRN
SSEN	ssrn- $square$	\aiSSRNSquare
2	stack over flow	\aiStackOverflow
	$stack over flow\mbox{-}square$	\aiStackOverflowSquare
Z	zotero	\aiZotero
Z	zotero- $square$	\aiZoteroSquare