UNIWATCH

CTS B – Uniwatch Report
Executive summary report

01 Oct 2026 – 13 Oct 2026 Generated 14 Oct 2026

Uniwatch

Report details

Client	CTS B
Report	Executive summary report
Period	2026-10-01 00:00 – 2026-10-14 00:00
Time zone	Local time
Generated	2026-10-14 11:56:04
Contents	1. Executive summary 2. Traffic & bandwidth 3. Security & attacks 4. Rule & policy management 5. VPN & remote access 6. Web & application usage 7. CCTV access 8. High availability & system
Prepared by	Uniwatch


1. Executive summary

The period at a glance: security posture, availability, traffic and CCTV access, with the main findings.


Alerts raised	Blocked connections	IDS / IPS detections	Threat-intel matches
89 88 high, 1 medium	**0**	**0**	**1,743**

Internet download	Lowest device availability	Lowest VPN tunnel availability	CCTV sign-ins / recordings viewed
346.9 GB	**99.33 %**	**0.00 %**	**32 / 0** 2 people


Daily events by category



Daily security events




Alerts by severity



high	88	98.9 %
medium	1	1.1 %

Traffic volume by direction



Outbound (to internet)	395.6 GB	77.3 %
Inbound (from internet)	114.3 GB	22.3 %
Intranet (LAN ↔ LAN)	1.7 GB	0.3 %
Other	28.0 KB	0.0 %

Key findings and recommendations


Priority	Finding
High	Tunnel IPsec 198.51.100.78 on CTS-B was up only 0.0 % of the time.
High	Tunnel ipsec:CTS-B-PartnerNet on CTS-B was up only 98.8 % of the time.
High	Tunnel ipsec:S2S CTS-B/CTS-A on CTS-B was up only 0.0 % of the time.
Medium	991 failed VPN connection attempts: check for password guessing.
Low	4 custom rule(s) are disabled: delete them if no longer needed.

2. Traffic & bandwidth


Protocol usage, top talkers, bandwidth and volume trends for inbound, outbound and intranet traffic, from UniFi traffic flows / NetFlow (per connection) and the gateway's WAN counters.

Connections / flows	Traffic volume (flows)	Internet download (WAN)	Internet upload (WAN)
6,028,436	**511.7 GB**	**346.9 GB**	**162.2 GB**
		gateway WAN counters	

Daily traffic volume by direction




Traffic volume by direction



Outbound (to internet)	395.6 GB	77.3 %
Inbound (from internet)	114.3 GB	22.3 %
Intranet (LAN ↔ LAN)	1.7 GB	0.3 %
Other	28.0 KB	0.0 %

Connections by protocol




TCP	4.5M	74.1 %
UDP	1.6M	25.7 %
ICMP	7.1k	0.1 %
IP	10	0.0 %
ESP	1	0.0 %

Daily connections

Date	Connections
08 Oct 2026	3,471,533
09 Oct 2026	1,020,521
10 Oct 2026	143,270
11 Oct 2026	145,835
12 Oct 2026	614,229
13 Oct 2026	633,048

Top talkers (internal devices) by internet volume




Top talkers

Device	MAC address	IP address(es) used	Connections	Volume
device-376	8c:f8:c5:4e:5b:9d	10.26.243.119	154,613	104.5 GB
iPhone	c2:0b:3a:96:3e:0f	10.23.249.195, 10.27.125.72	40,990	43.4 GB
device-697	24:fe:9a:62:d2:df	10.18.104.78	384,899	17.8 GB
device-894	a8:72:4d:cc:a7:67	10.26.34.90, 10.13.100.133	36,248	16.8 GB
device-672	bc:f1:05:90:26:99	10.14.186.184, 10.26.107.65, 10.15.246.233	140,853	12.5 GB
iPhone	ea:b3:c9:d3:05:8b	10.20.64.185, 10.15.109.125, 10.14.97.106	35,068	11.7 GB
device-447	bc:f1:05:ec:0e:2b	10.27.206.177, 10.29.110.26	178,971	10.4 GB
device-977	98:fe:3e:e3:88:f8	10.27.71.48, 10.14.186.184	228,085	9.8 GB
device-236	8c:f8:c5:54:42:6c	10.24.140.4, 10.26.226.39	83,568	9.5 GB
(no hostname)	(not reported)	10.27.130.224	27,569	9.0 GB
MSP33-L0525	70:15:fb:b0:80:c4	10.21.27.169, 10.15.47.210	111,676	8.8 GB
device-618	bc:f1:05:1d:a8:02	10.26.48.66, 10.22.82.99	111,703	8.5 GB
device-489	a8:72:4d:94:0d:8f	10.22.170.143	121,469	8.3 GB
Apple iPhone 16 Pro 72:55	fe:30:93:c6:0d:e8	10.17.87.65	5,833	8.1 GB
iPhone	42:e6:89:92:f7:85	10.22.204.176, 10.18.184.31	80,295	7.8 GB

Devices are identified by MAC address (IP leases move between devices). Names come from the UniFi client list (an admin's alias, else the device's own name), else the device's latest DHCP hostname.

Top services (destination port) by volume



Top internet destinations

Destination	Country	Connections	Volume
203.0.113.179	Other	40	33.2 GB
198.51.100.158	JP	27,619	10.4 GB
203.0.113.97	US	1,418	9.9 GB
203.0.113.121	Other	1,214	6.6 GB
203.0.113.57	Other	13	4.6 GB
198.51.100.138	US	20,335	4.4 GB
198.51.100.58	US	43,032	3.6 GB
198.51.100.2	CA	2,750	3.5 GB
203.0.113.127	Other	136	3.4 GB
203.0.113.197	Other	745	3.2 GB
198.51.100.224	US	2,430	3.1 GB
198.51.100.48	US	11,927	3.1 GB
203.0.113.181	Other	407	2.8 GB
203.0.113.223	CA	789	2.6 GB
198.51.100.176	Other	617	2.6 GB

Internet links (WAN)

Gateway / WAN	Download	Upload	95th pct ↓ / ↑ Mbps	Peak ↓ / ↑ Mbps
CTS-B · Internet 1	12.6 GB	69.7 GB	0.9 / 6.0	10.3 / 62.2
CTS-B · Internet 2	334.2 GB	92.5 GB	30.0 / 8.1	112.9 / 87.7

3. Security & attacks

Blocked connections, intrusion detection / prevention signatures, exploit and scan attempts, threat-intelligence matches and DNS / content filtering.


Blocked connections	IDS / IPS detections	Threat-intel matches	DNS / content blocks
0	**0**	**1,743** known-bad addresses	**0**

Failed VPN / admin logins
991


Findings

MEDIUM 991 failed VPN connection attempts: check for password guessing.

Daily security events




Security events by type



Threat-intel matches	1.7k	100.0 %

Attack sources by country



US	393	35.5 %
GB	315	28.4 %
Other	203	18.3 %
DE	101	9.1 %
Other	55	5.0 %
NL	13	1.2 %
Other	28	2.5 %

Top attack signatures

No data in this period.

Top attacking addresses

Source IP	Country	Events
203.0.113.3	Other	166
198.51.100.84	GB	93
198.51.100.242	US	91
203.0.113.215	Other	31
203.0.113.25	US	24
198.51.100.130	US	22
203.0.113.251	Other	15
203.0.113.119	US	14
198.51.100.224	US	14
203.0.113.69	Other	12
203.0.113.147	Other	11
198.51.100.98	Other	11
203.0.113.87	US	11
198.51.100.98	US	9
203.0.113.219	US	8

Threat-intelligence feeds matched

Feed	Matches
Spamhaus DROP (hijacked netblocks)	1,078
CINS Army bad actors	665

Virus / malware file scanning and spam filtering are not functions of UniFi gateways, so they are not in this report. Malware and exploit attempts are covered by the IDS / IPS signatures and the threat-intelligence matches above.

4. Rule & policy management

Firewall policies of each gateway with UniFi's hit counters: active, unused, disabled, duplicate and shadowed rules, and what was blocked by which kind of policy.


Firewall policies	Unused custom rules	Disabled custom rules	Duplicate rules
71 4 custom, 67 built-in	**0** enabled, no hit in the period	**4**	**0**

Shadowed rules
0 never reached

Findings


LOW 4 custom rule(s) are disabled: delete them if no longer needed.

Enabled policies by action




ALLOW	41	61.2 %
BLOCK	26	38.8 %

Custom rules: health



Disabled	4	100.0 %

Most-hit policies (UniFi counters)



Blocks in the period by policy type

No data in this period.

Disabled custom rules

Gateway	Policy	Zones	Action	State	Hits (UniFi counter)	Last hit
CTS-B	HTTPS Zabbix Monitoring	External → Gateway	ALLOW	off	never	
CTS-B	Website Blocking Rule	Internal → Gateway	BLOCK	off	never	
CTS-B	SSH from MSP	External → Gateway	ALLOW	off	never	
CTS-B	ICMP	External → Gateway	ALLOW	off	never	

Custom firewall rules

Gateway	Policy	Zones	Action	State	Hits (UniFi counter)	Last hit
CTS-B	HTTPS Zabbix Monitoring	External → Gateway	ALLOW	off	never	
CTS-B	Website Blocking Rule	Internal → Gateway	BLOCK	off	never	
CTS-B	SSH from MSP	External → Gateway	ALLOW	off	never	
CTS-B	ICMP	External → Gateway	ALLOW	off	never	

Policy snapshot taken 2026-10-14 03:03 UTC. Hit counters are UniFi's own (cumulative since the rule was created or the gateway restarted), not limited to the report period; 'unused' = no hit since the period start. Optimisation: remove or disable unused rules after review, merge duplicates, and reorder or delete shadowed rules.

5. VPN & remote access

Site-to-site tunnel availability and drops; remote-access users, session duration, data and trends.

Site-to-site tunnels	Lowest tunnel availability	Tunnel drops	Remote-access users
8	0.00 %	7	35

Remote sessions	Remote-access data
3,675	65.8 GB


Findings

HIGH Tunnel IPsec 198.51.100.78 on CTS-B was up only 0.0 % of the time.


HIGH Tunnel ipsec:CTS-B-PartnerNet on CTS-B was up only 98.8 % of the time.

HIGH Tunnel ipsec:S2S CTS-B/CTS-A on CTS-B was up only 0.0 % of the time.

Remote-access sessions per day




Connected time by user



user244	176.8	9.0 %
user354	168.0	8.6 %
user455	153.4	7.8 %
user458	143.6	7.3 %
user606	143.3	7.3 %
user641	126.5	6.5 %
Other	1.0k	53.4 %

Remote-access data by user



user244	17.3 GB	26.2 %
user641	11.0 GB	16.7 %
user656	7.7 GB	11.7 %
user354	7.4 GB	11.2 %
user606	6.6 GB	10.1 %
user163	4.9 GB	7.4 %
Other	11.0 GB	16.7 %

Tunnel availability (%)



Site-to-site tunnels

Gateway	Tunnel	Peer	Availability	Down	Drops
CTS-B	IPsec 198.51.100.78	198.51.100.78	0.000 %	6d 21:43:12	0
CTS-B	IPsec 198.51.100.144	198.51.100.144	100.000 %	00:00:00	0
CTS-B	ipsec:CTS-B-PartnerNet	198.51.100.144	98.798 %	01:18:02	1
CTS-B	ipsec:S2S CTS-B/CTS-A	198.51.100.78	0.000 %	4d 12:11:54	1
CTS-B	ppp0		99.999 %	00:00:08	1
CTS-B	ppp1		99.995 %	00:00:21	1
CTS-B	tun1		99.999 %	00:00:09	2
CTS-B	vti64		99.997 %	00:00:27	1

Remote-access users

User	Sessions	Connected time	Data
user244	38	7d 08:49:10	17.3 GB
user354	149	6d 23:59:59	7.4 GB
user455	100	6d 09:26:00	2.0 MB
user458	9	5d 23:38:34	3.6 GB
user606	26	5d 23:17:04	6.6 GB
user641	25	5d 06:31:33	11.0 GB
user163	16	4d 13:34:19	4.9 GB
user680	47	4d 07:22:11	815.2 MB
user619	70	4d 00:32:08	24.9 MB
user951	63	3d 20:20:39	3.4 MB
user267	210	3d 11:03:34	174.6 MB
user950	51	3d 05:44:54	14.2 MB
user478	283	2d 17:33:26	2.8 GB
user143	60	2d 14:55:21	5.5 MB
user656	170	2d 04:22:13	7.7 GB
user697	77	2d 04:01:46	6.7 MB
user508	2	1d 20:57:49	0 B
user786	10	1d 11:11:19	1.8 GB
user268	9	1d 03:24:24	9.3 MB
user685	53	21:54:22	3.0 MB
user463	32	14:38:11	878.0 KB
user567	51	13:57:59	2.2 MB
user150	8	12:34:21	54.2 KB
user443	3	12:33:49	0 B
user197	50	11:48:33	6.0 MB
user718	32	11:41:57	628.1 KB
user710	29	11:35:04	235.6 KB
user367	30	09:05:12	0 B
user992	23	08:32:33	1.6 GB
user157	28	08:12:29	0 B
user632	5	02:17:25	0 B

user190	1	00:46:26	0 B
user208	1	00:08:54	92.5 MB
user603	1	00:04:47	78.8 KB
user766	1913	-1d 22:33:51	19.4 MB

Failed VPN attempts by source


Source IP	Country	Network	Attempts
203.0.113.25	US	Akamai Technologies, Inc.	24
198.51.100.130	US	Akamai Technologies, Inc.	22
198.51.100.224	US	Akamai Technologies, Inc.	14
203.0.113.119	US	Akamai Technologies, Inc.	14
203.0.113.69	Other	ISP Global Communications Limited	12
203.0.113.87	US	Akamai Technologies, Inc.	11
198.51.100.98	US	Akamai Technologies, Inc.	9
203.0.113.219	US	Akamai Technologies, Inc.	8
198.51.100.84	GB	Google LLC	8
203.0.113.229	US	Akamai Technologies, Inc.	8
198.51.100.242	US	Google LLC	8
198.51.100.26	ID	Akamai Technologies, Inc.	8
203.0.113.187	US	Akamai Technologies, Inc.	5
198.51.100.8	Other	Alibaba (US) Technology Co., Ltd.	5
198.51.100.128	US	Akamai Technologies, Inc.	5

6. Web & application usage

Websites and services visited, application categories and per-device internet activity.


Applications seen	Websites / services	Web volume	Blocked lookups
55	**20**	**322.4 GB**	**0**

Volume by application category



Other / unclassified	230.1 GB	71.4 %
Microsoft 365	31.6 GB	9.8 %
Microsoft services	18.0 GB	5.6 %
Video streaming	8.3 GB	2.6 %
Security	5.9 GB	1.8 %
Search	5.7 GB	1.8 %
Other	22.8 GB	7.1 %

Volume by application




Unclassified	230.1 GB	71.4 %
Microsoft services	18.0 GB	5.6 %
SharePoint / OneDrive	15.3 GB	4.7 %
Microsoft 365 apps	13.3 GB	4.1 %
YouTube	8.2 GB	2.5 %
Facebook	5.5 GB	1.7 %
Other	32.2 GB	10.0 %

Daily web volume

Date	Volume
09 Oct 2026	40.5 GB
10 Oct 2026	25.9 GB
11 Oct 2026	26.1 GB
12 Oct 2026	115.1 GB
13 Oct 2026	114.8 GB

Top websites / services (connections)



Applications

Application	Category	Connections	Volume
Unclassified		988,295	230.1 GB
Microsoft services	Microsoft services	162,388	18.0 GB
SharePoint / OneDrive	Microsoft 365	23,439	15.3 GB
Microsoft 365 apps	Microsoft 365	82,661	13.3 GB
YouTube	Video streaming	3,743	8.2 GB
Facebook	Social media	5,040	5.5 GB
Microsoft Global Secure Access (tunnel)	Security	1,069	5.1 GB
Google Search	Search	49,143	4.8 GB
Claude	AI assistants	23,419	4.6 GB
WhatsApp	Messaging	35,694	4.4 GB
Outlook / Exchange Online	Microsoft 365	6,711	2.4 GB
Ubiquiti	Software updates	131,295	1.9 GB
Microsoft Teams	Collaboration	20,137	1.4 GB
Bing	Search	15,852	871.8 MB
Windows Update	Software updates	2,900	828.4 MB
Spotify	Music streaming	4,978	671.6 MB
Microsoft sign-in	Microsoft 365	14,884	665.8 MB
Google Drive / Docs	Google Workspace	4,115	652.7 MB
Huntress	Security	23,942	622.0 MB
Google Ads	Advertising & tracking	7,973	585.7 MB
ChatGPT / OpenAI	AI assistants	1,276	434.8 MB
Slack	Collaboration	4,598	407.1 MB
Telegram	Messaging	2,550	364.5 MB
Telemetry (misc.)	Advertising & tracking	2,080	254.1 MB
Egnyte	Cloud storage	1,686	230.8 MB


Sites are identified from UniFi traffic flows (domain names the gateway saw) and DNS lookups; HTTPS page addresses (full URLs) are encrypted and not visible to the gateway.

7. CCTV access

Who opened the CCTV system (UniFi Protect), when, from where and for how long, and which camera recordings they watched.

Protect sign-ins	People (accounts)	Recordings viewed	Source IP addresses
32	**2**	**0**	**2**

Sign-ins by person



user569	31	96.9 %
user796	1	3.1 %

Recordings viewed by camera

No data in this period.

Access by person

Person (UniFi account)	Sign-ins	Time in Protect	Recordings viewed	Source IPs	Last access
user569	31	00:13:16	0	1	2026-10-09 13:37
user796	1	00:22:50	0	1	2026-10-07 11:48

Sign-ins

Signed in	Until	Person	Duration	From	App
2026-10-09 13:37	2026-10-09 13:37	user569	00:00:06	203.0.113.157	web
2026-10-09 13:37	2026-10-09 13:37	user569	00:00:03	203.0.113.157	web
2026-10-07 11:48	2026-10-07 12:10	user796	00:22:50	198.51.100.106	web
2026-10-05 17:27	2026-10-05 17:28	user569	00:00:13	203.0.113.157	web
2026-10-05 17:27	2026-10-05 17:27	user569	00:00:30	203.0.113.157	web
2026-10-05 17:26	2026-10-05 17:27	user569	00:00:30	203.0.113.157	web
2026-10-05 17:26	2026-10-05 17:26	user569	00:00:30	203.0.113.157	web
2026-10-05 17:25	2026-10-05 17:26	user569	00:00:30	203.0.113.157	web
2026-10-05 17:25	2026-10-05 17:25	user569	00:00:30	203.0.113.157	web
2026-10-05 17:24	2026-10-05 17:25	user569	00:00:30	203.0.113.157	web
2026-10-05 17:24	2026-10-05 17:24	user569	00:00:30	203.0.113.157	web
2026-10-05 17:23	2026-10-05 17:24	user569	00:00:30	203.0.113.157	web
2026-10-05 17:23	2026-10-05 17:23	user569	00:00:30	203.0.113.157	web
2026-10-05 17:22	2026-10-05 17:23	user569	00:00:30	203.0.113.157	web
2026-10-05 17:22	2026-10-05 17:22	user569	00:00:30	203.0.113.157	web
2026-10-05 17:21	2026-10-05 17:22	user569	00:00:30	203.0.113.157	web
2026-10-05 17:21	2026-10-05 17:21	user569	00:00:30	203.0.113.157	web
2026-10-05 17:20	2026-10-05 17:21	user569	00:00:30	203.0.113.157	web
2026-10-05 17:20	2026-10-05 17:20	user569	00:00:30	203.0.113.157	web
2026-10-05 17:20	2026-10-05 17:20	user569	00:00:28	203.0.113.157	web
2026-10-05 17:19	2026-10-05 17:19	user569	00:00:30	203.0.113.157	web
2026-10-05 17:18	2026-10-05 17:19	user569	00:00:30	203.0.113.157	web
2026-10-05 17:18	2026-10-05 17:18	user569	00:00:27	203.0.113.157	web
2026-10-05 17:17	2026-10-05 17:18	user569	00:00:30	203.0.113.157	web
2026-10-05 17:17	2026-10-05 17:17	user569	00:00:30	203.0.113.157	web
2026-10-05 17:16	2026-10-05 17:17	user569	00:00:29	203.0.113.157	web
2026-10-05 17:16	2026-10-05 17:16	user569	00:00:30	203.0.113.157	web
2026-10-05 17:16	2026-10-05 17:16	user569	00:00:22	203.0.113.157	web
2026-10-05 17:11	2026-10-05 17:11	user569	00:00:16	203.0.113.157	web
2026-10-01 12:09	2026-10-01 12:09	user569	00:00:03	203.0.113.157	web
2026-10-01 12:09	2026-10-01 12:09	user569	00:00:30	203.0.113.157	web

2026-10-01 12:08	2026-10-01 12:09	user569	00:00:26	203.0.113.157	web

Other actions (settings, device list)

Time	Person	Action
2026-10-07 11:48	user796	user796 viewed the Device list.

From UniFi Protect's own activity log. Accounts are the UniFi console's (UDM) user accounts; a shared account cannot show which person used it, only where they connected from. Failed sign-in attempts are not recorded by UniFi Protect. Times are the site's local time.


8. High availability & system

Device availability, WAN failovers, state changes and heartbeat (log) losses, and hardware resource utilisation.

Devices monitored	Lowest device availability	WAN link failures / failovers	Device state changes
1	99.33 %	0	5

Heartbeat / log losses: **2**

Device time by state



Up	155.6	49.9 %
No data	155.4	49.8 %
Down	1.1	0.3 %

Device availability

Device	Model	Firmware	Availability	Down	Outages
CTS-B	UDM SE	5.1.33.34087	99.326 %	01:03:18	2

Internet latency (daily average, UniFi Site Manager)

Date	Latency
07 Oct 2026	4 ms
08 Oct 2026	4 ms
09 Oct 2026	4 ms
10 Oct 2026	4 ms
11 Oct 2026	4 ms
12 Oct 2026	4 ms
13 Oct 2026	4 ms

Daily average CPU / memory usage (%)

Date	CTS-B CPU / memory
09 Oct 2026	30 % / 82 %
10 Oct 2026	23 % / 80 %
11 Oct 2026	16 % / 76 %
12 Oct 2026	31 % / 79 %
13 Oct 2026	24 % / 78 %

Resource utilisation

Device	Avg CPU	Peak CPU	Avg memory	Peak memory	Max temperature
CTS-B	25 %	83 %	79 %	85 %	60 °C

WAN failovers and link state changes

Time	Gateway	Link	State	Reason
2026-10-08 09:27	CTS-B	Internet 1	up	site manager: port up
2026-10-08 09:27	CTS-B	Internet 2	up	site manager: port up
2026-10-08 09:27	CTS-B	Internet	up	site manager: a WAN is up

Device state changes (incl. heartbeat / log losses)

Time	Device	State	Reason
2026-10-07 11:21	CTS-B	up	syslog active
2026-10-08 06:45	CTS-B	down	no syslog for 60 min
2026-10-08 07:46	CTS-B	up	syslog active
2026-10-12 01:41	CTS-B	down	controller: disconnected
2026-10-12 01:44	CTS-B	up	controller: connected

UniFi gateways in this fleet run as single units (no HA cluster); 'failover' here means WAN link failover between internet connections.