


Melanie-BOTS (CCRL engines) — English, Symmetrical


Melanie (Deep_Vision)

Abstract


Every move below was produced by relational analogy to named master games (human and/or top-engine – the exact source is named per move). Each figure shows our position with Melanie’s move (a) and the top retrieved analog positions (b–d) with the master move played there; the caption names the exact source and the piece-role correspondence under μ – cross-type maps (a rook playing a queen’s role) are called out, as no material/eval engine explains a move that way.




(a)



(b)




(c)




(d)


Figure 1: **Move 7, White: a3**. (a) Our position; Melanie plays **a3** (a2a3). Panels (b)–(d) are the retrieved master positions whose correspondence most drove this move (highest QAP objective among those that transfer to it). (b) Retrieved from `ccr1_top_p0000#1805` (ply 11) [structural distance $d=7$, QAP obj=9]: the master played **a6**; under μ our *Pa2* plays the role of that game’s *Pa2*; cross-type roles: our *ph7* as their *Ra8*, our *Qd1* as their *Bc8*; transferred move **a2a3** (**endorses this move**). (c) Retrieved from `ccr1_top_p0000#1806` (ply 11) [structural distance $d=7$, QAP obj=9]: the master played **a6**; under μ our *Pa2* plays the role of that game’s *Pa2*; cross-type roles: our *ph7* as their *Ra8*, our *Qd1* as their *Bc8*; transferred move **a2a3** (**endorses this move**). (d) Retrieved from `ccr1_top_p0000#3290` (ply 11) [structural distance $d=7$, QAP obj=9]: the master played **a6**; under μ our *Pa2* plays the role of that game’s *Pa2*; cross-type roles: our *ph7* as their *Ra8*, our *Qd1* as their *Bc8*; transferred move **a2a3** (**endorses this move**). Synthesis: 4 retrieved analogs transferred to **a3** (summed QAP objective 35, the strongest correspondence among the candidate moves); Melanie committed it via the **search** selector.




(a)



(b)




(c)




(d)


Figure 2: **Move 8, White: Qa4.** (a) Our position; Melanie plays Qa4 (d1a4). Panels (b)–(d) are the retrieved master positions whose correspondence most drove this move (highest QAP objective among those that transfer to it). (b) Retrieved from `ccr1_top_p0000#372` (ply 15) [structural distance $d=34$, QAP obj=29]: the master played Qa5; under μ our Qd1 plays the role of that game’s Qd1; cross-type roles: our Pa3 as their Ra8, our Pd2 as their Bc8; transferred move d1a4 (**endorses this move**). (c) Retrieved from `ccr1_top_p0000#373` (ply 15) [structural distance $d=34$, QAP obj=29]: the master played Qa5; under μ our Qd1 plays the role of that game’s Qd1; cross-type roles: our Pa3 as their Ra8, our Pd2 as their Bc8; transferred move d1a4 (**endorses this move**). (d) Retrieved from `ccr1_top_p0001#3221` (ply 15) [structural distance $d=34$, QAP obj=29]: the master played Qa5; under μ our Qd1 plays the role of that game’s Qd1; cross-type roles: our Pa3 as their Ra8, our Pd2 as their Bc8; transferred move d1a4 (**endorses this move**). Synthesis: 10 retrieved analogs transferred to Qa4 (summed QAP objective 286, the strongest correspondence among the candidate moves); Melanie committed it via the `search` selector.




(a)



(b)




(c)




(d)


Figure 3: **Move 9, White: Qd1.** (a) Our position; Melanie plays Qd1 (a4d1). Panels (b)–(d) are the retrieved master positions whose correspondence most drove this move (highest QAP objective among those that transfer to it). (b) Retrieved from `ccr1_top_p0001#2619` (ply 20) [structural distance $d=48$, QAP obj=94]: the master played Qd1; under μ our *Qa4* plays the role of that game’s *Qd4*; cross-type roles: our *pg6* as their *Bc1*, our *Bc1* as their *pa7*; transferred move **a4d1 (endorses this move)**. (c) Retrieved from `ccr1_top_p0001#2620` (ply 20) [structural distance $d=48$, QAP obj=94]: the master played Qd1; under μ our *Qa4* plays the role of that game’s *Qd4*; cross-type roles: our *pg6* as their *Bc1*, our *Bc1* as their *pa7*; transferred move **a4d1 (endorses this move)**. (d) Retrieved from `ccr1_top_p0002#2125` (ply 20) [structural distance $d=48$, QAP obj=94]: the master played Rd1; under μ our *Rf1* plays the role of that game’s *Rf1*; cross-type roles: our *pg6* as their *Bc1*, our *Bc1* as their *pa7*; transferred move **f1d1**. Synthesis: 2 retrieved analogs transferred to Qd1 (summed QAP objective 188, the strongest correspondence among the candidate moves); Melanie committed it via the `search` selector.




(a)



(b)



(c)



(d)

Figure 4: **Move 10, White: Qa4.** (a) Our position; Melanie plays Qa4 (d1a4). Panels (b)–(d) are the retrieved master positions whose correspondence most drove this move (highest QAP objective among those that transfer to it). (b) Retrieved from `ccr1_top_p0000#372` (ply 15) [structural distance $d=34$, QAP obj=29]: the master played Qa5; under μ our Qd1 plays the role of that game’s Qd1; cross-type roles: our Pa3 as their Ra8, our Pd2 as their Bc8; transferred move d1a4 (**endorses this move**). (c) Retrieved from `ccr1_top_p0000#373` (ply 15) [structural distance $d=34$, QAP obj=29]: the master played Qa5; under μ our Qd1 plays the role of that game’s Qd1; cross-type roles: our Pa3 as their Ra8, our Pd2 as their Bc8; transferred move d1a4 (**endorses this move**). (d) Retrieved from `ccr1_top_p0001#3221` (ply 15) [structural distance $d=34$, QAP obj=29]: the master played Qa5; under μ our Qd1 plays the role of that game’s Qd1; cross-type roles: our Pa3 as their Ra8, our Pd2 as their Bc8; transferred move d1a4 (**endorses this move**). Synthesis: 10 retrieved analogs transferred to Qa4 (summed QAP objective 286, the strongest correspondence among the candidate moves); Melanie committed it via the `search` selector.