## MCQ 1: understand and choose

Five single-answer questions for practice. Choose one answer per question; then explain one distractor. This chapter format does not reproduce the official EAM format.

1. $180°$ equals
   - A. $2\pi$
   - B. $\pi$
   - C. $\frac{\pi}{2}$
   - D. $1$
2. $\cos(\frac{\pi}{3}) =$
   - A. $\frac{1}{2}$
   - B. $\frac{\sqrt{3}}{2}$
   - C. $0$
   - D. $1$
3. $\sin(-\frac{\pi}{2}) =$
   - A. $1$
   - B. $0$
   - C. $\frac{1}{2}$
   - D. $-1$
4. $\cos^2 x + \sin^2 x =$
   - A. $0$
   - B. $2$
   - C. $1$
   - D. $x$
5. The same point corresponds to angles differing by
   - A. $\pi$
   - B. $2k\pi$, k an integer
   - C. $\frac{\pi}{2}$
   - D. $1$

Booklet page 92

## MCQ 2: understand and choose

Five single-answer questions for practice. Choose one answer per question; then explain one distractor. This chapter format does not reproduce the official EAM format.

1. $\cos(\pi - x) =$
   - A. $\cos x$
   - B. $\sin x$
   - C. $-\cos x$
   - D. $-\sin x$
2. $\sin(\frac{\pi}{4}) =$
   - A. $\frac{\sqrt{2}}{2}$
   - B. $\frac{1}{2}$
   - C. $\frac{\sqrt{3}}{2}$
   - D. $\sqrt{2}$
3. Image of $\frac{3\pi}{2}$:
   - A. $(1;0)$
   - B. $(-1;0)$
   - C. $(0;1)$
   - D. $(0;-1)$
4. Arc of radius 3 and angle 2 radians: length
   - A. $\frac{2}{3}$
   - B. $6$
   - C. $\frac{3}{2}$
   - D. $6\pi$
5. Interior of the second quadrant: sign of the cosine
   - A. positive
   - B. zero everywhere
   - C. negative
   - D. cannot be determined

### True or false? Justify.

1. $\cos(-x) = -\cos x$ for all x.
2. $\sin(x + 2\pi) = \sin x$.
3. The value of $\sin x$ always determines $\cos x$.

**Self-assessment**

I reduce angles by complete turns; I read cosine and sine in the right order; I justify the signs; I keep the exact values.
For each objective, indicate: achieved without help; achieved with help; to be reworked. Write one example and one mistake to avoid.

Booklet page 93