

GhaniFoods - Full System Testing Report

Generated: 2026-08-23 00:03:36 | Duration: 76s | Overall: **PASS WITH WARNINGS**

Summary

Metric	Value
Files scanned	105
Static findings (High/Med/Low)	61 (0/59/2)
Functions (OK/Suspect/Broken)	234 (229/5/0)
Build steps (Pass/Fail)	3 / 0
Backend API (live-tested)	28 / 28 working
Frontend pages (live-tested)	22 / 22 loading OK

Phase 1: Alpha Testing - Static Findings

File	Line	Severity	Category	Snippet
apps\backend\src\index.ts	8	MEDIUM	Hardcoded localhost URL	const FRONTEND_ORIGIN = process.env.FRONTEND_ORIGIN "http://localhost:3000";
apps\backend\src\index.ts	14	LOW	console.log left in code	console.log(`[\${new Date().toISOString()}] \${req.method} \${req.path}`);
apps\backend\src\index.ts	114	MEDIUM	Hardcoded localhost URL	console.log(`GhaniFoods backend running at http://localhost:\${PORT}`);
apps\backend\src\index.ts	114	LOW	console.log left in code	console.log(`GhaniFoods backend running at http://localhost:\${PORT}`);
apps\backend\supabase\functions\dashboard-kpis\index.ts	26	MEDIUM	any type used (weak typing)	(sum: number, m: any) => sum + Number(m.quantity_in_stock) * Number(m.avg_unit_cost), 0
apps\backend\supabase\functions\dashboard-kpis\index.ts	30	MEDIUM	any type used (weak typing)	const batchesThisMonth = (batches.data ?? []).filter((b: any) => {
apps\backend\supabase\functions\dashboard-kpis\index.ts	35	MEDIUM	any type used (weak typing)	const finishedCartonsReady = (finishedCartons.data ?? []).reduce((s: number, c: any) => s + Number(c.stock_qty), 0);
apps\backend\supabase\functions\dashboard-kpis\index.ts	38	MEDIUM	any type used (weak typing)	.filter((c: any) => Number(c.current_balance) > 0)
apps\backend\supabase\functions\dashboard-kpis\index.ts	39	MEDIUM	any type used (weak typing)	.reduce((s: number, c: any) => s + Number(c.current_balance), 0);
apps\backend\supabase\functions\dashboard-kpis\index.ts	43	MEDIUM	any type used (weak typing)	.filter((m: any) => Number(m.quantity_in_stock) < Number(m.low_stock_threshold))
apps\backend\supabase\functions\dashboard-kpis\index.ts	44	MEDIUM	any type used (weak typing)	.map((m: any) => ({ type: "rawMaterial", id: m.id, name: m.name, quantityInStock:

				Number(m.quantity_in_stock), threshold: Number(m.low_stock_threshold) })),
apps\backend\supabase\functions\dashboard-kpis\index.ts	46	MEDIUM	any type used (weak typing)	.filter((w: any) => Number(w.stock_qty) < Number(w.low_stock_threshold))
apps\backend\supabase\functions\dashboard-kpis\index.ts	47	MEDIUM	any type used (weak typing)	.map((w: any) => ({ type: "wrapper", id: w.id, name: w.name, quantityInStock: Number(w.stock_qty), threshold: Number(w.low_stock_threshold) })),
apps\backend\supabase\functions\dashboard-kpis\index.ts	49	MEDIUM	any type used (weak typing)	.filter((b: any) => Number(b.stock_qty) < Number(b.low_stock_threshold))
apps\backend\supabase\functions\dashboard-kpis\index.ts	50	MEDIUM	any type used (weak typing)	.map((b: any) => ({ type: "box", id: b.id, name: b.name, quantityInStock: Number(b.stock_qty), threshold: Number(b.low_stock_threshold) })),
apps\backend\supabase\functions\inventory-leftover-summary\index.ts	18	MEDIUM	any type used (weak typing)	const totalLeftoverKg = (data ?? []).reduce((s: number, b: any) => s + Number(b.leftover_qty_kg), 0);
apps\backend\supabase\functions\inventory-leftover-summary\index.ts	20	MEDIUM	any type used (weak typing)	(s: number, b: any) => s + Number(b.leftover_qty_kg) * Number(b.bulk_cost_per_kg), 0
apps\backend\supabase\functions\reports-finished-carton-availability\index.ts	17	MEDIUM	any type used (weak typing)	const result = (data ?? []).map((c: any) => ({
apps\backend\supabase\functions\reports-inventory\index.ts	42	MEDIUM	any type used (weak typing)	const rawMaterialMovement = (rawMaterials ?? []).map((m: any) => {
apps\backend\supabase\functions\reports-inventory\index.ts	44	MEDIUM	any type used (weak typing)	.filter((l: any) => l.raw_material_id === m.id)
apps\backend\supabase\functions\reports-inventory\index.ts	45	MEDIUM	any type used (weak typing)	.reduce((s: number, l: any) => s + Number(l.qty), 0);
apps\backend\supabase\functions\reports-inventory\index.ts	47	MEDIUM	any type used (weak typing)	.filter((c: any) => c.raw_material_id === m.id)
apps\backend\supabase\functions\reports-inventory\index.ts	48	MEDIUM	any type used (weak typing)	.reduce((s: number, c: any) => s + Number(c.qty), 0);
apps\backend\supabase\functions\reports-pnl\index.ts	31	MEDIUM	any type used (weak typing)	const byBatch = (batchRows ?? []).map((b: any) => {
apps\backend\supabase\functions\reports-pnl\index.ts	32	MEDIUM	any type used (weak typing)	const cartonsForBatch = (cartons ?? []).filter((c: any) => c.source_batch_id === b.id);
apps\backend\supabase\functions\reports-pnl\index.ts	33	MEDIUM	any type used (weak typing)	const items = (invoiceItems ?? []).filter((i: any) => cartonsForBatch.some((c: any) => c.id === i.finished_carton_id));
apps\backend\supabase\functions\reports-pnl\index.ts	33	MEDIUM	any type used (weak typing)	const items = (invoiceItems ?? []).filter((i: any) => cartonsForBatch.some((c: any) => c.id === i.finished_carton_id));
apps\backend\supabase\functions\reports-pnl\index.ts	34	MEDIUM	any type used (weak typing)	const totalQty = items.reduce((s: number, i: any) => s + Number(i.qty), 0);

apps\backend\supabase\functions\reports-pnl\index.ts	36	MEDIUM	any type used (weak typing)	? items.reduce((s: number, i: any) => s + Number(i.qty) * Number(i.unit_price), 0) / totalQty
apps\backend\supabase\functions\reports-pnl\index.ts	49	MEDIUM	any type used (weak typing)	const byCarton = (cartons ?? []).map((c: any) => {
apps\backend\supabase\functions\reports-pnl\index.ts	50	MEDIUM	any type used (weak typing)	const items = (invoiceItems ?? []).filter((i: any) => i.finished_carton_id === c.id);
apps\backend\supabase\functions\reports-pnl\index.ts	51	MEDIUM	any type used (weak typing)	const totalQty = items.reduce((s: number, i: any) => s + Number(i.qty), 0);
apps\backend\supabase\functions\reports-pnl\index.ts	53	MEDIUM	any type used (weak typing)	? items.reduce((s: number, i: any) => s + Number(i.qty) * Number(i.unit_price), 0) / totalQty
apps\backend\supabase\functions\reports-production\index.ts	24	MEDIUM	any type used (weak typing)	const result = (data ?? []).map((b: any) => ({
apps\frontend\app\dashboard\batches\[id]\page.tsx	142	MEDIUM	any type used (weak typing)	(expensesRes.data ?? []).map((r: any) => ({
apps\frontend\app\dashboard\batches\[id]\page.tsx	150	MEDIUM	any type used (weak typing)	(allocationsRes.data ?? []).map((r: any) => ({
apps\frontend\app\dashboard\monthly-expenses\page.tsx	64	MEDIUM	any type used (weak typing)	setRows((data ?? []).map((r: any) => ({ id: r.id, month: r.month, name: r.name, amount: Number(r.amount) })));
apps\frontend\app\dashboard\monthly-expenses\page.tsx	120	MEDIUM	any type used (weak typing)	allocations: (result.allocations ?? []).map((a: any) => ({
apps\frontend\app\layout.tsx	31	MEDIUM	Empty catch block	" try { stored = localStorage.getItem('theme'); } catch (e) {}",
apps\frontend\app\layout.tsx	41	MEDIUM	Empty catch block	" try { localStorage.setItem('theme', stored); } catch (e) {}",
apps\frontend\components\ui\auth-page.tsx	23	MEDIUM	any type used (weak typing)	// Dummy auth: any non-empty credentials succeed
apps\frontend\lib\store.ts	12	MEDIUM	any type used (weak typing)	function mapSupplierRow(row: any): Supplier {
apps\frontend\lib\store.ts	15	MEDIUM	any type used (weak typing)	function mapRawMaterialRow(row: any): RawMaterial {
apps\frontend\lib\store.ts	25	MEDIUM	any type used (weak typing)	function mapReceiptRow(row: any): PurchaseReceipt {
apps\frontend\lib\store.ts	28	MEDIUM	any type used (weak typing)	function mapReceiptLineRow(row: any): PurchaseReceiptLine {
apps\frontend\lib\store.ts	31	MEDIUM	any type used (weak typing)	function mapWrapperRow(row: any): Wrapper {

apps\frontend\lib\store.ts	41	MEDIUM	any type used (weak typing)	function mapBoxRow(row: any): Box {
apps\frontend\lib\store.ts	51	MEDIUM	any type used (weak typing)	function mapWrapperRunRow(row: any): WrapperProductionRun {
apps\frontend\lib\store.ts	60	MEDIUM	any type used (weak typing)	function mapBoxRunRow(row: any): BoxProductionRun {
apps\frontend\lib\store.ts	69	MEDIUM	any type used (weak typing)	function mapCartonConfigRow(row: any): CartonConfiguration {
apps\frontend\lib\store.ts	80	MEDIUM	any type used (weak typing)	function mapBatchRow(row: any): ProductionBatch {
apps\frontend\lib\store.ts	94	MEDIUM	any type used (weak typing)	function mapFinishedCartonRow(row: any): FinishedCarton {
apps\frontend\lib\store.ts	108	MEDIUM	any type used (weak typing)	function mapCustomerRow(row: any): Customer {
apps\frontend\lib\store.ts	111	MEDIUM	any type used (weak typing)	function mapCustomerItemPriceRow(row: any): CustomerItemPrice {
apps\frontend\lib\store.ts	119	MEDIUM	any type used (weak typing)	function mapInvoiceRow(row: any, customerName: string, items: InvoiceLineRecord[]): Invoice {
apps\frontend\lib\store.ts	129	MEDIUM	any type used (weak typing)	function mapInvoiceItemRow(row: any): InvoiceLineRecord {
apps\frontend\lib\store.ts	139	MEDIUM	any type used (weak typing)	function mapLedgerRow(row: any): LedgerEntry {
apps\frontend\lib\store.ts	151	MEDIUM	any type used (weak typing)	function mapPaymentRow(row: any, customerName: string): Payment {
apps\frontend\lib\store.ts	162	MEDIUM	any type used (weak typing)	function mapSettingsRow(row: any): AppSettings {
apps\frontend\lib\store.ts	710	MEDIUM	any type used (weak typing)	const invoices = (invoicesRes.data ?? []).map((row: any) =>
apps\frontend\lib\store.ts	714	MEDIUM	any type used (weak typing)	const payments = (paymentsRes.data ?? []).map((row: any) => mapPaymentRow(row, customerNameById.get(row.customer_id) ?? ""));

Phase 1b: Function / Logic Audit (non-OK only)

File	Function	Line	Status	Reason
apps\backend\supabase\functions_shared\client.ts	statusForPgError	17	SUSPECT	Empty function body ho sakta hai
apps\backend\supabase\functions_shared\client.ts	jsonResponse	24	SUSPECT	Empty function body ho sakta hai

apps\backend\supabase\functions\data-export\index.ts	ensureSpace	214	SUSPECT	Empty function body ho sakta hai
apps\backend\supabase\functions\data-export\index.ts	drawText	221	SUSPECT	Empty function body ho sakta hai
apps\frontend\app\layout.tsx	getCookie	26	SUSPECT	Empty function body ho sakta hai

Phase 2: Beta Testing - Build/Typecheck

Step	Status	Duration(ms)
Backend: npm install	PASS	2744
Backend: TypeScript build (tsc)	PASS	1910
Frontend: Next.js build	PASS	43603
Supabase Edge Functions inventory	INFO	0

Phase 3: UAT Checklist

Flow	Status
Login / Auth flow (apps/frontend/app/(auth)/login)	PENDING MANUAL CHECK
Dashboard KPIs load correctly (dashboard-kpis function)	PENDING MANUAL CHECK
Raw Materials: create / list / history	PENDING MANUAL CHECK
Production Batches: create batch, view detail, leftover sources	PENDING MANUAL CHECK
Packing Runs + Preview	PENDING MANUAL CHECK
Finished Cartons stock view	PENDING MANUAL CHECK
Carton Configurations: create / update	PENDING MANUAL CHECK
Customers: create / ledger / item prices / invoices	PENDING MANUAL CHECK
Invoices: create, PDF export, price lookup, back-context	PENDING MANUAL CHECK
Payments recording	PENDING MANUAL CHECK
Purchase Receipts: create / list / update / delete	PENDING MANUAL CHECK
Suppliers history	PENDING MANUAL CHECK
Monthly Expenses + Overhead allocation	PENDING MANUAL CHECK
Reports: Inventory / P&L / Production / Finished Carton availability	PENDING MANUAL CHECK
Data Export / Data Delete (danger zone)	PENDING MANUAL CHECK
Settings page	PENDING MANUAL CHECK


Phase 4: Button / Click-Handler Audit (heuristic, static scan)

Ye static code scan hai, actual browser click-testing nahi. LOW severity = false positive ho sakta hai.

File	Line	Severity	Issue	Snippet
apps\frontend\components\ui\sidebar-component.tsx	296	LOW	onClick='onClick' - is naam ka function isi file me define nahi mila (import se aa sakta hai, manually check karein)	type="button" title={label} aria-label={label} className={`flex flex-col items-center justify-center gap-0.5 rounded-lg w-14 min-w-14 h-12 transition-colors duration-500 \${isActive ? "bg-[var(--surface-hover)] text-[var(--foreground)]" : "hover:bg-[var(--surface-hover)] text-[var(--text-

				muted)) hover:text-[var(--text-secondary)]"}`` style={{ transitionTimingFunction: softSpringEasing }} onClick={onClick}
apps\frontend\components\ui\sidebar-component.tsx	413	LOW	onClick='onToggleCollapse' - is naam ka function isi file me define nahi mila (import se aa sakta hai, manually check karein)	type="button" onClick={onToggleCollapse} className="flex items-center justify-center rounded-lg size-10 min-w-10 transition-all duration-500 hover:bg-[var(--surface-hover)] text-[var(--text-muted)] hover:text-[var(--text-secondary)]" style={{ transitionTimingFunction: softSpringEasing }} aria-label="Expand sidebar"
apps\frontend\components\ui\sidebar-component.tsx	437	LOW	onClick='onToggleCollapse' - is naam ka function isi file me define nahi mila (import se aa sakta hai, manually check karein)	type="button" onClick={onToggleCollapse} className="flex items-center justify-center rounded-lg size-10 min-w-10 transition-all duration-500 hover:bg-[var(--surface-hover)] text-[var(--text-muted)] hover:text-[var(--text-secondary)]" style={{ transitionTimingFunction: softSpringEasing }} aria-label="Collapse sidebar"
apps\frontend\components\ui\sidebar-component.tsx	550	LOW	onClick='close' - is naam ka function isi file me define nahi mila (import se aa sakta hai, manually check karein)	type="button" onClick={close} aria-label="Close menu" className="lg:hidden absolute top-4 right-4 flex items-center justify-center size-8 rounded-lg hover:bg-[var(--surface-hover)] text-[var(--text-muted)]"
apps\frontend\components\ui\topbar.tsx	130	LOW	onClick='toggle' - is naam ka function isi file me define nahi mila (import se aa sakta hai, manually check karein)	type="button" onClick={toggle} aria-label="Open menu" className="lg:hidden flex items-center justify-center size-9 rounded-lg hover:bg-[var(--surface-hover)] text-[var(--foreground)] shrink-0 border border-[var(--surface-border)]"

Phase 5: Domain Model (ER Diagram)




Entity	Fields
RawMaterial	id: string, quantityInStock: number
PackagingMaterial	id: string
ProductionBatch	id: string, leftoverQtyKg: number
FinishedCarton	id: string, packetsPerCarton: number
Customer	id: string
Invoice	id: string, invoiceDate: string
Payment	id: string, amount: number


CustomerItemPrice	customerId: string
-------------------	--------------------

Phase 6: Sequence Diagrams (per module)


Module: batch




Module: batches




Module: boxes




Module: carton




Module: customers




Module: dashboard




Module: data




Module: inventory




Module: invoices




Module: monthly




Module: packing




Module: payments




Module: production




Module: purchase




Module: raw




Module: receipts




Module: reports




Module: suppliers



Module: wrappers



Phase 7: Navigation / Flow Diagram



Phase 8: Backend API Live Test (apps/backend Express server)

Method	Route	HTTP Status	Result	ms
GET	/api/health	200	WORKING	37
GET	/api/kpis	200	WORKING	47
GET	/api/raw-materials	200	WORKING	45
POST	/api/raw-materials	201	WORKING	102
GET	/api/raw-materials/test-id	404	WORKING	40
POST	/api/raw-materials/test-id/receipts	201	WORKING	42
GET	/api/packaging-materials	200	WORKING	77
POST	/api/packaging-materials/test-id/restock	201	WORKING	60
GET	/api/batches	200	WORKING	48
GET	/api/batches/test-id	404	WORKING	39
POST	/api/batches	201	WORKING	41
POST	/api/batches/test-id/overhead	200	WORKING	12
GET	/api/finished-cartons	200	WORKING	10
POST	/api/finished-cartons/packing-run	201	WORKING	12
GET	/api/customers	200	WORKING	17
POST	/api/customers	201	WORKING	14
GET	/api/customers/test-id	404	WORKING	3
GET	/api/customers/test-id/item-prices	200	WORKING	15
GET	/api/invoices	200	WORKING	25
GET	/api/invoices/test-id	404	WORKING	11
POST	/api/invoices	201	WORKING	13
GET	/api/invoices/test-id/pdf	200	WORKING	14
GET	/api/payments	200	WORKING	16
POST	/api/payments	201	WORKING	18
GET	/api/reports/inventory	200	WORKING	16
GET	/api/reports/pnl	200	WORKING	14
GET	/api/settings	200	WORKING	14
PATCH	/api/settings	200	WORKING	21

Phase 9: Supabase Edge Functions Live Test

Function	HTTP Status	Result	ms
----------	-------------	--------	----

batch-expenses	200	DEPLOYED / REACHABLE	792
batches	200	DEPLOYED / REACHABLE	365
boxes-create	200	DEPLOYED / REACHABLE	313
boxes-production	200	DEPLOYED / REACHABLE	316
boxes-production-runs	200	DEPLOYED / REACHABLE	315
carton-configurations-create	200	DEPLOYED / REACHABLE	306
carton-configurations-update	200	DEPLOYED / REACHABLE	331
customers-create	200	DEPLOYED / REACHABLE	234
customers-invoices	200	DEPLOYED / REACHABLE	440
customers-item-prices	200	DEPLOYED / REACHABLE	450
customers-ledger	200	DEPLOYED / REACHABLE	460
dashboard-kpis	200	DEPLOYED / REACHABLE	405
data-delete	200	DEPLOYED / REACHABLE	752
data-export	200	DEPLOYED / REACHABLE	932
inventory-leftover-summary	200	DEPLOYED / REACHABLE	207
invoices	200	DEPLOYED / REACHABLE	217
invoices-back-context	200	DEPLOYED / REACHABLE	216
invoices-pdf	200	DEPLOYED / REACHABLE	221
invoices-price-lookup	200	DEPLOYED / REACHABLE	228
monthly-expenses	200	DEPLOYED / REACHABLE	197
monthly-overhead-allocate	200	DEPLOYED / REACHABLE	223
packing-runs	200	DEPLOYED / REACHABLE	238
packing-runs-preview	200	DEPLOYED / REACHABLE	262
payments	200	DEPLOYED / REACHABLE	282
production-batches-leftover-sources	200	DEPLOYED / REACHABLE	356
purchase-receipts	200	DEPLOYED / REACHABLE	307
raw-materials-create	200	DEPLOYED / REACHABLE	321
raw-materials-history	200	DEPLOYED / REACHABLE	410
receipts-delete	404	NOT DEPLOYED (404)	312
receipts-detail	200	DEPLOYED / REACHABLE	276
receipts-list	200	DEPLOYED / REACHABLE	351
receipts-update	404	NOT DEPLOYED (404)	251
reports-finished-carton-availability	200	DEPLOYED / REACHABLE	346
reports-inventory	200	DEPLOYED / REACHABLE	473
reports-pnl	200	DEPLOYED / REACHABLE	364
reports-production	200	DEPLOYED / REACHABLE	414
suppliers-history	200	DEPLOYED / REACHABLE	400
wrappers-create	200	DEPLOYED / REACHABLE	288
wrappers-production	200	DEPLOYED / REACHABLE	267
wrappers-production-runs	200	DEPLOYED / REACHABLE	236

Phase 10: Database Connectivity Test

Check	HTTP Status	Result
Supabase REST/DB root (https://hbvcdxhdkbksknsdqst.supabase.co/rest/v1/)	401	DATABASE REACHABLE
Table: app_settings	200	TABLE OK
Table: batch_consumptions	200	TABLE OK
Table: batch_expenses	200	TABLE OK
Table: batch_monthly_overhead_allocations	200	TABLE OK
Table: box_production_runs	200	TABLE OK
Table: boxes	200	TABLE OK
Table: carton_configurations	200	TABLE OK
Table: customer_item_prices	200	TABLE OK
Table: customer_ledger_entries	200	TABLE OK
Table: customers	200	TABLE OK
Table: finished_cartons	200	TABLE OK
Table: invoice_items	200	TABLE OK
Table: invoices	200	TABLE OK
Table: monthly_expenses	200	TABLE OK
Table: payments	200	TABLE OK
Table: production_batches	200	TABLE OK
Table: purchase_receipt_lines	200	TABLE OK
Table: purchase_receipts	200	TABLE OK
Table: raw_materials	200	TABLE OK
Table: suppliers	200	TABLE OK
Table: wrapper_production_runs	200	TABLE OK
Table: wrappers	200	TABLE OK

Phase 11: Frontend Pages Live Test (next start)

Page	HTTP Status	Result	ms
/	200	LOADS OK	32
/batches	200	LOADS OK	29
/batches/new	200	LOADS OK	27
/batches/test-id	200	LOADS OK	31
/customers	200	LOADS OK	29
/customers/test-id	200	LOADS OK	27
/finished-cartons	200	LOADS OK	25
/invoices	200	LOADS OK	82
/invoices/new	200	LOADS OK	34
/invoices/test-id	200	LOADS OK	29
/login	200	LOADS OK	26

/monthly-expenses	200	LOADS OK	27
/packaging	200	LOADS OK	29
/packaging/carton-config	200	LOADS OK	27
/payments	200	LOADS OK	28
/raw-materials	200	LOADS OK	28
/raw-materials/test-id	200	LOADS OK	29
/receipts	200	LOADS OK	26
/reports	200	LOADS OK	29
/settings	200	LOADS OK	34
/suppliers	200	LOADS OK	29
/suppliers/test-id	200	LOADS OK	27