

Déduction naturelle

Carlisi Nolan

Github Copilot

Ce document contient des coquilles, des erreurs et des fautes d'orthographe. Merci de me les signaler par [Github](#)/message discord/[mail](#).

Vous pouvez aussi m'aider à remplir ce document. ;)

Contents

1	Cours	1
1.1	Modus Ponens	1
1.2	Modus Tollens	1
1.3	Syllogisme disjonctif	2
1.4	Syllogisme barbara	2
1.5	Syllogisme Festino	2
1.6	Syllogisme Cesare	2
1.7	Tiers Exclu	2
2	Exercices	3
2.1	Exo 13.1	3
2.2	Exo 13.2	3

1 Cours

1.1 Modus Ponens

$$\frac{\frac{}{(p \rightarrow q), p \vdash (p \rightarrow q)} \text{ax} \quad \frac{}{(p \rightarrow q), p \vdash p} \text{ax}}{(p \rightarrow q), p \vdash q} \rightarrow_e p$$

1.2 Modus Tollens

$$\frac{\frac{}{(p \rightarrow q), \neg q, p \vdash q} \text{(Modus Ponens)} \quad \frac{}{(p \rightarrow q), \neg q, p \vdash \neg q} \text{ax}}{\frac{(p \rightarrow q), \neg q, p \vdash \perp}{(p \rightarrow q), \neg q \vdash \neg p} \neg_i} \neg_e q$$

1.3 Syllogisme disjonctif

$$\begin{array}{c}
 \frac{}{(p \vee q), \neg p, p, \neg q \vdash \neg p} \text{ax} \quad \frac{}{(p \vee q), \neg p, p, \neg q \vdash p} \text{ax} \\
 \hline
 \frac{}{(p \vee q), \neg p, p, \neg q \vdash \perp} \perp \\
 \hline
 \frac{}{(p \vee q), \neg p \vdash (p \vee q)} \text{ax} \quad \frac{}{(p \vee q), \neg p, p \vdash q} \perp \quad \frac{}{(p \vee q), \neg p, q \vdash q} \text{ax} \\
 \hline
 (p \vee q), \neg p \vdash q \quad \vee_e p, q
 \end{array}$$

1.4 Syllogisme barbara

$$\begin{array}{c}
 \frac{}{(p \rightarrow q), (q \rightarrow r), p \vdash (q \rightarrow r)} \text{ax} \quad \frac{}{(p \rightarrow q), (q \rightarrow r), p \vdash q} \text{(Modus Ponens)} \\
 \hline
 \frac{}{(p \rightarrow q), (q \rightarrow r), p \vdash r} \rightarrow_e q \\
 \hline
 \frac{}{(p \rightarrow q), (q \rightarrow r) \vdash (p \rightarrow r)} \rightarrow_i
 \end{array}$$

1.5 Syllogisme Festino

$$\begin{array}{c}
 \frac{}{(p \rightarrow \neg q), q, p \vdash \neg q} \text{(Modus Ponens)} \quad \frac{}{(p \rightarrow \neg q), q, p \vdash q} \text{ax} \\
 \hline
 \frac{}{(p \rightarrow \neg q), q, p \vdash \perp} \neg_e q \\
 \hline
 \frac{}{(p \rightarrow \neg q), q \vdash \neg p} \neg_i
 \end{array}$$

1.6 Syllogisme Cesare

$$\begin{array}{c}
 \frac{}{(p \rightarrow \neg q), (r \rightarrow q), r, p \vdash \neg q} \text{(Modus Ponens)} \quad \frac{}{(p \rightarrow \neg q), (r \rightarrow q), r, p \vdash q} \text{(Modus Ponens)} \\
 \hline
 \frac{}{(p \rightarrow \neg q), (r \rightarrow q), r, p \vdash \perp} \neg_e q \\
 \hline
 \frac{}{(p \rightarrow \neg q), (r \rightarrow q), r \vdash \neg p} \neg_i \\
 \hline
 \frac{}{(p \rightarrow \neg q), (r \rightarrow q) \vdash (r \rightarrow \neg p)} \rightarrow_i
 \end{array}$$

1.7 Tiers Exclu

$$\begin{array}{c}
 \frac{}{\neg(\neg p \vee p), p \vdash \neg(\neg p \vee p)} \text{ax} \quad \frac{}{\neg(\neg p \vee p), p \vdash p} \text{ax} \\
 \hline
 \frac{}{\neg(\neg p \vee p), p \vdash \neg(\neg p \vee p)} \neg_e (\neg p \vee p) \\
 \hline
 \frac{}{\neg(\neg p \vee p), p \vdash \perp} \neg_i \quad \frac{}{\neg(\neg p \vee p) \vdash p} \text{(Idem)} \\
 \hline
 \frac{}{\neg(\neg p \vee p) \vdash \neg p} \neg_e \quad \frac{}{\neg(\neg p \vee p) \vdash \perp} \neg_i \\
 \hline
 \frac{}{\vdash (\neg p \vee p)} \neg_i
 \end{array}$$

2 Exercices

2.1 Exo 13.1

$$\frac{\frac{\overline{\forall x.\varphi \vdash \forall x.\varphi} \text{ ax}}{\forall x.\varphi \vdash \varphi} \forall_e x}{\forall x.\varphi \vdash \exists x.\varphi} \exists_i$$

2.2 Exo 13.2

$$\frac{\overline{\exists z.\forall x.\varphi(z, x) \vdash \exists z.\forall x.\varphi(z, x)} \text{ ax}}{\exists z.\forall x.\varphi(z, x) \vdash \forall y.\exists x.\varphi(x, y)} \text{ ax} \quad \frac{\frac{\frac{\overline{\exists z.\forall x.\varphi(z, x), \forall x.\varphi(z, x) \vdash \forall x.\varphi(z, x)} \text{ ax}}{\exists z.\forall x.\varphi(z, x), \forall x.\varphi(z, x) \vdash \varphi(z, y)} \forall_e [y \rightarrow x]}{\exists z.\forall x.\varphi(z, x), \forall x.\varphi(z, x) \vdash \exists x.\varphi(x, y)} \exists_i [x \rightarrow y]}{\exists z.\forall x.\varphi(z, x), \forall x.\varphi(z, x) \vdash \forall y.\exists x.\varphi(x, y)} \forall_i}{\exists z.\forall x.\varphi(z, x) \vdash \forall y.\exists x.\varphi(x, y)} \exists_e x, \varphi(z, x)$$