

Modern API Integration

Purpose

The Modern API exposes trade and settlement information for integration with back office systems. It exposes this information over HTTPS, using an API key which is supplied with each request. It will update in near-real time, reflecting new trade information with sub-second latency. However, it is not intended to be rapidly polled, but rather queried periodically.

Access

All endpoints are accessed via an HTTPS GET request, with credentials passed using “Basic access authentication” (https://en.wikipedia.org/wiki/Basic_access_authentication). Accessing these endpoints through a browser will cause the browser to prompt for credentials, which may be useful for testing. Credentials can be obtained and managed through the browser at <https://app.modcom.inc>, under the ‘API Integration’ menu option. More information is provided on this below. **To access the API and manage API Key permissions, please send a request to info@modcom.inc.**


The trades endpoints are limited to 10,000 records per request. Settlements are limited to 100,000 records. Requests that would return more than the record limit will be rejected with a message indicating the need to apply a more granular filter / date range.

A rate limit may be applied to requests that are made too rapidly over a period of time.


API Key Management

After permission has been granted, take the following steps to create and manage the company’s API Key(s):


1. Start by selecting the ‘API Integration’ option from the ‘Menu’ section in the top right portion of the screen.




2. Click “Create API Key” and assign an API Key a name.



3. A username/password for basic access authentication will be assigned. For convenience, this information is also presented as an encoded Authorization header.



4. API Key information can now be viewed/edited from this menu.



5. Follow the same process to create separate API Keys.

Response Format

Responses will be in CSV format, provided separate from this PDF.

Endpoints

The following API endpoints are available:

My Trades

<https://app.modcom.inc/api/integration/myTrades/v1>

The following optional query parameters can be added:

- startDate (in YYYY-MM-DD format, defaults to today)
 - Example: 2022-11-01
- endDate (in YYYY-MM-DD format, defaults to today)
 - Example: 2022-11-30
- legalEntityName
 - Example: My Legal Entity

This endpoint will return all finalized and canceled trades the company is a party to. If startDate and/or endDate values are not provided, they will default to using the current date. This endpoint will provide data from all time. Values for legalEntityName can be copied from the web UI under the API Integration menu option. Additionally, providing an invalid legalEntityName will return a failure message that includes a list of valid legalEntityName values.

Example of a query specifying all parameters (substitute a valid authorization key):

GET <https://app.modcom.inc/api/integration/myTrades/v1?startDate=2022-11-01&endDate=2022-11-30&legalEntityName=My Legal Entity>
Authorization: Basic NDVjNTUyZmYtNzdiZC00M2I0LTljZjgtNWYyZGQzYzRmMGFhOnpzc01sdHV1K2I4TnVFdTEvTzltVktneEN0TT0=

All Trades

<https://app.modcom.inc/api/integration/allTrades/v1>

The following optional query parameters can be added:

- startDate (in YYYY-MM-DD format, defaults to today)
 - Example: 2022-11-01
- endDate (in YYYY-MM-DD format, defaults to today)
 - Example: 2022-11-30

This endpoint will return all finalized and canceled trades. If startDate and/or endDate values are not provided, they will default to using the current date. This endpoint is limited to data from the past 6 months. Specifying a start date before that window will result in an HTTP 400 Bad Request.

Example of a query specifying all parameters (substitute a valid authorization key):

GET <https://app.modcom.inc/api/integration/allTrades/v1?startDate=2022-11-01&endDate=2022-11-30>

Authorization: Basic NDVjNTUyZmYtNzdiZC00M2I0LTljZjgtNWYyZGQzYzRmMGFhOnpzc01sdHV1K2I4TnVFdTEvTzltVktneEN0TT0=

Settlements

<https://app.modcom.inc/api/integration/settlements/v1>

The following optional query parameters can be added:

- startDate (in YYYY-MM-DD format, defaults to today)
 - Example: 2022-11-01
- endDate (in YYYY-MM-DD format, defaults to today)
 - Example: 2022-11-30

This endpoint will return daily settlement prices. If startDate and/or endDate values are not provided, they will default to using the current date. This endpoint is limited to data from the past 6 months. Specifying a start date before that window will return an HTTP 400 Bad Request.

Example of a query specifying all parameters (substitute a valid authorization key):

GET <https://app.modcom.inc/api/integration/settlements/v1?startDate=2022-11-01&endDate=2022-11-30>

Authorization: Basic NDVjNTUyZmYtNzdiZC00M2I0LTljZjgtNWYyZGQzYzRmMGFhOnpzc01sdHV1K2I4TnVFdTEvTzltVktneEN0TT0=