

OUTPUT OF first come first serve

```
arnav@LAPTOP-BN8992KC:~$ cd OS
arnav@LAPTOP-BN8992KC:~/OS$ nano FCFS.c
arnav@LAPTOP-BN8992KC:~/OS$ gcc FCFS.c -o FCFS
arnav@LAPTOP-BN8992KC:~/OS$ ./FCFS
Enter number of processes: 5
Enter burst time for each process:
P1: 4
P2: 3
P3: 5
P4: 68
P5:
7

Process BT      WT      TAT
P1      4      0      4
P2      3      4      7
P3      5      7      12
P4      68     12     80
P5      7      80     87
arnav@LAPTOP-BN8992KC:~/OS$ |
```

1. OUTPUT OF SJF_NONpreemptive

```
arnav@LAPTOP-BN8992KC:~/OS$ nano SJF_NP.c
arnav@LAPTOP-BN8992KC:~/OS$ gcc SJF_NP.c -o SJF_NP
arnav@LAPTOP-BN8992KC:~/OS$ ./SJF_NP
Enter number of processes: 4
Enter burst time:
P1: 2
P2: 3
P3:
6
P4: 8

Process BT      WT      TAT
P1      2      0      2
P2      3      2      5
P3      6      5      11
P4      8      11     19
arnav@LAPTOP-BN8992KC:~/OS$ |
```

Priority

Output

```
arnav@LAPTOP-BN8992KC:~/OS$ nano Priority.c
arnav@LAPTOP-BN8992KC:~/OS$ gcc Priority.c -o Priority
arnav@LAPTOP-BN8992KC:~/OS$ ./Priority
Enter number of processes: 5
Enter burst time and priority:
P1 Burst Time: 4
P1 Priority: 3
P2 Burst Time: 6
P2 Priority: 7
P3 Burst Time: 8
P3 Priority: 3
P4 Burst Time: 4
P4 Priority: 5
P5 Burst Time: 2
P5 Priority: 1

Process BT      Priority      WT      TAT
P1      2        1           0        2
P2      8        3          2       10
P3      4        3         10       14
P4      4        5         14       18
P5      6        7         18       24
arnav@LAPTOP-BN8992KC:~/OS$ |
```

Round robin

output

```
arnav@LAPTOP-BN8992KC:~/OS$ nano Roundrobin.c
arnav@LAPTOP-BN8992KC:~/OS$ gcc Roundrobin.c -o Roundrobin
arnav@LAPTOP-BN8992KC:~/OS$ ./Roundrobin
Enter number of processes: 5
Enter burst time:
P1: 6
P2: 7
P3: 8
P4: 9
P5: 4
Enter time quantum: 5

Process BT      WT      TAT
P1      6       19      25
P2      7       20      27
P3      8       22      30
P4      9       25      34
P5      4       20      24
arnav@LAPTOP-BN8992KC:~/OS$ |
```