

MARTINET

Keep Windows up to date in one go

User guide ▪ version 0.5.1

The swift (*martinet* in French) spends its life on the wing and hardly ever lands:
Martinet does its rounds on its own.

Check everything → **Update and clean up** → **Schedule**

Windows 10 and 11

Contents

1 What Martinet is for **2**

2 Installing and starting **2**

3 The dashboard **2**

4 Programs (winget) **3**

5 Outside winget **4**

5.1 Programs with a known source 5

5.2 Programs without a known source 5

6 Windows and drivers **6**

6.1 Graphics card 7

6.2 Windows Update 7

6.3 Windows 10 7

7 Dead shortcuts **8**

8 Clean-up **8**

9 Schedule: the automatic mode **10**

10 On Manjaro (Linux) **10**

10.1 Packages 11

10.2 System 12

10.3 Clean-up 13

10.4 Schedule without a password 14

11 History **16**

12 Command line **16**

13 If something goes wrong **16**

1 What Martinet is for

On Linux, one command (`apt`, `yay`…) updates everything. On Windows, each program has its own updater, drivers have another one, Windows yet another. Martinet brings all of it into one window, on Windows 11 as on Windows 10; it also exists for **Manjaro** and Arch (section 10), with the same dashboard:

I want to…	Page	Section
see at a glance what is out of date	**Dashboard**	3
update my programs without opening them one by one	**Programs (winget)**	4
also track programs winget does not know	**Outside winget**	5
install Windows Update, drivers, the graphics driver	**Windows and drivers**	6
find shortcuts that lead nowhere	**Dead shortcuts**	7
free disk space	**Clean-up**	8
have all of this done without me	**Schedule**	9

What Martinet never does

- It does not "clean" the registry: no measurable gain, a real risk of breaking a program.
- It deletes no shortcut: they are **set aside** and restored in one click.
- It touches no personal file; browser caches are emptied only if you check them.
- It only downloads an installer from the vendor's **official** address, over HTTPS.
- It never queries a network drive: a sleeping NAS stays asleep.


2 Installing and starting

Download `Martinet-Setup.exe` from the project's **Releases** page and run it. It installs into your account, without administrator rights. Martinet then updates itself: it offers to at start-up when a new version is published.

At start-up, Windows asks **once** for administrator permission: Windows Update, part of the clean-up and scheduling need it. If you decline, Martinet still works; a yellow banner reminds you what is missing and offers to restart with the rights.

On the very first start, Martinet offers to turn on the **scheduled run** every Sunday at noon (section 9).

3 The dashboard




1. **Check everything** queries winget, vendors, Windows Update, NVIDIA and AMD, looks for dead shortcuts and measures the clean-up. **Nothing is changed** while checking, which takes one to three minutes (Windows Update is the slowest).
2. Each card sums up a page; click it to open the page.
3. **Update and clean up** does everything that can be done without you: winget programs, Windows updates (optional ones included if you chose so), Defender signatures, the checked clean-up, and, according to the Schedule page, the NVIDIA driver and dead shortcuts set aside. Before starting, Martinet shows the exact list, with the numbers, and what it will not do.

Good to know

Show details, bottom right, unfolds the live log: every line written by winget, Windows Update or DISM. **Cancel** stops the current operation and the waiting ones.

4 Programs (winget)

winget is the package manager built into Windows 10 and 11: the equivalent of `yay`. It knows thousands of programs and the Microsoft Store apps, and updates them silently.




- Checked rows go with **Update selected**, one by one: one failure does not stop the others, and the summary says which ones failed.
- **Ignore / stop ignoring** removes a program from updates, manual and scheduled alike (a program you deliberately keep at an older version, for instance).
- **Show ignored** brings them back, greyed out.

Caution

If winget is missing (older Windows 10), install “App Installer” from the Microsoft Store.

5 Outside winget

Some programs are not tracked by winget: installed by hand from the vendor’s site, or unknown to its catalogue. Martinet sorts them into two lists.



5.1 Programs with a known source

Martinet reads the latest version where the vendor publishes it:

- the project's **GitHub releases** ("dev", "rc", "beta" pre-releases are skipped);
- the vendor's **download page**, read with a pattern.


Download and install fetches the official installer when its address is known and runs it: you follow the installation on screen. Otherwise **Open the page** opens the download page.

The shipped catalogue covers PHD2, ASCOM Platform, N.I.N.A., ASTAP, GraXpert and SharpCap.

5.2 Programs without a known source

For each one, three options:

1. **Hand over to winget…** looks for the program in the winget catalogue; if found, winget reinstalls it over the existing one (settings are usually kept) and tracks it from then on.
2. **Add a source…** tells Martinet where to find its latest version:




For a GitHub project, "owner/repository" is enough (the full address is accepted). For a web page, the version pattern is a regular expression whose first group in brackets is the version; the highest one found on the page is kept. **Test** shows what Martinet finds before saving.

3. **Ignore** removes it from the list (drivers, tools without updates…).

Good to know

Sources… lists the catalogue and your sources. Editing a catalogue source creates your own version, which replaces it. **Import…** loads a ready-made source file. Programs that update themselves (browsers, Microsoft 365, Adobe, NVIDIA App…) are marked "Updates itself".

6 Windows and drivers



6.1 Graphics card

For an **NVIDIA** card, Martinet queries NVIDIA's official service (the one the NVIDIA app uses) with the card's identifier and compares with the installed driver. **Download and install the driver** fetches the official installer and runs it.

For a **Radeon** (or a Ryzen's integrated graphics), Martinet reads AMD's driver page for that card, or processor, and keeps only the **recommended** (WHQL) driver, never the "optional" one. It compares it with the installed AMD Software version. AMD's installer opens and is followed on screen: the automatic run only reports it. Vega and Polaris chips are on AMD's maintenance branch: new drivers are rare, Windows Update is usually enough. For an Intel card, **Open the page** leads to Intel's detection tool.

6.2 Windows Update

The list is the one in *Settings* > *Windows Update*, vendor drivers included (chipset, Wi-Fi, audio…). **Optional** updates (optional drivers, Windows previews) are included as long as **Include optional updates** is checked; this choice also applies to "Update and clean up" and to scheduled runs. **Update Defender** refreshes the antivirus signatures.


Caution

After installing, Windows often asks for a restart: Martinet offers it (in one minute, time to save your work).

6.3 Windows 10

Martinet works the same way on Windows 10. Support ended on 14 October 2025, but a PC enrolled in the **ESU** extension (free in Europe with a Microsoft account) gets security fixes until **12 October 2027**; a banner says so, and Martinet installs them like everything else. Check enrolment in *Settings* > *Windows Update*. If **winget** is missing (Windows 10 never updated), the Programs page says so and opens the Microsoft Store on "App Installer".

7 Dead shortcuts




Martinet reads the Desktop, Start menu and taskbar shortcuts and keeps those whose target has disappeared. To be safe, it **does not count**:

- special shortcuts (Control Panel, Store apps, installer shortcuts);
- targets on the network or on a missing drive (USB stick, unplugged disk).


Set selected aside moves them into Martinet's data, with their original location. The lower list lets you **Restore** them at any time.

8 Clean-up



Only what Windows can recreate: temporary files older than 7 days, error reports, the Windows Update download cache, installers already used, crash memory dumps, Windows logs older than 7 days, driver setup leftovers (`C:\NVIDIA`, `C:\AMD`). Never checked by default: the thumbnail cache, browser caches (emptied only with the browsers closed; no history, cookies or passwords), shader caches (stutter in games while they rebuild), superseded Windows components (DISM, several minutes) and the **recycle bin**, which asks for confirmation. A file in use is left in place.

9 Schedule: the automatic mode




Check **Scheduled run**, choose the day and time, then **Save**. Martinet creates a Windows scheduled task that:

- runs with your highest rights, only while your session is open;
- catches up on a missed run at the next start-up (computer switched off);
- does what is checked under “What is done without you”: programs, Windows Update and drivers, the NVIDIA driver (installed without a window), dead shortcuts set aside, clean-up;
- shows a **notification** summing up the run at the end; click it to open Martinet.

Programs outside winget are only **reported**: not all of their installers can run without you. **Run it now** does the same work straight away.


10 On Manjaro (Linux)



On Manjaro and Arch, Martinet does not replace the package manager: it drives it, and gathers what is usually done by hand in a terminal. The pages change a little:

Page	What it does
Packages	Manjaro repositories, AUR and Flatpak, the whole system at once; your applications published on GitHub
System	restart needed, unmaintained kernel, firmware (fwupd), `.pacnew` files, orphan packages
Dead launchers	`.desktop` launchers in the menu, on the Desktop and in autostart whose program has disappeared
Clean-up	package cache, AUR build files, unused Flatpak runtimes…
Schedule	systemd timer of your account


10.1 Packages



Martinet goes through **yay** when it is installed (it means you use it), otherwise **pamac** (the tool shipped with Manjaro), otherwise pacman; the **Package manager** list forces one or the other. yay runs without a terminal: the password is asked in a real window (pkexec) and the PKGBUILD review menus are skipped. There is no box per package: on Arch and Manjaro a partial upgrade can break the system, so it is all or nothing. Flatpak applications follow straight after.

Your GitHub applications: every application installed with its `installer.sh` in `~/.local/share` (Coupole, Tutti…) is found on its own, from its `app/kit.json`, and compared with the latest release on GitHub. The update follows the official path: the release's Linux archive, its SHA-256 checked against `SHA256SUMS`, then its `installer.sh`, without sudo. An open application is left for the next run; its settings, kept elsewhere, are never touched.


10.2 System



What needs your decision, and that Martinet never does on its own:


- **Restart**: the running kernel was replaced by an update.
- **Unmaintained kernel**: Manjaro drops an end-of-life kernel from its repositories; it stays installed, without fixes. Install a maintained one (*Manjaro Settings* > *Kernel*).
- **Firmware** (fwupd): motherboard, drives, mouse… Do not cut the power meanwhile.
- **`.pacnew` files**: a new configuration shipped by a package waits for you to compare it with yours (`sudo pacdiff`).
- **Orphan packages**: installed as a dependency, nothing needs them any more. Check the ones to remove: a tool you installed yourself may be among them.

10.3 Clean-up




The pacman cache is **never emptied completely**: the last two versions of each package stay, so you can roll back if an update breaks something. Whatever needs administrator rights goes through a single password request.

10.4 Schedule without a password



The automatic run is a systemd timer of your account (`~/.config/systemd/user`). For it to update packages while you are away, check **Update without asking for the password**: Martinet installs a polkit rule that allows **only pamac and pacman** (the one yay runs through pkexec), and **only for your account**. Without it, the run asks for the password if you are at the screen, otherwise it skips packages and reports it. Unchecking removes the rule.

11 History



Every run, manual or scheduled, with line-by-line details. **File > Open the data folder** leads to the folder where Martinet keeps its settings, sources, history and the shortcuts set aside (`%LOCALAPPDATA%\Martinet` on Windows, `~/.local/state/Martinet` on Linux).

12 Command line

`run.py -verifier`	lists what needs updating, without changing anything
`run.py -auto`	full run, like the scheduled task
`run.py -lang fr`	French interface

13 If something goes wrong

- **Help > Report a problem...** sends your description with the Martinet and system versions, nothing else.
- A failing step (no network, Windows Update service stopped...) does not stop the others: Martinet says which one, and why.
- A program that refuses to update through winget is often open: close it and try again.