

Vendémiaire

User manual

Version 1.0.3

Free wine cellar manager — Windows, macOS, Linux

ARP273-ROSE

Contents

1 Vendémiaire on one page **3**

2 Install and update **4**
2.1 Install . . . 4
2.2 What the package contains . . . 4
2.3 Automatic updates . . . 4
2.4 First start . . . 5

3 The cellar **5**
3.1 The list and the record . . . 5
3.2 Entering a wine . . . 6
3.3 Bottles . . . 7
3.4 Taking a bottle out . . . 8
3.5 The label wall . . . 8

4 The rack plan **9**

5 The cellar book **10**
5.1 Moment photos . . . 10

6 World databases and identifiers **11**
6.1 LWIN, the fine-wine trade identifier . . . 11
6.2 Other sources . . . 12
6.3 Identifying a wine . . . 13
6.4 Identifying the whole cellar at once . . . 14

7 Label photos and text reading **16**
7.1 The sleeve . . . 16
7.2 Straightening . . . 16
7.3 Reading the text (OCR) and identifying . . . 16

8 Rules and their sources **17**
8.1 The wine's style . . . 18
8.2 The drinking window . . . 18
8.3 Alerts . . . 20

9 Tonight: choosing and serving **20**
9.1 What to drink tonight? . . . 20
9.2 The "tonight" sheet . . . 21

9.3 Pairings both ways . . . 21

10 Storing **22**
10.1 Cellar conditions . . . 22
10.2 Opened bottles . . . 22
10.3 Ullage . . . 23

11 Tasting **24**
11.1 The tasting sheet . . . 24
11.2 Sessions: vertical, horizontal, blind . . . 24
11.3 Diagnosing a fault . . . 26

12 Critics, values, wishes and purchases **26**
12.1 Critics' scores . . . 26
12.2 Value . . . 27
12.3 The wish list and price alerts . . . 27
12.4 The shopping list . . . 29

13 Stock-take, QR codes and scanner **29**
13.1 Stock-take . . . 29
13.2 QR rack labels . . . 30
13.3 Scanning a bottle . . . 31

14 Documents **32**
14.1 The "great restaurant" wine list . . . 32
14.2 Insurance or inventory report . . . 34
14.3 Sharing the cellar . . . 34

15 Statistics **35**

16 Import and export **37**

17 Backups **38**

18 The database on a NAS or a shared folder **38**

19 Privacy and crash reports **38**

20 Accessibility and keyboard shortcuts **39**


21 Data sources and licences **39**

22 Troubleshooting **40**

1 Vendémiaire on one page

Vendémiaire (named after the grape-harvest month of the French Republican calendar) keeps your cellar: every bottle, where it is, its history and its value; the cellar book of everything in and out; when to open it, how to serve it and with what; a wine list worthy of a great restaurant; statistics, an insurance report, QR rack labels.

- **Offline and at home.** The database lives on your computer (or in a shared folder on your network). No account, no subscription. Online look-ups (Wikidata, Open Food Facts) are optional and ask for your consent.
- **Sourced rules.** Drinking windows, serving, storage, ullage and pairings come from a documented study ("Le vin"): 194 rules, each with its sources and a confidence level. Vendémiaire makes nothing up and always says why.
- **No data held hostage.** Everything exports (CSV, full JSON); CellarTracker, Vivino and spreadsheets import.
- **Three systems, two languages.** Windows, macOS (Apple Silicon and Intel), Linux (x86_64 and ARM64), in English and French; automatic updates.



The dashboard of the demo cellar: key figures, breakdowns, alerts (drink now, declining, en primeur, restock, price reached) and the drinking-window curve.

Try it risk-free

Help › Open the demo cellar opens, in a separate window, an invented cellar (fictitious producers, drawn labels) where every feature is filled in. Your own cellar is never touched: the demo has its own data folder.

2 Install and update

2.1 Install

Download the files from the project's release page (public repository `ARP273-ROSE/Vendemiaire`, *Releases*).

Windows
`Vendemiaire-Setup.exe`. It installs into your user profile, with no administrator password. The installer is unsigned, so Windows may show "Windows protected your PC": click *More info*, then *Run anyway* (only once).

macOS
the disk image matching your Mac (`macos-arm64` for Apple Silicon, `macos-x86_64` for Intel); drag the application into Applications. The first time, right-click it, choose *Open*, and confirm.

Linux
unpack the `.tar.gz` archive matching your processor (x86_64 or ARM64), then run `./installer.sh`: it installs into `~/.local/share`, adds the menu entry and a `vendemiaire` terminal command, without `sudo`.

2.2 What the package contains

The package is self-contained: its own Python, Qt, and two free tools.

- **Tesseract** (Apache 2.0 licence) with its French and English models: reading label text (OCR), offline.
- **Tectonic** (MIT licence), a one-file LaTeX engine, shipped with a *cache* of the LaTeX packages needed by the wine list, the insurance report and this manual: the fine PDFs are made offline. The cache is copied once into your profile with the first document.

Run from source, Vendémiaire looks for these tools on the system (Tesseract installed separately; Tectonic, XeLaTeX, LuaLaTeX or pdfLaTeX). Without a LaTeX engine each document is written by Qt: same content, simpler typography.

2.3 Automatic updates

At start-up Vendémiaire checks (without blocking) whether a newer version exists and offers to install it, on all three systems. Only the application code is replaced: your data, settings and backups live elsewhere and are never touched. **Help › Check for updates...** does it on demand.

Bundled tools come with the full package

The automatic update replaces the code only. Tesseract, Tectonic, Python and Qt come with the full package (installer, disk image, archive). An installation updated from a version that did not have them keeps looking for these tools on the system, as before; reinstalling the full package adds them.


2.4 First start

1. The language follows the system; **Language** changes it at any time (it is remembered).
2. Vendémiaire asks whether it may send crash reports (see section 19). Saying no removes no feature.
3. Your cellar is empty: start with **Cellar › New wine...** or with an import (section 16).

3 The cellar

3.1 The list and the record


The **Cellar** tab shows one wine per row, with its "sleeve" (the photo of its label, or a drawn label), the number of bottles and the drinking window. Search accepts any word (estate, cuvée, appellation, vintage...); filters pick the colour and the status. Columns can be moved and hidden, and are remembered. On the right, the wine's record gathers everything: bottles and locations, window and its *why*, serving, pairings, critics, values, tastings, photos, world identifiers.



The Cellar tab: list, search, filters, and the selected wine's record.

3.2 Entering a wine


Cellar › New wine... (Ctrl+N) opens the form: estate, cuvée, appellation, region, country, colour and type, grapes and percentages, vintage (or "non-vintage"), alcohol, classification, barcode, restock threshold, favourite, notes. The form completes appellations, grapes and estates from your cellar and the official registers (INAO, eAmbrosia) and suggests the official spelling. The style (wine family of the rules) is worked out automatically; it can be forced.



Entering a wine.

3.3 Bottles


Every bottle is tracked on its own: format (from piccolo to melchizedek, 20 formats), status (in cellar, awaiting delivery, en primeur, drunk, given away, sold, broken, corked), location (cellar › furniture › rack › row › column), purchase price and place, dates, ullage, condition of label, capsule and cork, original wooden case (complete or not), provenance, storage history, invoice. **Cellar › Add bottles...** (Ctrl+Shift+B) adds several at once; an en primeur bottle is "received" on delivery (the dashboard reminds you until it is).



A bottle: location, purchase, ullage, condition, case, provenance.

3.4 Taking a bottle out


Cellar › Take out the selected bottle… (Ctrl+Shift+D): drunk, given away, sold, broken or corked, with the occasion, guests, dish, score (out of 20 or 100) and comment. It is written into the cellar book and frees the slot.



Taking a bottle out: everything that goes into the cellar book.

3.5 The label wall

The **Label wall** tab shows the cellar like a record collection: one tile per wine, with its label photo. Dropping a photo on a tile adds it to the wine.



The label wall.

4 The rack plan

The **Rack plan** tab draws your cellars, furniture and racks (rows × columns). One dot per bottle, in the wine's colour, with the last two digits of the vintage; a golden ring marks a large format.

- **Drag and drop** a bottle to a free slot, or onto another to swap them.
- **Draw a box** around several bottles, then *Move selection to…*: the batch goes into the free slots of another rack; an impossible batch is refused as a whole.
- *Put bottles without a slot here* fills the free slots.
- Every move is recorded (the bottle's history).



The plan of a 6 × 10 rack.

The plan with the keyboard


Click in the plan (or reach it with Tab): the **arrows** pick the next bottle; Ctrl+**arrow** moves it one slot (swapping if the slot is taken); Enter opens its record.

5 The cellar book

The **Cellar book** tab is the log of everything in and out: date, movement, wine, occasion, guests, dish, score, comment. Search (Ctrl+F) covers all these fields; a double-click completes a row.

5.1 Moment photos

The dish, the table, the open bottle: on the right, the *Moment photos* panel shows the photos of the selected row. *Add photos...* (or dropping files) files them with the cellar-book row; they also join the wine's gallery (**Photos...** in the record), without ever replacing its sleeve. The *Photos* column counts them for each row; *Open* shows a photo in your viewer, *Remove* takes it out.



The cellar book and the moment photos of the selected row.

6 World databases and identifiers


Like a song in a music database, each wine can receive a worldwide identifier and complete its record. Everything is **optional**; nothing is written without your confirmation.

6.1 LWIN, the fine-wine trade identifier

The **LWIN** (Liv-ex Wine Identification Number) is the "ISBN of wine": 7 digits for the wine, 11 with the vintage; over 200,000 wines. The database is free (CC BY 4.0 licence) but Liv-ex hands it out through a **form** (name, e-mail address): Vendémiaire never fills it in for you.

1. **References › Reference databases and licences...**, button *Liv-ex download page...*: the page opens in your browser; fill in the form, Liv-ex sends the file.
2. *Import the LWIN file...*: the file (XLSX or CSV) is converted into a local reference database (`references.db`, next to the cellar) in about fifteen seconds, in the background: the cellar stays usable. An interrupted import leaves the previous copy intact.
3. If Liv-ex gives you a stable direct link, paste it into the same window and tick the 30-day update (only if online look-ups are allowed).

Searching LWIN then works **offline**.




Reference databases: LWIN (Liv-ex form, import, direct link), appellation registers, consent for online look-ups, licences.

6.2 Other sources


- **Wikidata** (CC0): estates, châteaux, appellations, grapes — foundation, coordinates, website, Wikipedia links; an image from Wikimedia Commons with its author and licence.
- **Open Food Facts** (ODbL database, CC BY-SA photos): reading an EAN barcode gives name, alcohol and photo.
- **Official registers**: INAO (Licence Ouverte 2.0) and the European Union's eAmbrosia, bundled: the exact list and official spelling of PDOs/PGIs.
- **No scraping**: Vivino and Wine-Searcher have no public interface; a button only opens a search in your browser.

6.3 Identifying a wine

References › Identify the selected wine… looks for candidates, each with a **score explained** criterion by criterion (estate, cuvée, appellation, colour, country, vintage). Below 0.45 nothing is preselected; if two candidates are too close, Vendémiaire declines to choose. You see, field by field, what will be filled in: only fields that are **empty and not typed by hand** can be, and each filling is logged in the record's *journal* (References tab), with its source.



Identifying a wine: candidates, explained score, proposed fields.



The wine record, References tab: identifiers kept, and a journal of what was filled in and from where.


6.4 Identifying the whole cellar at once

No need to go record by record: **References › Identify the whole cellar...** (or the *Identify the whole cellar...* button of the Cellar tab) looks for candidates for **every wine without an LWIN identifier** — tick *Also wines already identified* to review everything. The search runs in the background, with a progress bar and a *Cancel* button; it only **reads**: the local LWIN copy, the appellation registers for the official spelling, and Wikidata for producers left without a candidate, only if you have allowed online look-ups (at most one request per second).

The summary shows one row per wine: the best candidate, its score, the reason in short and, when it is close, the second candidate.

- **Reliable** (green background, **ticked in advance**): score above the threshold, clearly ahead of the next one, producer and cuvée in agreement — the same rules as for a single wine.
- **Doubtful** (amber background, not ticked): two candidates are equally good, or the producer, the cuvée or the vineyard do not clearly agree. Example: a cuvée "Les Fournelles" missing from LWIN is *never* matched to the producer's generic village wine.
- **No candidate**: listed separately.

A **double-click** opens the usual identification window to decide by hand. Nothing is written before *Apply the selection*; each ticked wine is then confirmed in its own transaction, by the usual rule (empty fields not typed by hand only), and a final **log** says, wine by wine, which identifier was kept and which fields were filled in.



Identifying the whole cellar: reliable matches ticked in advance, doubtful ones flagged, nothing is written before you apply.

What the matching knows about the LWIN file

LWIN stores the vineyard (climat, lieu-dit) of a Burgundy wine in a separate column (*SITE*) and writes *Blanc* or *Rouge* instead of a cuvée name: Vendémiaire compares your cuvée with that vineyard, does not take a colour for a cuvée, recognises a producer written the other way round ("Domaine de la Source (Paul Verdier)" and "Domaine Paul Verdier (Source)") and a word one letter apart ("Clos Marnié" and "Le Clos Marnier") — but never the right cuvée of another producer.

Online look-ups

Offline by default. Consent is asked at the first online look-up and can be changed in **References › Reference databases and licences…**. Vendémiaire identifies itself politely (at most one request per second per service) and honours the delays servers ask for.

7 Label photos and text reading

7.1 The sleeve

Every wine has its picture: *Label photo…* in the record, the *Photos…* window (label, back label, capsule, case, bottle, invoice), dropping onto the sleeve or the wall, or the webcam. Free images (Open Food Facts, Wikimedia Commons) are stored with their credit and licence; no protected image is ever downloaded automatically.

7.2 Straightening

A label photographed at an angle is **cropped and straightened** automatically: edge detection, perspective correction, quarter turns and even *unrolling* a label wrapped around the bottle. The four corners can be moved by hand. The original photo is always kept; the settings stay editable.



Retouching: corners found, perspective corrected.

7.3 Reading the text (OCR) and identifying

Read the text (OCR) passes the straightened label to Tesseract (bundled, offline, French and English): Vendémiaire extracts clues — vintage, alcohol, volume, barcode, colour, register appellations, the largest-printed lines — then looks for candidates (LWIN, and on request Wikidata or Open Food Facts). **References › New bottle from its photo…** chains it all, up to the wine created with its photo.




The text read and the clues found.

Straighten first

On a raw, tilted photo Tesseract reads almost nothing; once the label is straightened it reads the essentials. A sharp, front-on, well-lit photo remains the best help.

8 Rules and their sources

All of Vendémiaire's oenological answers — ageing, serving, storage, ullage, pairings, faults, aromas — come from the rule files of the "Le vin" study, copied unchanged with their fingerprints (a retouched copy is refused when loading). **References › Rules from the "Le vin" study...** shows them all: value, explanation, sources, confidence level.



The rules: 194 rules, their sources and their confidence level.

8.1 The wine's style


Each wine is placed in one of the study's 28 *styles* (great age-worthy red, mineral white, non-vintage sparkling, vintage port, young fruity fortified...), from its colour, type, appellation, cuvée, region and grapes. The record says why ("*pauillac* found in the appellation..."). A style can be forced by hand; the automatic classification stays visible.

8.2 The drinking window


Three windows can coexist: **yours**, a **critic's**, and the one **computed** by Vendémiaire; yours wins, then the critic's. The computed window starts from the style's ages ("ready", "peak", "end") and adjusts them:

- to the **vintage**: 0.44 year per point out of 100 above or below the region's average in the same vintage chart;
- to the cellar's **measured temperature**: durations are divided by $2^{(T-12)/10}$ (a warmer cellar ages wine faster);
- to the chosen **ageing level** (long ageing, everyday, early drinking, New World).

The model is a plateau or a bell (peak in the middle of the drinking peak). The record's *why* details each step, the sources and the confidence.



The wine record: style, computed window and its why.



The drinking-window curve: how many bottles become ready each year.

What the rules do not say

A magnum ages more slowly and a half-bottle faster, but no source puts a figure on it: the record says so, the window does not change. A critic's score for the wine itself does not change the window (no rule links them); only the vintage score counts. A rule whose source is "DOSSIER" is a convention for lack of a published figure: the interface says so.


8.3 Alerts

The dashboard flags bottles **to drink this year**, **declining** and **too young**, opened bottles to finish, cellar readings out of range and corks to check.

9 Tonight: choosing and serving

9.1 What to drink tonight?


The **Tonight** tab suggests bottles from *your* cellar for a dish, a budget, a colour, an occasion (aperitif, everyday, special occasion), the most urgent first (declining, then "drink this year"). Pairings come from the study, with their explanation; difficult matches (artichoke, vinaigrette, chilli with tannins, oily fish with red wine, dessert with a dry wine) are flagged.



What to drink tonight? Dish, budget, occasion; the most urgent first.

9.2 The "tonight" sheet

For one bottle: serving temperature, **when to take it out of the cellar** (computed with the study's cooling law, for the room, the fridge or an ice bucket), decant or not and for how long, suggested glass, dishes. It prints to HTML or PDF.



The "tonight" sheet of a bottle.


9.3 Pairings both ways

"I am opening this wine": the wine record lists the dishes that suit it. "I have this dish": the **Tonight** tab searches, tolerantly, for the cellar's bottles that match. Each pairing says why it works and where it comes from.

10 Storing

10.1 Cellar conditions


The **Cellar conditions** tab takes temperature and humidity, typed or imported (a sensor's CSV, for instance). Curves, out-of-range readings (10–15 °C, 55–75 % according to the study) and the resulting ageing speed; the measured temperature feeds the drinking-window computation.



Cellar conditions: readings, the study's ranges, alerts.

10.2 Opened bottles


Open the bottle… records what is left and how it is kept (recorked, inert gas or pump, Coravin); Vendémiaire computes the "finish by" date from the style, and the dashboard reminds you.



An opened bottle and the date to finish it by.

10.3 Ullage

The fill level (*ullage*) uses the auction-house scale: Bordeaux (into neck, top shoulder, mid shoulder…) or Burgundy (centimetres below the cork). The illustrated scale says what each level means **for the wine's age** (normal, excellent, low for its age, risky).




The illustrated ullage scale and its meaning by age.

11 Tasting

11.1 The tasting sheet


Colour, nose, palate, finish, aromas picked on the **aroma wheel**, score out of 20 or 100. Tastings stay attached to the wine.




The tasting sheet and the aroma wheel.

11.2 Sessions: vertical, horizontal, blind

The **Tastings** tab organises a session: *vertical* (one wine across several vintages), *horizontal* (several wines of one vintage), *blind* (random order, glasses A, B, C...; score each glass, then *reveal*: scores are then frozen).




A tasting session.



Blind: glasses are scored before the reveal.

11.3 Diagnosing a fault

Cellar › Diagnose a bottle (faults)… helps recognise cork taint (TCA), oxidation, reduction, *brettanomyces*, volatile acidity, excess sulphur, geosmin, geranium, smoke taint, a cooked wine or tartrate crystals, according to the study's rules.




Diagnosing faults.

12 Critics, values, wishes and purchases

12.1 Critics' scores

Scores from Parker, Wine Spectator, Decanter, Bettane+Desseauve, Jancis Robinson… are entered with their scale, source and date; conversion between 100, 20 and stars follows the study's published table (no table, no conversion).




A critic's score, with its scale.

12.2 Value

Purchase price, then **dated and sourced** values (a value without a source is refused): the cellar's value, its gain or loss and its evolution appear on the dashboard and in the statistics.

12.3 The wish list and price alerts

The **Wish list** tab keeps the wines you would like to have: quantity, maximum price, priority. Vendémiaire crawls **no merchant website**: you record a price you saw (button *Price seen...*: amount, compulsory source, date, link), or import a CSV file of recorded prices (*Import prices...*: columns `producteur`, `cuvee`, `millesime` or `envie`, `prix`, `date`, `source`, `url`; English headers such as `producer`, `wine`, `vintage`, `price` work too). When a price recorded in the last 90 days is at most your maximum price — or when the latest value entered for the linked wine is — the row turns into an **alert** (gold background) and the dashboard says so.




The wish list: the first wish is on alert (price reached).



Recorded prices for a wish: source and date required.

12.4 The shopping list

Documents › Shopping list... (Ctrl+Shift+L) builds it: first **restocking** (for each wine whose threshold is no longer met — "keep at least 6 bottles" — how many to buy, the last price paid and where), then, if you wish, **wishes** and their price alerts. Save it as PDF to print, or as CSV.




The shopping list: restock and wishes, with tick boxes.

13 Stock-take, QR codes and scanner

13.1 Stock-take


Cellar › Stock-take...: pick a rack, count (or scan) what is in it; Vendémiaire shows the differences (missing bottles, extra bottles) and only writes a missing bottle into the cellar book ("stock-take difference") if you decide so.



Stock-take of a rack.

13.2 QR rack labels


Documents › QR rack labels... prints a sheet (3 × 8 labels of 70 × 37 mm, or 3 × 7 of 63.5 × 38.1 mm; it can start on a partly used sheet): each label carries its bottle's code.



The QR label sheet.

13.3 Scanning a bottle

Cellar › Scan a bottle... reads a code from the webcam or an image (locally), or typed by a USB barcode scanner: a rack-label code finds the bottle and offers to take it out; an EAN barcode finds the cellar's wines that carry it.



Scanning a bottle.


14 Documents

14.1 The “great restaurant” wine list


Documents › Wine list… composes a printable list from your cellar (all of it or a selection: “Saturday’s dinner”) following the rules of the great houses:

- **classic order**: sparkling, whites, rosés, reds, sweet wines, fortified; then country, region, appellation, producer, vintage — never by price;
- each line: BIN number, producer, cuvée, vintage, format, price (if you show prices), a pairing line; **verticals** grouped;
- by the glass and by the carafe, half-bottles and large formats apart, favourites highlighted;
- title page, welcome note, **tonight’s menu** (a wine from the list suggested for each dish, with the why), small regional maps (Natural Earth, public domain), producer index;
- three designs: *classic* (Garamond, burgundy and gold), *modern*, *bistro*; A4 booklet, A5 booklet or single sheet; in English or French.


A **saved** list regenerates in one click from today’s cellar: a bottle drunk disappears from the list.



The wine list: design, format, language, options.




The wines on the list: selection, prices, by the glass, pairing line.



The preview before the PDF.

14.2 Insurance or inventory report


Documents › Insurance / inventory report…: a PDF listing each bottle with its location, its ullage and what it means for its age, the condition of label, capsule and cork, the case, provenance, purchase and the **dated, sourced value** (or the purchase price, stated as such), with the label photo, a summary and a statement to sign.



The insurance report.

14.3 Sharing the cellar

Documents › Share the cellar (HTML, PDF)… writes a self-contained HTML file (thumbnails included, no script, no online link) or its PDF. By default no prices, values, locations or private notes: tick them to add them.




Sharing the cellar read-only.

15 Statistics

The **Statistics** tab breaks the cellar down by country, region, colour, grape (pro rata of percentages), vintage, price band, format and cellar — in bottles or in value; it plots the cellar's value over time (purchase cost and stated value), bottles in and out per year, the drinking pace compared with the drinking-window curve ("how many to drink a year"), and the drinking-window curve by colour.



Statistics: breakdowns, value over time, in and out.



Breakdown by grape, by value.

16 Import and export


CellarTracker
: **File › Import a CellarTracker export...**: "Inventory" exports (one row per bottle) or "List" exports (one row per wine) as CSV or tab-separated text. The word `Unknown` counts as an empty field, vintage `1001` as non-vintage.

Excel, CSV
: **File › Import a spreadsheet (Excel, CSV)...**: the column mapping is suggested from the headers, editable, with a preview. This menu is for *your* bottles: the Liv-ex LWIN file is refused there (it is loaded in **References › Reference databases**), and an import that would add more than 300 bottles asks for confirmation.

Vivino
: **File › Import a Vivino export...**: the mapping starts from plausible headers; check it before importing.

Vendémiaire
: CSV (one row per bottle) round trip, and **File › Export everything to JSON...**: every table, nothing held hostage.

A "before import" backup precedes every import, and an import **never replaces** what you typed by hand: it only fills empty fields.



Importing a spreadsheet: column mapping and preview.

17 Backups

Vendémiaire backs the database up every 30 minutes if it changed, and before every migration or import. Copies are consistent even with the database open. The last 10 automatic copies are kept, plus one a week for 8 weeks; "manual" and "before import" copies (up to 20) are never removed by rotation.

- **File › Back up now**;
- **File › Restore a backup...** (the current database is backed up first);
- **File › Open the backups folder**.

Backups live with the data, never in the program folder.

18 The database on a NAS or a shared folder

By default the data live in your profile:

- Windows: `%LOCALAPPDATA%\Vendemiaire`
- macOS: `~/Library/Application Support/Vendemiaire`
- Linux: `~/.local/share/Vendemiaire`

They can live in a **shared folder on a NAS** (network drive), so that another computer or another program can read them:

1. connect the shared folder (on Windows, map it to a network drive letter);
2. **File › Data folder...** and choose it; Vendémiaire keeps the database (`cave.db`), images, backups and its lock there.

⚠ A single writer

Only one copy of Vendémiaire can write at a time: the lock sits *in* the data folder, so on the share itself. A second copy (on another computer) says so and does not open for writing. Other programs read the database read-only, preferably a copy or the latest backup. The database never uses WAL mode, which does not work on network shares.

19 Privacy and crash reports

- Your cellar never leaves your computer (or your share). No telemetry about the cellar.
- **Online look-ups** (Wikidata, Open Food Facts, register updates) only happen with your consent; the automatic update only queries the project's release page.
- **Crash reports** (crash, freeze, native crash, or **Help › Report a problem...**) are only sent with your consent, asked at first start and changeable in the Help menu (*Send crash reports automatically*). A report contains the version, the system, the technical trace of the error, the computer's name and a random installation identifier; paths and user names are masked in traces; never your cellar, files or photos. Without consent they stay on your computer.

20 Accessibility and keyboard shortcuts

Everything works from the keyboard (on macOS, Ctrl is the Command key): Tab and Shift+Tab move through fields and buttons (the focused one has a golden outline), Alt and the underlined letters open the menus.

Keys	Action
Ctrl+1 … Ctrl+9, Ctrl+0	go to one of the ten tabs (the tab's tooltip shows it)
Ctrl+Tab, Ctrl+Shift+Tab	next, previous tab
Ctrl+N	new wine
Ctrl+E	edit the selected wine
Ctrl+Shift+B	add bottles
Ctrl+Shift+D	take out the selected bottle
Ctrl+Shift+L	shopping list
Ctrl+F	search (cellar book)
F1	this manual
Ctrl+Q	quit (Windows: Alt+F4)
arrows (plan)	next bottle
Ctrl+arrows (plan)	move the bottle one slot
Enter (plan)	the bottle's record

21 Data sources and licences

Source	Licence, use
"Le vin" study	ageing, serving, storage, ullage and pairing rules; each rule cites its sources (guides, encyclopaedias, studies, official texts)
LWIN (Liv-ex)	CC BY 4.0; "LWIN © Liv-ex Ltd"; converted local copy, downloaded by you
Wikidata	CC0
Wikimedia Commons	each image's licence, stored with it
Open Food Facts	ODbL database, DbCL contents, CC BY-SA photos ("Open Food Facts contributors")
INAO (data.gouv.fr)	Licence Ouverte 2.0
eAmbrosia (EU)	reuse authorised (Decision 2011/833/EU)
Natural Earth	public domain (small regional maps)
Tesseract, *tessdata_fast* models	Apache 2.0
Tectonic	MIT; the LaTeX packages in its cache keep their own licences (LPPL, OFL for fonts...)
Qt, PyQt6	LGPL v3; GPL v3
segno, zxing-cpp	BSD; Apache 2.0
Source Sans 3, Cormorant Garamond fonts	SIL Open Font License

Vendémiaire itself is released under the MIT licence (file `LICENSE`).

22 Troubleshooting

“Another copy of Vendémiaire is using this cellar”
another window (or another computer, if the database is shared) is open: close it. A lock left by a program that stopped abruptly is taken over automatically.

OCR reads nothing
straighten the label first; check in **References › Reference databases and licences…** that Tesseract is found.

The PDF looks “plain”
no LaTeX engine was found (running from source): install Tectonic or a TeX distribution, or use the full package.

A LaTeX document fails offline
the bundled cache covers Vendémiaire’s documents; a missing LaTeX package is downloaded when the network is available.

Anything else
Help › Report a problem…: describe what happened; the report goes with your consent, or stays as a file to send by hand.