

**Your grade: 100%**

Your latest: **100%** • Your highest: **100%** • To pass you need at least 80%. We keep your highest score.

Next item →

1. Which best describes the mission underlying an autonomous vehicle's mission planner?

1 / 1 point

- ☐ Generate an optimal, collision-free path to the required destination
- ☐ Compute the optimal vehicle behaviour for a given driving scenario
- ☒ Navigate a road network to the desired destination from the ego vehicle's position

✓ **Correct**  
Correct, this is the underlying goal of mission planning.

2. Which of these are examples of good values to optimize in a mission planner's objective function?

1 / 1 point

- ☐ Deviation from the speed limit
- ☒ Time to destination

✓ **Correct**  
Correct, this is a good measure of the efficiency of a global path.

- ☐ Distance from obstacles
- ☒ Distance travelled

✓ **Correct**  
Correct, this is a good measure of the efficiency of a global path.

3. What is a graph in the mission planning context?

1 / 1 point

- ☐ A plot of the car's throttle and steering actuation while executing a driving mission
- ☐ A chart of the different speeds reached during different road segments in a road network
- ☒ A discrete mathematical structure used for representing the road network
- ☐ None of the above

✓ **Correct**  
Correct, we are referring to the graph commonly used in discrete math.

4. True or false, Breadth-First Search (BFS) will explore the graph using a "last-in-first-out" data structure known as a stack.

1 / 1 point

- ☐ True
- ☒ False

✓ **Correct**  
Correct, BFS uses a "first-in-first-out" data structure known as a queue during the search process.

5. True or false, Breadth-First Search (BFS) will always find the optimal (shortest) path in an unweighted graph.

1 / 1 point

- ☒ True
- ☐ False

✓ **Correct**  
Correct, BFS will explore all possible predecessors before reaching the goal node in an unweighted graph, and as a result will find the shortest path to the goal.

6. True or false, Breadth-First Search (BFS) will always find the optimal (shortest) path in a weighted graph.

1 / 1 point

- ☐ True
- ☒ False

✓ Correct

Correct, BFS will not always be able to find the shortest path if the graph edges have weights.

7. In these graph search algorithms, what is the main purpose of keeping track of a "closed" set of graph vertices?

1 / 1 point

- ☐ It allows us to know how much of the graph has been searched
- ☒ It allows us to avoid getting stuck in cycles
- ☐ It helps us keep track of which vertices we still need to search

✓ Correct

Correct, by keeping track of which vertices we have already processed, we can avoid re-searching another vertex if the graph contains cycles.

8. What is a min heap data structure?

1 / 1 point

- ☒ A data structure that stores keys and values, and sorts the keys in terms of their associated values, from smallest to largest.
- ☐ A sorted list of autonomous driving mission priorities for a given driving scenario
- ☐ A data structure that stores keys and values, and sorts the keys in terms of their associated values, from largest to smallest.
- ☐ A block of memory useful for dynamic memory allocation

✓ Correct

Correct, this is the definition of a min heap.

9. True or false, in a min heap, the root of the heap (the first element) contains the node with the smallest value.

1 / 1 point

- ☒ True
- ☐ False

✓ Correct

Correct, a min heap contains the node with the smallest value at the root.

10. In Dijkstra's algorithm, suppose during the process of adding vertices to the open set, we come across a vertex that has already been added to the open set. However, this time we have found a lower cost to reach this vertex than is presently stored in the open set's min heap. What should be done?

1 / 1 point

- ☐ Nothing, as this is impossible under Dijkstra's algorithm
- ☐ Close the vertex, as we have now seen it twice during exploration
- ☐ Nothing, as the vertex is already in the open set
- ☒ Update the cost of that vertex in the open set's min heap

✓ Correct

Correct, we will need to update the min heap to reflect the new path that we have found to that vertex for Dijkstra's algorithm to remain correct.

11. What is a search heuristic in the context of mission planning?

1 / 1 point

- ☒ An estimate of the remaining cost to reach the destination
- ☐ A method that allows the autonomous vehicle to quickly identify obstacles in its surroundings

- ☐ Something that helps the autonomous vehicle efficiently change the autonomous driving mission depending on the situation
- ☐ A tool that autonomous vehicle's use for quickly identifying traffic congestion at a given intersection

✓ **Correct**  
Correct, this cost-to-go helps guide our search to improve speed.

12. Suppose I have a vertex at location (2.0, 3.0) and another at location (4.0, 5.0). What is the Euclidean distance between these two points (to three decimal places)?

1 / 1 point

2.828

✓ **Correct**  
Correct

13. True or false, an admissible heuristic to the A\* search algorithm will never underestimate the cost to reach the goal vertex.

1 / 1 point

- ☐ True
- ☒ False

✓ **Correct**  
Correct, an admissible heuristic is required to never overestimate the cost to reach the goal vertex.

14. Is the heuristic function  $h(v) = 0$  an admissible heuristic?

1 / 1 point

- ☐ No, as in this case A\* degenerates into Dijkstra's
- ☐ Yes, and in this case A\* degenerates into BFS
- ☒ Yes, and in this case A\* degenerates in Dijkstra's
- ☐ No, as in this case A\* degenerates into BFS

✓ **Correct**  
Correct, a zero-valued heuristic is admissible, and in this case A\* is the same as Dijkstra's.

15. True or false, the min heap in A\* contains the sum of the cost to reach each vertex plus the estimate of the cost to reach the destination from said vertex, according to the search heuristic.

1 / 1 point

- ☒ True
- ☐ False

✓ **Correct**  
Correct, this is required to take advantage of the search heuristic.