



CONFIGURE ALERT RULES

NAME: - ARSALAN RASOOL RATHER

DOMAIN: - RED TEAMING

ORGANISATION: - CYART

Lab Documentation Report

Tools: Elastic SIEM | Wazuh | Kali Linux



1. Objective

The objective of this activity was to configure and validate security alert rules for detecting repeated failed login attempts. Rules were created in Elastic SIEM and Wazuh to identify potential brute-force attacks and generate alerts for investigation.

2. Elastic SIEM Alert Rule

Rule Configuration

Setting	Value
Rule Name	Detect 5+ Failed Logins in 5 Minutes
Index	security-login-*
Event ID	4625
Condition	Count > 5
Time Window	5 Minutes
Severity	High

Purpose

The rule detects excessive failed login attempts that may indicate brute-force authentication activity.




Figure 1: Elastic SIEM rule configured to detect more than five failed login attempts within five minutes.

3. Wazuh Custom Alert Rule

Rule Objective

Detect three or more failed login attempts within two minutes.

Test Environment

Component	IP Address
Kali Linux	192.168.56.101
Ubuntu Agent	192.168.56.104
Wazuh Server	192.168.56.103

Incorrect passwords were entered multiple times to trigger the rule.

Figure 2: Custom Wazuh rule created to detect repeated failed SSH login attempts.

Following the attack simulation, Wazuh successfully generated alerts indicating multiple authentication failures.

Alert Details

Timestamp	Source IP	Event Type	Severity
2026-06-01 11:00:00	192.168.56.101	Failed SSH Login	High
2026-06-01 11:01:00	192.168.56.101	Failed SSH Login	High
2026-06-01 11:02:00	192.168.56.101	Brute Force Detected	Critical

Figure 3: Wazuh alerts generated after multiple failed SSH login attempts from Kali Linux.



5. Rule Effectiveness

The configured rules successfully detected repeated authentication failures and generated timely alerts. The detection logic reduced analyst workload by automatically identifying suspicious login activity and highlighting potential brute-force attacks.

6. Findings

- Failed login attempts were successfully detected.
- Alerts were generated within the configured time window.
- Wazuh provided visibility into SSH authentication failures.
- Elastic SIEM centralized alert monitoring and correlation.

7. Conclusion

This activity demonstrated the creation and validation of alert rules in Elastic SIEM and Wazuh. The configured rules effectively detected repeated failed login attempts and provided early warning of brute-force attack activity. Automated alerting improved monitoring capabilities and strengthened the overall security posture of the lab environment.