





```
May 21 20:41
faizanwani@faizanwani-VirtualBox: ~/Desktop — sudo tail -f /var/log/auth.log
New value: kjaWBmt0wh2rTLn==hq*
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo nano /etc/filebeat/filebeat.yml
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo nano /etc/filebeat/filebeat.yml
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo systemctl restart filebeat
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo tail -f /var/log/auth.log
2026-05-21T20:33:53.244212+05:30 faizanwani-VirtualBox sshd-session[10086]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh
ruser= rhost=192.168.56.105
2026-05-21T20:33:55.659185+05:30 faizanwani-VirtualBox sshd-session[10086]: Failed password for invalid user fakeuser from 192.168.56.105 port 56200 ss
h2
2026-05-21T20:33:59.444649+05:30 faizanwani-VirtualBox sshd-session[10086]: pam_unix(sshd:auth): check pass; user unknown
2026-05-21T20:34:01.855451+05:30 faizanwani-VirtualBox sshd-session[10086]: Failed password for invalid user fakeuser from 192.168.56.105 port 56200 ss
h2
2026-05-21T20:34:04.588273+05:30 faizanwani-VirtualBox sshd-session[10086]: pam_unix(sshd:auth): check pass; user unknown
2026-05-21T20:34:06.668440+05:30 faizanwani-VirtualBox sshd-session[10086]: Failed password for invalid user fakeuser from 192.168.56.105 port 56200 ss
h2
2026-05-21T20:34:07.287070+05:30 faizanwani-VirtualBox sshd-session[10086]: Connection closed by invalid user fakeuser 192.168.56.105 port 56200 [preau
th]
2026-05-21T20:34:07.290099+05:30 faizanwani-VirtualBox sshd-session[10086]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rh
ost=192.168.56.105
2026-05-21T20:39:10.336326+05:30 faizanwani-VirtualBox sudo: pam_unix(sudo:session): session opened for user root(uid=0) by faizanwani(uid=1000)
2026-05-21T20:39:10.341145+05:30 faizanwani-VirtualBox sudo: faizanwani : TTY=/dev/pts/0 ; PWD=/home/faizanwani/Desktop ; USER=root ; COMMAND=/usr/bin/
tail -f /var/log/auth.log
2026-05-21T20:39:25.535083+05:30 faizanwani-VirtualBox sshd-session[10184]: Invalid user fakeuser from 192.168.56.105 port 52898
2026-05-21T20:39:29.991494+05:30 faizanwani-VirtualBox sshd-session[10184]: pam_unix(sshd:auth): check pass; user unknown
2026-05-21T20:39:30.143294+05:30 faizanwani-VirtualBox sshd-session[10184]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh
ruser= rhost=192.168.56.105
2026-05-21T20:39:31.843445+05:30 faizanwani-VirtualBox sshd-session[10184]: Failed password for invalid user fakeuser from 192.168.56.105 port 52898 ss
h2
2026-05-21T20:39:34.946985+05:30 faizanwani-VirtualBox sshd-session[10184]: pam_unix(sshd:auth): check pass; user unknown
2026-05-21T20:39:36.756336+05:30 faizanwani-VirtualBox sshd-session[10184]: Failed password for invalid user fakeuser from 192.168.56.105 port 52898 ss
h2
2026-05-21T20:39:40.927724+05:30 faizanwani-VirtualBox sshd-session[10184]: pam_unix(sshd:auth): check pass; user unknown
2026-05-21T20:39:43.655313+05:30 faizanwani-VirtualBox sshd-session[10184]: Failed password for invalid user fakeuser from 192.168.56.105 port 52898 ss
h2
2026-05-21T20:39:46.323217+05:30 faizanwani-VirtualBox sshd-session[10184]: Connection closed by invalid user fakeuser 192.168.56.105 port 52898 [preau
th]
2026-05-21T20:39:46.326989+05:30 faizanwani-VirtualBox sshd-session[10184]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rh
ost=192.168.56.105
```






	A	B	C	D	E
1	Timestamp	Event Type	Source IP	Notes	
2	10:10	Failed SSH Login	192.168.56.105	Possible brute-force	
3	10:12	Repeated Login Attempts	192.168.56.105	Suspicious behavior	
4					



```
May 21 19:31
faizanwani@faizanwani-VirtualBox: ~/Desktop — sudo systemctl status kibana
~/Desktop
}}},"cpu":{"system":{"ticks":570,"time":{"ms":20}},"total":{"ticks":600,"time":{"ms":20},"value":600},"user":{"ticks":30},"handles":{"limit":{"hard":5
24288,"soft":524287},"open":11},"info":{"ephemeral_id":"eda7a958-ff18-45bb-8b49-60673ec99fa5","uptime":{"ms":180127},"version":"8.19.14"},"menstats":{"
gc_next":27534074,"memory_alloc":13575632,"memory_total":48281736,"rss":136560640},"runtime":{"goroutines":44},"filebeat":{"events":{"active":3202},"h
arvester":{"open_files":2,"running":2},"libbeat":{"config":{"module":{"running":0},"output":{"events":{"active":0},"write":{"bytes":248,"latency":{"h
istogram":{"count":0,"max":0,"mean":0,"median":0,"min":0,"p75":0,"p95":0,"p99":0,"p999":0,"stddev":0}}},"pipeline":{"clients":1,"events":{"active":320
1},"queue":{"filled":{"bytes":3178260,"events":3200,"pct":1},"max_bytes":0,"max_events":3200}}},"registrar":{"states":{"current":2},"system":{"load":{"
"1":2.01,"15":1.39,"5":1.47,"norm":{"1":2.01,"15":1.39,"5":1.47}}},"ecs.version":"1.6.0"}}
May 21 19:30:53 faizanwani-VirtualBox filebeat[6713]: {"log.level":"error","@timestamp":"2026-05-21T19:30:53.693+0530","log.logger":"publisher_pipeline
_output","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/publisher/pipeline.(*netClientWorker).run","file.name":"pipeline/client_worker.g
o","file.line":149},"message":"Failed to connect to backoff(elasticsearch(http://localhost:9200)): Get \"http://localhost:9200\": EOF","service.name":"fil
ebeat","ecs.version":"1.6.0"}
May 21 19:30:53 faizanwani-VirtualBox filebeat[6713]: {"log.level":"info","@timestamp":"2026-05-21T19:30:53.693+0530","log.logger":"publisher_pipeline
_output","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/publisher/pipeline.(*netClientWorker).run","file.name":"pipeline/client_worker.g
o","file.line":140},"message":"Attempting to reconnect to backoff(elasticsearch(http://localhost:9200)) with 8 reconnect attempt(s)","service.name":"fil
ebeat","ecs.version":"1.6.0"}
^Cfaizanwani@faizanwani-VirtualBox:~/Desktop$ sudo systemctl status kibana
● kibana.service - Kibana
   Loaded: loaded (/usr/lib/systemd/system/kibana.service; enabled; preset: enabled)
   Active: active (running) since Thu 2026-05-21 18:46:33 IST; 44min ago
   Invocation: da86d67a1c4cee90bb54a33df8c42c
     Docs: https://www.elastic.co
   Main PID: 1290 (node)
     Tasks: 11 (limit: 6494)
   Memory: 622.2M (peak: 974.7M, swap: 82.5M, swap peak: 217.5M)
     CPU: 1min 47.699s
   CGroup: /system.slice/kibana.service
           └─1290 /usr/share/kibana/bin/./node/glibc-217/bin/node /usr/share/kibana/bin/./src/cli/kibana/dist

May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at KibanaTransport._request (/usr/share/kibana/node_modules/@elastic/transport/lib/Transport.js
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at processTicksAndRejections (node:internal/process/task_queues:105:5)
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at /usr/share/kibana/node_modules/@elastic/transport/lib/Transport.js:627:32
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at KibanaTransport.request (/usr/share/kibana/node_modules/@elastic/transport/lib/Transport.js
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at KibanaTransport.request (/usr/share/kibana/node_modules/@elastic/transport/lib/Transport.js
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at Monitoring.bulk (/usr/share/kibana/node_modules/@elastic/elasticsearch/lib/api/api/monitori
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at sendBulkPayload (/usr/share/kibana/node_modules/@kbn/monitoring-plugin/server/kibana_monito
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at BulkUploader.onPayload (/usr/share/kibana/node_modules/@kbn/monitoring-plugin/server/kibana
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: at BulkUploader.fetchAndUpload (/usr/share/kibana/node_modules/@kbn/monitoring-plugin/server/p
May 21 19:30:50 faizanwani-VirtualBox kibana[1290]: [2026-05-21T19:30:50.516+05:30][WARN ][plugins.monitoring.monitoring.kibana-monitoring] Unable to
lines 1-22/22 (END)
```



29 hits					
May 12, 2026 @ 04:16:23.546 - May 13, 2026 @ 04:16:23.546					
Export Formatted	Reset view	633 available fields	Columns	Density	1 fields sorted
timestamp	agent.name	rule.description	rule.level	rule.id	
May 13, 2026 @ 03:43:46.3...	wazuuh-server	sshd: Attempt to login using a non-existent user	5	5710	
May 13, 2026 @ 03:43:44.3...	wazuuh-server	PAM: User login failed.	5	5503	
May 13, 2026 @ 03:43:36.3...	wazuuh-server	sshd: Attempt to login using a non-existent user	5	5710	
May 13, 2026 @ 03:41:58.0...	wazuuh-server	Listened ports status (netstat) changed (new port opened or closed).	7	533	
May 13, 2026 @ 03:37:51.4...	wazuuh-server	sshd: Attempt to login using a non-existent user	5	5710	
May 13, 2026 @ 03:37:37.4...	wazuuh-server	sshd: Attempt to login using a non-existent user	5	5710	
May 13, 2026 @ 03:37:35.4...	wazuuh-server	PAM: User login failed.	5	5503	
May 13, 2026 @ 03:37:31.4...	wazuuh-server	sshd: Attempt to login using a non-existent user	5	5710	



```
kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
kali@kali: ~/Desktop/elastic-project
Session Actions Edit View Help
OPTIONS:
  -c, --clear      Clear the values, explicitly setting to nil (default)
  -g, --global     Operate on global datastore variables
  -h, --help       Help banner.
msf auxiliary(scanner/portscan/tcp) > set RHOSTS192.168.56.105
[-] Unknown datastore option: RHOSTS192.168.56.105.
Usage: set [options] [name] [value]

Set the given option to value.  If value is omitted, print the current value.
If both are omitted, print options that are currently set.

If run from a module context, this will set the value in the module's
datastore.  Use -g to operate on the global datastore.

If setting a PAYLOAD, this command can take an index from `show payloads`.

OPTIONS:
  -c, --clear      Clear the values, explicitly setting to nil (default)
  -g, --global     Operate on global datastore variables
  -h, --help       Help banner.
msf auxiliary(scanner/portscan/tcp) > RUN
[-] Unknown command: RUN. Did you mean run? Run the help command for more details.
msf auxiliary(scanner/portscan/tcp) > set RHOSTS192.168.56.105
[-] Unknown datastore option: RHOSTS192.168.56.105.
Usage: set [options] [name] [value]

Set the given option to value.  If value is omitted, print the current value.
If both are omitted, print options that are currently set.

If run from a module context, this will set the value in the module's
datastore.  Use -g to operate on the global datastore.

If setting a PAYLOAD, this command can take an index from `show payloads`.

OPTIONS:
  -c, --clear      Clear the values, explicitly setting to nil (default)
  -g, --global     Operate on global datastore variables
  -h, --help       Help banner.
msf auxiliary(scanner/portscan/tcp) > run
[-] Msf::OptionValidateError One or more options failed to validate: RHOSTS.
msf auxiliary(scanner/portscan/tcp) > set RHOSTS 192.168.56.106
RHOSTS => 192.168.56.106
msf auxiliary(scanner/portscan/tcp) > run
[+] 192.168.56.106 - 192.168.56.106:9200 - TCP OPEN
[*] 192.168.56.106 - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf auxiliary(scanner/portscan/tcp) >
```



MITRE Caldera Operation (T1210 – Exploitation of Remote Services)

CALDERA

Operations / Samba_Exploit_Operation

+ New Operation

admin

Dashboard

Operations

Agents

Abilities

Facts

Sandcat

Data Management

Settings

Operation Details

Name	Samba_Exploit_Operation	Operation ID	5
State	Finished	Endpoint	192.168.56.104
Adversary	Default Adversary	Description	Simulating remote service exploitation using T1210
Start Time	06/01/2026 15:55:00	End Time	06/01/2026 15:58:10

Operation Steps

Step	Ability	ATT&CK Technique	Status
1	Spearphishing Attachment	T1566.001	Completed
2	Exploitation - Remote Service	T1210	Completed
3	Execute Payload	T1059	Completed
4	Establish Control	T1105	Completed

Agents Involved

Agent ID	Hostname	IP Address	Status	Last Seen
1	ubuntu-agent	192.168.56.104	Active	06/01/2026 15:58:12

Wazuh Detection (Alert Generated)

Security events

Explore agent

Generate report

Overview

Threat Hunting

Security events

Integrity monitoring

Vulnerabilities

MITRE ATT&CK

Security Configuration

Management

Agents

Discover

Search

KQL

Jun 1, 2026 @ 15:45:00.000 → Jun 1, 2026 @ 16:05:00.000

Refresh


manager.name: wazuh-server

+ Add filter

Time	agent.name	rule.id	level	description	source.ip	destination.ip	mitre.tactic	mitre.technique
Jun 1, 2026 @ 16:00:00.123	ubuntu-agent	100550	12	Samba usermap_script exploit attempt detected	192.168.56.103	192.168.56.104	Execution	T1210

Expanded event

timestamp	Jun 1, 2026 @ 16:00:00.123	rule.description	Samba usermap_script exploit attempt detected
agent.name	ubuntu-agent	source.ip	192.168.56.103
agent.ip	192.168.56.104	destination.ip	192.168.56.104
manager.name	wazuh-server	mitre.tactic	Execution
rule.id	100550	mitre.technique	T1210
rule.level	12	location	/var/log/samba/log.smbd





New Case

Search...

Overview

Cases

Tasks

Alerts

Observables

Indicators

Playbooks

Responders

Dashboards

Knowledge Base

Data Management

Administration

TheHive Project

Version: 5.15-1

Cases / #6 - Samba Exploit Detected

#6 - Samba Exploit Detected

Created by admin

Jun 1, 2026 16:05:12

Updated by admin

Jun 1, 2026 16:25:44

High

New

T1210 - Exploitation of Remote Services

Edit

Close Case

Merge

General

Observables (3)

Alerts (1)

Tasks (2)

Artifacts (0)

Timeline

Responders

Report

Description

Wazuh alert detected a successful attempt to exploit a vulnerable Samba service on the target host 192.168.56.104 using Metasploit (usermap_script). MITRE Technique: T1210 - Exploitation of Remote Services.

Source IP has been identified as 192.168.56.103.

Investigation in progress.

Case Metrics

Alerts	1
Observables	3
Tasks	2
Artifacts	0

Case Details

Severity

High

Status

New

Assignee

admin

TLP

WHITE

Tags

samba

exploit

metasploit

T1210

+

Custom Fields

Notable Observables

IP	192.168.56.103	#3
	malicious-activity	
Domain	malicious.example.com	#2
	suspicious domain	
File	samba_payload.sh	#1
	e3b0c44298fc1c149afb4c8996fb924...	

Tasks (2)

+ Add Task

Title	Status	Assignee	Due Date		
Analyze exploit and collect artifacts	In Progress	admin	Jun 1, 2026 18:00:00		
Block attacker IP (192.168.56.103)	Completed	admin	Jun 1, 2026 16:20:00		

Linked Alerts (1)

Wazuh - Samba usermap_script exploit attempt detected

16:00:00

192.168.56.103

High



kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

Agents - Fleet - Elastic

localhost:5601/app/fleet/agents

elastic Find apps, content, and more.

Fleet Agents

Fleet

Centralized management for Elastic Agents.

[Agents](#) Agent policies Enrollment tokens Uninstall tokens Data streams Settings

Set up encryption key

An encryption key will make your environment more secure. Click [here](#) to learn how to set up an encryption key.

Dismiss

Agent activity Add Fleet

Filter your data using KQL syntax

Status 4 Tags 0 Agent policy



	A	B	C	D	E	F	G	
1	Question	Answer						
2	Why was t User clicked a malicious link from IP 192.168.52.102							
3	Why did tl The email appeared legitimate and trustworthy							
4	Why did tl The attacker spoofed a trusted sender							
5	Why was t Email filtering failed to detect the threat							
6	Why did tl Detection rules and threat intelligence were outdated							
7								
8								
9								
10								
11								
12								
	A	B	C	D	E	F	G	
1	Metric	Value						
2	Detection	2 Hours						
3	Response	4 Hours						
4	MTTD	2 Hours						
5	MTTR	4 Hours						
6								
7								
8								
	A	B	C	D	E	F	G	
1	Event	Time						
2	Initial Com	10:00 AM						
3	Detection	04:00 PM						
4								
5	Metric	Value						
6	Dwell Time	6 Hours						
7	MTTD	2 Hours						
8	MTTR	4 Hours						
9								
10								
11								
12								
13								
14								



Open Threat Exchange

Dashboard

Browse

Scan Endpoints

Create Pulse

Submit Sample

API Integration

All Search OTX

DARKNIGHT

Chat

PROFILE

DARKNIGHTT11

0 pulses

0 contributions

STATISTICS

0 FOLLOWERS

0 SUBSCRIBERS

0 CONTRIBUTED INDICATORS

Followers (0)

Following (0)

Groups (0)

Pulses (0)

Subscribers (0)

Subscribing (1)

NO PULSES

© COPYRIGHT 2026 LEVELBLUE, INC.

LEGAL

STATUS

Open Threat Exchange

Dashboard

Browse

Scan Endpoints

Create Pulse

Submit Sample

API Integration

All Search OTX

DARKNIGHT

Chat

DirectConnect API

The OTX DirectConnect API allows you to easily synchronize the Threat Intelligence available in OTX to the tools you use to monitor your environment. Using the DirectConnect agents you can integrate with your infrastructure to detect threats targeting your environment. If there is no pre-built agent for the products you are using, leverage the DirectConnect SDK (available in Java and Python) to develop your own integration for the community.

Resources

Docs

TAXII

Example API Uses

DirectConnect Agents

LevelBlue OSSIM™

LevelBlue USM™

LevelB/ue

LevelB/ue

DirectConnect API Usage

Your OTX Key:

1709782bc9a1650c833bf1f02...

Using API: ✕

Connect to LevelBlue USM™ or LevelBlue OSSIM™

Already using LevelBlue USM or LevelBlue OSSIM? If so, use your OTX API key with USM / OSSIM and get the benefits of the DirectConnect API immediately.

Don't have LevelBlue USM? Try LevelBlue USM.

© COPYRIGHT 2026 LEVELBLUE, INC.

LEGAL

STATUS

9



W. Endpoints Deploy new agent

Deploy new agent

Select the package to download and install on your system:

LINUX

☐ RPM amd64

☐ RPM aarch64

☒ DEB amd64

☐ DEB aarch64

WINDOWS

☐ MSI 32/64 bits

macOS

☐ Intel

☐ Apple silicon

For additional systems and architectures, please check our [documentation](#).

Server address:

This is the address the agent uses to communicate with the server. Enter an IP address or a fully qualified domain name (FQDN).

Assign a server address

☐ Remember server address

W. Endpoints API default

AGENTS BY STATUS

TOP 5 OS

TOP 5 GROUPS

Agents (1)

status=active

WQL

ID	Name	IP address	Group(s)	Operating system	Cluster node	Version	Status	Actions
001	faizanwani-VirtualBox	192.168.56.106	default	Ubuntu 26.04	node01	v4.14.5	active	👁️ ⚙️

Rows per page: 10