Roadway Safety +

A road construction industry training program

Lighting for Night Work

Nighttime work zones use temporary lighting to mitigate the hazard of reduced visibility. This module covers requirements for work zone illumination.

Roadway Safety +

A road construction industry training program


This material is based upon work supported by the U.S. Department of Transportation under Cooperative Agreement Nos. 693JJ31750001 and 693JJ32450004.

The material was prepared by the American Road and Transportation Builders Association. Any opinions, findings, and conclusions or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Transportation. This publication does not constitute a national standard, specification, or regulation.

The U.S. Government does not endorse products, manufacturers, or outside entities. Trademarks, names, or logos appear in this report only because they are considered essential to the objective of the document. They are included for informational purposes only and are not intended to reflect a preference, approval, or endorsement of any one product or entity.

Some of the content contained in this course is derived from the Manual on Uniform Traffic Control Devices (MUTCD), the National Work Zone Safety Information Clearinghouse, and various State departments of transportation.

© 2024 American Road & Transportation Builders Association



Lighting Work Zones

2. Motorists need to see flaggers.





Lighting Work Zones



Rotating equipment needs 360-degree lighting.



Light Requirements for Work Zones



The illumination of a work zone is determined by the type of work being done, how long the project is expected to last, and the size of the work zone. These factors will determine how bright lights need to be, as well as the type of lights being used.

The amount of light is measured in "foot candles" (FC). This is equal to one lumen per square foot, or 10.7 LUX.

	Condition	Foot Candles	LUX
DAY	Sunlight	10,000	107,527
	Daylight	1,000	10,753
	Overcast day	100	1075
	Very dark day	10	108
	Twilight	1	11
NIGHT	Deep twilight	0.1	1
	Full moon	0.01	0.1
	Quarter moon	0.001	0.01
	Starlight	0.0001	0.001
	Overcast night	0.00001	0.0001

Source: Illumenate

Light Requirements for Work Activities



Work activities are divided into three categories based on the level of accuracy needed for tasks and safety requirements. More light is required to perform more detailed and precise work and to operate safely around equipment.

Light Level	Work Examples	Minimum Maintained Lighting Level
Category 1 Low accuracy tasks General illumination for work zones	 Set up of lane or road closures Lane closure tapers Excavation Sweeping 	5 FC between twilight and very dark day 54 LUX
Category 2 • Medium accuracy tasks • General illumination Safety on or around equipment	 Asphalt paving Milling Concrete placement or removal 	10 FC a very dark day 108 LUX
Category 3 • High accuracy tasks • Specific illumination on tasks requiring extreme caution and attention	 Pavement or structural crack and pothole filling Joint repair Pavement patching and repairs Installation of signal, electrical, or mechanical equipment 	20 FC brighter than a very dark day but much dimmer than an overcast day. 216 LUX


Source: NCHRP Report 498

Types of Lighting



Any of these types of lighting can be used in a work zone to fulfill illumination requirements. Lighting must be able to follow the work when work zones move.

- Headlights and vehicle flood lights
- Balloon lights
- Portable light towers
- Roadway luminaries mounted on temporary poles.



Minimum Illumination Levels



If minimum illumination levels are not maintained, safety may be compromised. You may perform tasks more slowly and your work may be of a lower quality if you can't see well.

The <u>Federal Highway Administration</u> has information on lighting nighttime work zones, and the <u>MUTCD</u> has specifications for work zone safety at night.



Photo: skeeze from Pixabay

Summary



This module presented information on the requirements for lighting nighttime work zones. Lighting can be provided by a variety different ways. The amount of light is determined by the tasks performed and any applicable safety standards.

Test your knowledge on the following slides by answering the quiz questions.





True or false, only workers need to see equipment operating in a work zone?



True or false, only workers need to see equipment operating in a work zone?

False! Motorists also need to see equipment to ensure that they are safely navigating through or around the work zone.





What is the unit of measurement for determining the brightness of light?



What is the unit of measurement for determining the brightness of light?

Foot candles (FC) or LUX.





True or false, the best way to illuminate a work zone is with balloon lights?



True or false, the best way to illuminate a work zone is with balloon lights?

False! There are many different types of lights that can be used in work zones including:


- Headlights and vehicle flood lights
- Balloon lights
- Portable light towers
- Roadway luminaries mounted on temporary poles

Selecting lights depends on the amount of light required and any movement of the work zone.





What two factors determine how much light you need in the work zone?



What two factors determine how much light you need in the work zone?

The level of accuracy needed for tasks and safety requirements. More light is required to perform more detailed and precise work and to operate safely around equipment.





Besides safety, what two ways could your work be affected if you do not have enough light to perform your tasks?



Besides safety, what two ways could your work suffer ff you do not have enough light to perform your tasks?

You may perform tasks more slowly and your work may be of a lower quality if you can't see well.

Additional Resources



Nighttime Lighting Guidelines for Work Zones