TS

Execution Environment

Host name	HP - 20.23.0.57
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

Summary

ID	Test Suites/TS		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	14-06-2024 15:21:43	End	14-06-2024 15:25:06
Elapsed	3m - 23.167s		

#	ID	Description	Status
1	Test Cases/New Folder/TC		FAILED
2	Test Cases/New Folder/TC1		FAILED

TC

Information

ID	Test Cases/New Folder/TC
Description	
Tag	

Start	14-06-2024 15:23:44	End	14-06-2024 15:24:24
Elapsed	40.134s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	2.311s	PASSED
2	navigateToUrl("https://ugcnet.nta.ac.in/") Navigate to 'https://ugcnet.nta.ac.in/' successfully	5.859s	PASSED
3	click(findTestObject("Object Repository/Page_University Grants Commission (UGC)-NET India/strong_UGC NET June 2024 Login")) Object: 'Object Repository/Page_University Grants Commission (UGC)-NET India/strong_UGC NET June 2024 Login' is clicked on	0.357s	PASSED
4	switchToWindowTitle("University Grants Commission (UGC)-NET | India") Switched to window with title: 'University Grants Commission (UGC)-NET | India'	0.044s	PASSED

TC

#	Description	Elapsed	Status
5	click(findTestObject("Object Repository/Page_University Grants Commission (UGC)-NET India/input_Application Number_LoginFormApplicati_fc7780"))	31.536s	FAILED

Unable to click on object 'Object Repository/Page_University Grants Commission (UGC)-NET India/input_Application Number_LoginFormApplicati_fc7780' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_University Grants Commission (UGC)-NET India/input_Application Number_LoginFormApplicati_fc7780'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659)
at TC.run(TC:28)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
at TempTestSuite1718358696649.run(TempTestSuite1718358696649.groovy:35)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable
(Session info: chrome=125.0.6422.142)

TC

#	Description	Elapsed	Status

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'DESKTOP-D650ISP', ip: '20.23.0.57', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55539}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: e02b7d5d88ae94c98251a58a3b373deb
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)
	at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
	at org.openqa.selenium.support.events.EventFiringWebDriver$EventFiringWebElement.lambdanew0(EventFiringWebDriver.java:404)
	at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
	at org.openqa.selenium.support.events.EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
	at org.openqa.selenium.WebElement$click.call(Unknown Source)
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke

TC

#	Description	Elapsed	Status

(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
at Script1718358138266.run(Script1718358138266.groovy:28)
... 18 more
)



TC1

Information

ID	Test Cases/New Folder/TC1		
Description			
Tag			
Start	14-06-2024 15:24:53	End	14-06-2024 15:25:04
Elapsed	10.850s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	3.020s	PASSED
2	navigateToUrl("https://ugcnet.nta.ac.in/") Navigate to 'https://ugcnet.nta.ac.in/' successfully	6.312s	PASSED
3	click(findTestObject("Object Repository/Page_University Grants Commission (UGC)-NET India/a_News Events")) Object: 'Object Repository/Page_University Grants Commission (UGC)-NET India/a_News Events' is clicked on	0.331s	PASSED
4	click(findTestObject("Object Repository/Page_University Grants Commission (UGC)-NET India/a_Candidate Activity")) Object: 'Object Repository/Page_University Grants Commission (UGC)-NET India/a_Candidate Activity' is clicked on	0.279s	PASSED
5	click(findTestObject("Object Repository/Page_University Grants Commission (UGC)-NET India/a_Public Notices")) Object: 'Object Repository/Page_University Grants Commission (UGC)-NET India/a_Public Notices' is clicked on	0.284s	PASSED

TC1

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Page_University Grants Commission (UGC)-NET India/a_Advance Intimation for Allotment of Exami_257a25")) Object: 'Object Repository/Page_University Grants Commission (UGC)-NET India/a_Advance Intimation for Allotment of Exami_257a25' is clicked on	0.315s	PASSED

TC1

#	Description	Elapsed	Status
7	acceptAlert()	0.277s	FAILED

Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to accept alert
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71)
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute (AcceptAlertKeyword.groovy:66)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert (WebUiBuiltInKeywords.groovy:1561)
at TC1.run(TC1:32)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
at TempTestSuite1718358696649.run(TempTestSuite1718358696649.groovy:35)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: No alert found
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:78)
at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)

TC1

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
... 23 more
)



TC1

#	Description	Elapsed	Status