

MarineGuard AI — Investigation Report

SYNTHETIC DEMONSTRATION DATA — not real-world observations.

1. Incident information

Field	Value
Incident ID	MG-2026-DEMO-001
Title	Synthetic Arabian Sea oil-slick investigation
Location	Arabian Sea, west of Mumbai (synthetic scene)
Observation time	2026-03-14T06:30:00Z
Provenance	SYNTHETIC DEMONSTRATION DATA

2. Satellite observation

SAR scene associated with this incident. Detection mode: **Prototype / Demo**. Prototype Detection — trained model weights unavailable. This is a deterministic demo detector, not a trained deep-learning prediction.

3. Spill detection

Field	Value
Mode	Prototype / Demo
Confidence	68.0%
Status	Completed

4. Spill geometry

Field	Value
Area	45.4 km²
Length	17.77 km
Width	3.41 km
Perimeter	39.59 km
Centroid	19.10398, 71.83161
Shape	elongated

5. Probable origin

Field	Value
Latitude	19.12033
Longitude	71.76201
Estimated origin time	2026-03-14T02:00:00Z
Window	2026-03-14T00:30:00Z → 2026-03-14T03:30:00Z
Uncertainty radius	5.44 km

Probable origin is an analytical backward integration combining surface current vectors and 3% wind leeway with Coriolis deflection. It defines a probable search window, not an exact spill location.

6. Hindcast result

Backward trajectory points: 25. Model: backward_euler_drift_integration.

7. Forecast

Lead time	Latitude	Longitude
+0 h	19.10398	71.83161
+6 h	19.09595	71.93345
+12 h	19.09425	72.02663
+24 h	19.09084	72.21298
+48 h	19.08402	72.58569

Forward trajectory forecast incorporates predicted hydrodynamic surface current and 3% wind leeway. Uncertainty corridor expands over time due to oceanic turbulence and atmospheric variation.

8. AIS traffic analysis

Field	Value
Total vessels	7
Spatial candidates	7
Temporal candidates	7
Final candidates	7

9. Candidate vessel ranking

Rank	MMSI	Score	Priority
1	419000111	85.2	HIGH
2	419000222	78.2	HIGH
3	419000444	73.1	MEDIUM
4	419000555	68.1	MEDIUM
5	419000333	67.0	MEDIUM
6	419000666	66.3	MEDIUM
7	419000777	65.1	MEDIUM

10. Evidence

MT SYNTHETIC STAR (419000111) — Potential Suspect Vessel (Investigation Priority 1)

- Closest approach: 5.6 km from probable origin region.
- AIS transmissions overlap the estimated spill origin time window.
- Course consistency: Heading delta 40.8° relative to inferred drift axis.
- Operating speed: min 0.2 kn, mean 5.0 kn. (Observed loitering/speed reduction)
- Vessel type relevance: tanker (operational context score 100%).

MV COASTAL PEARL (419000222) — Evidence-Supported Candidate #2

- Closest approach: 2.6 km from probable origin region.
- AIS transmissions overlap the estimated spill origin time window.
- Course consistency: Heading delta 2.0° relative to inferred drift axis.
- Operating speed: min 11.8 kn, mean 12.0 kn.

- Vessel type relevance: cargo (operational context score 55%).

MV NORTHBOUND (419000444) — Evidence-Supported Candidate #3

- Closest approach: 6.1 km from probable origin region.
- AIS transmissions overlap the estimated spill origin time window.
- Course consistency: Heading delta 35.9° relative to inferred drift axis.
- Operating speed: min 14.4 kn, mean 14.5 kn.
- Vessel type relevance: cargo (operational context score 55%).

MT FAR HORIZON (419000555) — Evidence-Supported Candidate #4

- Closest approach: 21.6 km from probable origin region.
- AIS transmissions overlap the estimated spill origin time window.
- Course consistency: Heading delta 22.3° relative to inferred drift axis.
- Operating speed: min 16.0 kn, mean 16.1 kn.
- Vessel type relevance: tanker (operational context score 100%).

FV WESTERN NET (419000333) — Evidence-Supported Candidate #5

- Closest approach: 10.0 km from probable origin region.
- AIS transmissions overlap the estimated spill origin time window.
- Course consistency: Heading delta 39.7° relative to inferred drift axis.
- Operating speed: min 5.4 kn, mean 8.0 kn.
- Vessel type relevance: fishing (operational context score 30%).

11. Confidence

Detection confidence 68.0%. Drift uncertainty radius 5.44 km. Forecast corridor width 23.6 km.

12. Data gaps

- Satellite detection may include false positives, especially in prototype/demo mode.
- AIS coverage may be gapped, delayed, or spoofed.
- Ocean wind/current fields are sparse demonstration vectors, not a circulation model.

13. Responsible-AI disclaimer

This system prioritises vessels for investigation and does not establish definitive legal responsibility. The highest-ranked vessel is a highest-priority candidate only. Results require human validation and must not be used as the sole basis for legal enforcement.