Started on	Wednesday, 26 March 2025, 11:18 AM
State	Finished
Completed on	Wednesday, 26 March 2025, 11:30 AM
Time taken	12 mins 27 secs
Grade	80.00 out of 100.00

Question 1

Not answered

Mark 0.00 out of 20.00

Write a python program for the implementation of merge sort on the given list of float values.

For example:


Input	Result
5	Given array is
6.3	6.3 2.3 1.5 8.9 4.5
2.3	Sorted array is
1.5	1.5 2.3 4.5 6.3 8.9
8.9	
4.5	
6	Given array is
2.3	2.3 6.5 4.9 8.7 6.2 2.1
6.5	Sorted array is
4.9	2.1 2.3 4.9 6.2 6.5 8.7
8.7	
6.2	
2.1	

1	
	1.

Question **2**Correct
Mark 20.00 out of 20.00

Rat In A Maze Problem

You are given a maze in the form of a matrix of size n * n. Each cell is either clear or blocked denoted by 1 and 0 respectively. A rat sits at the top-left cell and there exists a block of cheese at the bottom-right cell. Both these cells are guaranteed to be clear. You need to find if the rat can get the cheese if it can move only in one of the two directions - down and right. It can't move to blocked cells.



Provide the solution for the above problem Consider n=4)

The output (Solution matrix) must be 4*4 matrix with value "1" which indicates the path to destination and "0" for the cell indicating the absence of the path to destination.

```
Reset answer
 1 N = 4
 3
 4
     def printSolution( sol ):
 5
         for i in sol:
 6
 7
             for j in i:
                 print(str(j) + " ", end ="")
 8
             print("")
 9
10
11
12 ,
     def isSafe( maze, x, y ):
13
14
         if x \ge 0 and x < N and y \ge 0 and y < N and maze[x][y] == 1:
15
             return True
16
         return False
17
18
19
20 •
    def solveMaze( maze ):
21
         # Creating a 4 * 4 2-D list
22
```

	Expected		ted Got						
~	1	0	0	0	1	0	0	0	~
	1	1	0	0	1	1	0	0	
	0	1	0	0	0	1	0	0	
	0	1	1	1	0	1	1	1	


Correct

Marks for this submission: 20.00/20.00.

```
Question 3
Correct
Mark 20.00 out of 20.00
```

You are given an integer **N**. For a given **N** x **N** chessboard, find a way to place '**N**' queens such that no queen can attack any other queen on the chessboard.

A queen can be attacked when it lies in the same row, column, or the same diagonal as any of the other queens. **You have to print one such configuration**.



Note

Get the input from the user for N . The value of N must be from 1 to 8

If solution exists Print a binary matrix as output that has 1s for the cells where queens are placed

If there is no solution to the problem print "Solution does not exist"

For example:

Input	Result					
5	1	0	0	0	0	
	0	0	0	1	0	
	0	1	0	0	0	
	0	0	0	0	1	
	0	0	1	0	0	

```
Reset answer
```

```
global N
1
2
   N = int(input())
3
4
   def printSolution(board):
5 -
       for i in range(N):
6
           for j in range(N):
7
               print(board[i][j], end = " ")
8
           print()
9
10 v def isSafe(board, row, col):
11
12
       # Check this row on left side
       for i in range(col):
13
14
           if board[row][i] == 1:
15
               return False
16
17
       # Check upper diagonal on left side
       18
19
           if board[i][j] == 1:
20 ,
21
               return False
22
```

	Input	Expected	Got	
~	5	1 0 0 0 0	10000	~
		0 0 0 1 0	00010	
		0 1 0 0 0	0 1 0 0 0	
		0 0 0 0 1	00001	
		0 0 1 0 0	0 0 1 0 0	
~	2	Solution does not exist	Solution does not exist	~
~	8	10000000	1000000	~
		00000010	0 0 0 0 0 0 1 0	
		00001000	00001000	
		0 0 0 0 0 0 0 1	00000001	
		01000000	01000000	
		0 0 0 1 0 0 0 0	00010000	
		00000100	00000100	
		00100000	0 0 1 0 0 0 0 0	

Correct

Marks for this submission: 20.00/20.00.

```
Question 4
Correct
Mark 20.00 out of 20.00
```

SUBSET SUM PROBLEM

COUNT OF SUBSETS WITH SUM EQUAL TO X

Given an array arr[] of length **N** and an integer **X**, the task is to find the number of subsets with a sum equal to **X**. Examples:

```
Input: arr[] = {1, 2, 3, 3}, X = 6
Output: 3
All the possible subsets are {1, 2, 3},
{1, 2, 3} and {3, 3}
Input: arr[] = {1, 1, 1, 1}, X = 1
Output: 4
```

THE INPUT

- 1.No of numbers
- 2.Get the numbers
- 3.Sum Value

For example:


Input	Result
4	1
2	
4	
5	
9	
15	
6	2
3	
34	
4	
12	
3	
2	
7	

Answer: (penalty regime: 0 %)

Reset answer

```
1 def subsetSum(a, n, i,sum, count):
        tab = [[0] * (sum + 1) for i in range(n + 1)]
 2
 3
        tab[0][0] = 1
 4
        for i in range(1, sum + 1):
 5
            tab[0][i] = 0
 6
        for i in range(1, n+1):
 7
 8 •
            for j in range(sum + 1):
9.
                if a[i-1] <= j:</pre>
                     tab[i][j] = tab[i-1][j] + tab[i-1][j-a[i-1]]
10
11 ,
12
                     tab[i][j] = tab[i-1][j]
13
        return tab[n][sum]
14
15
16
17
18
19
```

```
size=int(input())
for j in range(size):
value=int(input())
```



Correct

Marks for this submission: 20.00/20.00.

1.

```
Question 5
Correct
Mark 20.00 out of 20.00
```

GRAPH COLORING PROBLEM

Given an undirected graph and a number m, determine if the graph can be coloured with at most m colours such that no two adjacent vertices of the graph are colored with the same color. Here coloring of a graph means the assignment of colors to all vertices.

Input-Output format:

Input:

- 1. A 2D array graph[V][V] where V is the number of vertices in graph and graph[V][V] is an adjacency matrix representation of the graph. A value graph[i][j] is 1 if there is a direct edge from i to j, otherwise graph[i][j] is 0.
- 2. An integer m is the maximum number of colors that can be used.

Output:

An array color[V] that should have numbers from 1 to m. color[i] should represent the color assigned to the ith vertex.

Example:

```
1 v class Graph:
 2 ,
        def __init__(self, vertices):
 3
            self.V = vertices
            self.graph = [[0 for column in range(vertices)] for row in range(vertices)]
 4
 5
 6
        def isSafe(self, v, colour, c):
 7 ,
            for i in range(self.V):
 8 ,
                if self.graph[v][i] == 1 and colour[i] == c:
 9
                     return False
10
            return True
11
12 •
        def graphColouringUtil(self, m, colour, v):
            if v == self.V:
13 ,
                return True
14
15
16
            for c in range(1, m + 1):
                if self.isSafe(v, colour, c):
17
18
                     colour[v] = c
```

	Test	Expected	Got	
~	g = Graph(4) g.graph = [[0, 1, 1, 1], [1, 0, 1, 0], [1, 1, 0, 1], [1, 0, 1, 0]] m = 3 g.graphColouring(m)	Solution exist and Following are the assigned colours: 1 2 3 2	Solution exist and Following are the assigned colours: 1 2 3 2	*

Correct

Marks for this submission: 20.00/20.00.

1.