



KNITTING PATTERN

Selia

Vest

Design: Käte Stödter | Hobbii Design

MATERIALS

4/4/5/5/6 skeins **Schachenmayr Alva Silk**,
col 22 (gold)

Circular needles 3.5 mm, 80 cm / 31.5"
Tapestry needle

YARN

 **Alva Silk**, Schachenmayr
50% wool, 25% silk, 25% cotton
50 g (1.76 oz) = 230 m (251.5 yds)

GAUGE

In stockinette stitch:

23 sts and 33 rows = 10 cm x 10 cm (4" x 4")

ABBREVIATIONS

RS = right side
WS = wrong side
st(s) = stitch(es)

BASICS

Stockinette stitch:

- Knit on RS rows and purl on WS rows
- Kitchener stitch

SIZE

XS/S/M/L/XL

MEASUREMENTS

BACK AND FRONT PANEL

Width bottom: 52/56/60/64/68 cm /
20.5/22/23.5/25/26.5"

Length to the beginning of the sleeve:
40/40/40/41/42 cm /

15.7/15.7/15.7/16.2/16.5"

Depths of the sleeves: 20/21/22/23/24 cm /
7.7/8.5/8.5/9/9.5"

Neckline (front): 26/26/26/26/26 cm /
10.5/10.5/10.5/10.5/10.5"

Total length: 60/61/62/64/66 cm /
23.5/24/24.5/25/26"

PATTERN INFORMATION

The summery vest is worked flat in pieces
from the bottom up, beginning with the back.
The back and front are divided at the
neckline and finished separately, then the
shoulders are joined using Kitchener stitch.
Finally, the armhole edgings are picked up
and worked.

BUY THE YARN HERE

<https://hobbii.com/selia-vest>

QUESTIONS

If you have any questions regarding this pattern, please feel free to email us at
support@hobbii.com
Please make sure to include the pattern's name and number.

Happy Crafting!

Pattern



INFO AND TIPS

The measurements for each size are listed in order from smallest to largest, separated by slashes. If only one measurement is provided, it applies to all sizes.

BACK PANEL

With col. 22 cast on 22 120/130/140/150/160 sts and knit in stockinette stitch. You begin on a WS row.

After 50/51/52/54/56 cm / 19.5/20/20.5/21.5/22" for the slit at the back center, divide the work in the middle and continue knitting both halves separately in stockinette stitch with 60/65/70/75/80 sts each. After 10 cm / 4", put the sts on hold.

FRONT PANEL

Work as for the back, but with a deep neckline. After 34/35/36/38/40 cm / 13.5/13.75/14.25/15/15.75" from cast-on, divide the work at the center for the V-neck and continue working each side separately in stockinette stitch with 60/65/70/75/80 sts each. After 26 cm / 10.25", place sts on hold.

FINISHING

Block the pieces, dampen, and allow to dry.

Join the shoulder seams using Kitchener stitch. For the armholes, measure 20/21/22/23/24 cm / 7.75/8.25/8.75/9/9.5" down from the shoulder seam (see * on schematic) and place a marker at each point.

ARMHOLE EDGING

Between the markers, pick up and knit 94/98/104/108/112 sts and work 2 cm / 0.75" in stockinette stitch, beginning with a WS row. Then bind off all sts.


Sew the side seams and the edging seam.

Weave in all ends using a tapestry needle.


Enjoy!

Käte Stödter

SCHEMATIC (IN CM)



BACK PANEL



FRONT PANEL