Enum Class TelaBase.EstadoJogo

java.lang.Object
    java.lang.Enum<TelaBase.EstadoJogo>
        TelaBase.EstadoJogo

All Implemented Interfaces:

Serializable, Comparable<TelaBase.EstadoJogo>, Constable

Enclosing class:

TelaBase

---

protected static enum **TelaBase.EstadoJogo**
extends Enum<TelaBase.EstadoJogo>

Representa os possíveis estados do jogo

Nested Class Summary

Nested classes/interfaces inherited from class java.lang.*Enum*

Enum.EnumDesc<E extends Enum<E>>

Enum Constant Summary

Enum Constants

Enum Constant	Description
PARADO	Jogo parado (inativo)
PAUSADO	Jogo pausado (execução suspensa)
RODANDO	Jogo em execução normal

Constructor Summary

Constructors

Modifier	Constructor	Description
private	**EstadoJogo**()	

Method Summary

All Methods	Static Methods	Concrete Methods

Modifier and Type	Method	Description
static TelaBase.EstadoJogo	**valueOf**(String name)	Returns the enum constant of this class with the specified name.

static **TelaBase.EstadoJogo**[] **values**()	Returns an array containing the constants of this enum class, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, describeConstable, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Details

RODANDO

public static final TelaBase.EstadoJogo RODANDO

Jogo em execução normal

PAUSADO

public static final TelaBase.EstadoJogo PAUSADO

Jogo pausado (execução suspensa)

PARADO

public static final TelaBase.EstadoJogo PARADO

Jogo parado (inativo)

Constructor Details

EstadoJogo

private EstadoJogo()

Method Details

values

public static TelaBase.EstadoJogo[] values()

Returns an array containing the constants of this enum class, in the order they are declared.

Returns:

an array containing the constants of this enum class, in the order they are declared

valueOf

public static TelaBase.EstadoJogo valueOf(String name)

Returns the enum constant of this class with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this class. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum class has no constant with the specified name

NullPointerException - if the argument is null

valueOf