

Architecture Checkpoint Report

Assignment 2: Architectural Evolution of nopCommerce

Group: TODO
Members: TODO

April 25, 2026

Contents

1	Introduction and Scenario	4
1.1	Scenario Choice	4
1.2	Core Architectural Problem	4
2	Current-State Analysis	4
2.1	Overview of nopCommerce	4
2.2	Strengths	4
2.3	Limitations under Scenario	4
3	Domain and Bounded Contexts	4
3.1	Domain Overview	4
3.2	Bounded Contexts	4
3.3	Responsibilities	4
3.4	Architecture Diagram	4
4	Quality Attribute Scenarios	4
5	Architectural Approach	4
5.1	Chosen Framework	4
5.2	Justification	4
6	Target Architecture	4
6.1	Overview	4
6.2	Components	4
6.3	Interactions	4
6.4	Data Ownership	4
6.5	Main Architecture Diagram	4
7	Architectural Decisions	4
7.1	ADR 1 - Async Messaging	4
7.1.1	Context	4
7.1.2	Decision	4
7.1.3	Alternatives Considered	4
7.1.4	Consequences	4
7.2	ADR 2 - Message Broker	4
7.2.1	Context	4
7.2.2	Decision	4
7.2.3	Alternatives Considered	4

7.2.4	Consequences	4
7.3	ADR 3 - Reliability Mechanism	4
7.3.1	Context	4
7.3.2	Decision	4
7.3.3	Alternatives Considered	4
7.3.4	Consequences	4
8	Risk and Validation Plan	4
9	Evolution Roadmap	4
10	Feasibility Spike	4
10.1	What Was Tested	4
10.2	What Worked	4
10.3	Evidence	4

1 Introduction and Scenario

1.1 Scenario Choice

1.2 Core Architectural Problem

2 Current-State Analysis

2.1 Overview of nopCommerce

2.2 Strengths

2.3 Limitations under Scenario

3 Domain and Bounded Contexts

3.1 Domain Overview

3.2 Bounded Contexts

3.3 Responsibilities

3.4 Architecture Diagram

4 Quality Attribute Scenarios

5 Architectural Approach

5.1 Chosen Framework

5.2 Justification

6 Target Architecture

6.1 Overview

6.2 Components

6.3 Interactions

6.4 Data Ownership

6.5 Main Architecture Diagram

7 Architectural Decisions

7.1 ADR 1 - Async Messaging

7.1.1 Context

7.1.2 Decision

7.1.3 Alternatives Considered

7.1.4 Consequences

7.2 ADR 2 - Message Broker

7.2.1 Context

7.2.2 Decision

7.2.3 Alternatives Considered

7.2.4 Consequences

7.3 ADR 3 - Reliability Mechanism

7.3.1 Context