




www.dotnetconf.net

Building real-time image classifiers for mobile apps with Azure Custom Vision


Luis Beltran Microsoft MVP

Twitter: @darkicebeam

Email: luis@luisbeltran.mx



Microsoft Al Platform



Azure Cognitive Services

Perception

Comprehension

Vision



Speech



Language



Knowledge



Computer Vision

Face/Emotion Recognition

OCR/Handwriting

Custom Vision

Video Indexer

Content Moderator

Text-to-Speech Speech-to-Text

Translator

Custom Speech

Language Understanding

PII Detection

Text Translator

Text Analytics

QnA Maker

Bing Custom Search Bing Visual Search

Custom Vision

A customizable web service that learns to recognize specific content in imagery

Upload images

Upload your own labeled images, or use Custom Vision Service to quickly tag any unlabeled images

Train


Use your labeled images to teach Custom Vision Service the concepts you want it to learn


Evaluate

Use simple REST API calls to quickly tag images with your new custom computer vision model


Active learning

Images evaluated through your custom vision model become part of a feedback loop you can use to keep improving your classifier





Object Detection



My Objects



To tag an object, hover and select the region in the image

Predicted Object Filter

Probability Threshold: 15% (i)


Predictions

Predictions are shown in red

Tag	Probability
apple	99.2%
apple	98.9%
apple	85.3%

Building a Classifier

- Create a project
- Select a domain
- Add images
- Assign tags to images
- Train the classifier
- Evaluate the classifier




Demo – Exploring the Azure Custom Vision portal

Train in the cloud, run anywhere

Train in Custom Vision Service

Deploy & Run Anywhere



Demo – Mobile image classifier with Azure Custom Vision

https://github.com/icebeam7/MobileClassifierDemo

Improving a classifier

- The best way to have a quality classifier is to add more varied tagged images (different backgrounds, angles, object size, groups of photos, and variants of types.)
- Always to train your classifier after you have added more images. Include images that are representative of what your classifier will encounter in the real world.

• Photos in context are better than photos of objects in front of neutral backgrounds, for example.

Q & A



Thank you!

Luis Beltran Microsoft MVP

Twitter: @darkicebeam

Email: luis@luisbeltran.mx

