
.NET Conf "Focus on Xamarin"






Boosting Your Xamarin Development Productivity



Maddy Leger Program Manger, Xamarin @maddyleger1




Ways to boost your productivity



Code faster

IntelliCode






Optimized code editor - Mac

```
SetSupportActionBar(toolbar);
   FloatingActionButton fab = FindViewById<FloatingActionButton>(Resource.Id.
   fab.Click += FabOnClick;
   Button Accept = FindViewById<Button>(Resource.Id.buttonAccept);
   Button Reject = FindViewById<Button>(Resource.Id.buttonDecline);
   Button Submit = FindViewById<Button>(Resource.Id.buttonSubmit);
   Button Cancel = FindViewById<Button>(Resource.Id.buttonCancel);
   Button Reset = FindViewById<Button>(Resource.Id.buttonReset);
public override bool OnCreateOptionsMenu(IMenu menu)
   MenuInflater.Inflate(Resource.Menu.menu_main, menu);
    return true;
public override bool OnOptionsItemSelected(IMenuItem item)
    int id = item.ItemId;
    if (id == Resource.Id.action_settings)
    return base.OnOptionsItemSelected(item);
private void FabOnClick(object sender, EventArgs eventArgs)
   View view = (View)sender;
   Snackbar, Make(view, "Replace with your own action", Snackbar, LengthLong)
```

XAML IntelliSense - Mac

```
xmlns:x="http://schemas.microsoft.com/winfx/2009/xaml"
            xmlns:d="http://xamarin.com/schemas/2014/forms/design"
            xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
            mc:Ignorable="d"
            x:Class="cdsdc.MainPage">
       <ResourceDictionary>
           <Color x:Key="BtnColor">Blue</Color>
       </ResourceDictionary>
   </ContentPage.Resources>
</ContentPage>
```


Android XML + Designer



Build faster

SmartHotel360 Reference App

Step	VS 2017 (15.8)	VS 2019 (16.0)	Delta
First Build	01:04.20	00:50.13	-21.95%
Incremental Build (XAML Change)	00:10.62	00:07.47	-29.66%
Deploy (XAML Change)	00:09.03	00:04.44	-50.83%



Deploy faster

Android Startup Tracing


Type Startup Speed APK Size

Code Generation and Runtime

AOT Compilation

Use LLVM Optimizing Compiler

Enable Startup Tracing



Android App Bundles

Specific Languages

Proper Resource Screen
Densities

Best Match ABIs





Iterate faster

XAML Hot Reload for Xamarin.Forms





No setup or code changes



Interact with your real data



Android or iOS



Emulator, Simulator, or Device




Intelligent and resilient



Works with custom controls, third party libraries and frameworks, Shell, resources, and more!

Xamarin Hot Restart





Resources

- Hot Reload Docs: aka.ms/XAMLHotReloadDocs
- Hot Restart Docs: aka.ms/HotRestartDocs
- Monkey App: github.com/maddyleger1/MonkeysRefresh

Boosting Your Xamarin Development Productivity



Maddy Leger Program Manger, Xamarin @maddyleger1

