



S.P.RICHARDS CO.™

6300 Highlands Parkway, Smyrna, GA 30082

SPR Web Services

Developers Guide

Version 7.01

Table of Contents

Overview	4
About this Guide	4
Document Organization	4
Resources	4
Support	4
Introduction	5
Web Services, WSDL, and SOAP Overview	6
Web Services	6
WSDL	6
SOAP	6
SOAP Message	7
Example: SOAP Message	7
Available SPR Web Services	8
Stock Check	8
Dealer Stock Check	8
Sprinter Stock Check	8
Zip-Code Stock Check	8
Quick Check Plus	9
Find Freight Rates	9
Lowest Freight Rate	9
Testing SPR Web Services	9
Stock Check Service	10
Overview	10
Request Parameters	11
Response Parameters	12
Dealer Stock Check Service	14
Overview	14
Request Parameters	15
Response Parameters	16
Sprinter Stock Check Service	18
Overview	18
Request Parameters	19
Response Parameters	20
Zip-Code Stock Check Service	22
Overview	22
Input Parameters Container	23
Response Parameters	24
Quick Check Plus Service	26
Overview	26
Request Parameters	27
Response Parameters	28
Find Freight Rates Service	30
Overview	30
Request Parameters	31
Response Parameters	31



Lowest Freight Rate Service	32
Overview	32
Request Parameters.....	33
Response Parameters	33
Appendix A – Reference Tables.....	34
Table 1: Http Status Codes	34
Table 2: PO Sales Order Types	34
Table 3: Shipment Methods.....	34
Table 4: Shipment Levels of Service	34
Table 5: SPR Carrier Codes.....	35
Table 6: SPR Ship Via Codes	35
Table 7: SPR Distribution Centers	36
Table 8: State Codes	37
Appendix B – Example SOAP Messages	38
Example Stock Check Request Message	38
Example Stock Check Response Message	39
Example Dealer Stock Check Request Message.....	48
Example Dealer Stock Check Response Message.....	49
Example Sprinter Stock Check Request Message.....	50
Example Sprinter Stock Check Response Message.....	51
Example Zip-Code Stock Check Request Message	52
Example Zip-Code Stock Check Response Message	53
Example Quick Check Plus Request Message	54
Example Quick Check Plus Check Response Message	55
Example Find Freight Rates Request Message.....	57
Example Find Freight Rates Response Message	58
Example Lowest Freight Rate Request Message	60
Example Lowest Freight Rate Response Message	61
Appendix C - FAQ.....	62
General Questions.....	62
XML Questions	63
Service Response Questions	64
Appendix D – Contacts	65
General Questions.....	65

Overview

Follow these steps to get a WSDL for an SPR service.

1. Go to the SPR Website: <http://sprws.sprich.com/sprws/> to review the available services.
2. Click on the Web Service; i.e., Stock Check.
3. Click on the “WSDL” link. The WSDL will be displayed.
4. Copy the contents of the WSDL document.
5. Paste the copied document into a local file.

About this Guide

This guide describes how to work with the SPR web services. It is written for the application developer who uses web services to design and deploy applications enabled by S.P.Richards Co. It describes the major components required to get started with application development, the available tools, and the service and business logic required to use the Application Programming Interface (API)..

Document Organization

Access and features of each web service are described in detail. The service description includes service details and a full schema listing to facilitate application development.

Resources

The following may also be useful for SPR web services developers:

- Web services organization home page: webservices.org
- Microsoft Web Services: msdn.microsoft.com/webservices
- O'Reilly XML.com: webservices.xml.com

Support

Call the S.P.Richards Helpdesk at 1.888.763.2615 for SPR Web Services technical support.

Introduction

SPR Web Services are a collection of web services that provide the tools to build custom platform and interface independent applications that access SPR Web Services features. SPR Web Services can be used in a variety of ways to create customized integration solutions for specific purposes. Below are just a few of the ways a company can use SPR Web Services to streamline operations, improve visibility, and provide more choices to clients:

- Simplify Processes and Improve Customer Satisfaction - Checking availability before placing an item in the shopping cart allows suggesting substitution of comparable items and can improve the shopping experience.
- Verify Addresses and Improve Customer Satisfaction - Prompt customers for additional information in the event of an address discrepancy or missing information with Address Validation Service.
- Provide Customers With More Options - Help customers learn about the available shipping options and rates with Rate Services. Extend this service to your shopping cart and web site, allow customers to access money saving information firsthand.
- Reduce Customer Service Costs - Decrease phone traffic from customers checking shipment status and cut customer service costs. SPR provides online Tracking and Visibility Services that provide customers with the status of shipments and Proof of Delivery.

○ **PLEASE NOTE: Pricing for Horizon Stock is not available through this Web Services**

Why should developers be interested in web services?

- Interoperability - Any web service can interact with any other web service and can be written in any programming language.
- Ubiquity - web services communicate using HTTP and XML. Any connected device that supports these technologies can both host and access web services.
- Flexibility & Easy Adoption - The concepts behind web services are easy to understand, and developers can quickly create and deploy them using many toolkits available on the Web.
- Industry Support - Major content providers and vendors support the web services movement.

Any application running on any platform can interact with a web service by using the SOAP and WDSL standards for message transfer and service discovery. By following the standards, applications can seamlessly communicate with platform services.

Web Services, WSDL, and SOAP Overview

This section describes the standard coding technologies used in SPR web services.

Web Services

Web services is a collection of programming technologies, including eXtensible Markup Language (XML), Web Services Description Language (WSDL) and Simple Object Access Protocol (SOAP), which allow building programming solutions for specific messaging and application integration.

Web services are, by definition, platform independent. SPR Services allow developers to build custom applications that are independent of changes to the SPR interface.

WSDL

A SOAP request to or response from a service is generated according to the service's WSDL definition. A WSDL document describes a service. It is an XML document that provides information about what the service does, the methods that are available, their parameters, and parameter types. It describes how to communicate with the service in order to generate a request to, or decipher a response from, the service. The purpose of a WSDL is to completely describe a web service to a client. A WSDL defines where the service is available and what communications protocol is used to talk to the service. It defines everything required to write a program to work with an XML web service including the SPR Uniform Resource Locator (URL) that provides the service.

Note: SPR web service WSDL's are not offered as part of a Universal Description, Discovery, and Integration (UDDI) but are available upon request from the S. P. Richards Helpdesk or by accessing the following URL: [//sprws.sprich.com/sprws/ServiceName.php?wsdl](http://sprws.sprich.com/sprws/ServiceName.php?wsdl) replacing 'ServiceName' with the actual name of the service that you are requesting the WSDL.

SOAP

SOAP is a simple XML-based protocol that allows applications to exchange information over Hypertext Transport Protocol (HTTP). SOAP is built on open standards and is supported by numerous development tools. SOAP provides a way to communicate between applications running on different Operating systems, with different technologies and programming languages. The SOAP request Interface is an object in your application programming language.

SOAP enables the data to pass through layers of intermediaries and arrive at the ultimate Receiver the way it was intended. It is worth noting that you may not need to actually construct the SOAP message yourself, there are many development tools available today construct SOAP behind the scenes, both Commercial and Open Source.

SOAP Message

A SOAP message is an ordinary XML document that can be a “request” for a web service from a client or a “reply” from a web service to a client.

- Required <SOAP:Envelope>
- Optional <SOAP:Header>
- Required <SOAP:Body>

Example: SOAP Message

```
<soapenv:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:mes="http://tempuri.org/StockCheck/message">
  <soapenv:Header/>
  <soapenv:Body>
    <mes:ExecuteStockCheck soapenv:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/">
      <Input xsi:type="tca: StockCheckInputs" xmlns:tca="http://www.tempuri.org/TCA.xsd">
        <GroupCode xsi:type="xsd:string">xxxxx</GroupCode>
        <UserID xsi:type="xsd:string">xxxxxxxxxx</UserID>
        <Password xsi:type="xsd:string">xxxxxxxxxx</Password>
        <Version xsi:type="xsd:string">00.03.02</Version>
        <Action xsi:type="xsd:string">F</Action>
        <CustNum xsi:type="xsd:string">xxxxxxxxxxxx</CustNum>
        <ItemNumr xsi:type="xsd:string">SPRW1011</ItemNum>
      </Input>
    </mes:ExecuteStockCheck>
  </soapenv:Body>
</soapenv:Envelope>
```

For more information about the SOAP standard, refer to the World Wide Web Consortium (W3C) Web site at w3.org/TR/SOAP.

Available SPR Web Services

Stock Check

The Stock Check web service is a basic interactive stock availability service which returns attributes about an item number such as description, packing, weight, minimum order etc. plus the inventory position at each SPR DC that stocks the item. The inventory position displays the current on hand and the quantity that is on order with the manufacturer.

URL: <http://sprws.sprich.com/sprws/StockCheck.php>

Version: 01.00.00

Dealer Stock Check

The Dealer Stock Check web service has all of the same input and output as the Stock Check web service except that it adds the dealer specific price, pricing source and discountable price status to the service output.

URL: <http://sprws.sprich.com/sprws/DealerStockCheck.php>

Version: 01.00.00

Sprinter Stock Check

The Sprinter Stock Check web service expands available inventory by including sprinter network distribution centers in addition to the availability at the home DC. The web service is called interactively and returns attributes about an item number such as description, packing, weight, minimum order, dealer price etc. plus the inventory position at each SPR DC that stocks the item and the quantity that is on order with the manufacturer. The service also returns the cut-off times and lead-times for placing orders with the various sprinter DCs.

URL: **under construction**

Version: 00.00.00

Zip-Code Stock Check

The Zip Code Stock Check web service supports drop shipped orders to the consumer on the dealer's behalf. This function includes inventory for the closest SPR DCs to the delivery destination based on zip code. The web service is called interactively and returns various attributes about an item number such as description, packing, weight, minimum order, dealer price etc. plus the inventory position of each SPR DC that stocks the item. The DCs are sorted from closest to farthest with the delivery lead time for each DC.

URL: **under construction**

Version: 00.00.00

Quick Check Plus

Quick Check Plus is a simple request and response web service which returns attributes about an item number such as description, dealer specific pricing, minimum order etc. plus the inventory position at up to eight specified SPR DC's. Quick Check Plus is a light weight inventory availability service useful when you only deal with a few SPR DC's.

URL: <http://sprws.sprich.com/sprws/QuickCheckPlus.php>

Version: 01.00.00

Find Freight Rates

The Find Freight Rates web service identifies the available UPS/Fedx domestic services based on the shipper, destination, and delivery requirements. The service returns the available shipping rates.

URL: <http://sprws.sprich.com/sprws/FindFreightRates.php>

Version: 01.00.00

Lowest Freight Rate

The Lowest Freight Rate web service identifies the best available UPS/Fedx domestic service based on the shipper, destination, and delivery requirements. The service returns the lowest shipping rate.

URL: <http://sprws.sprich.com/sprws/LowestFreightRate.php>

Version: 01.00.00

Testing SPR Web Services

SPR web services can be tested at the URL: `//sprwstst.sprich.com/sprws/ServiceName.php` replacing 'ServiceName' with the actual name of the service that you wish to test.

Stock Check Service

Overview

Using Stock Check Service allows insuring an item is in stock before the customer places the item in their shopping cart. The system can suggest a comparable item if the item is not in stock to avoid losing the sale and to keep your customer satisfied. This service provides item inventory visibility in all 39 of the S.P. Richards Distribution Centers. If the Item is out of stock, the Item can be placed on backorder, notifying the customer of the arrival due date.

The Stock Check web service is designed to be used interactively as to build the Customers Order so that any issues that arise about an Item such as availability or special handling requirements can be dealt with as the Item is being selected.

The Stock Check Service provides:

- Improved customer service by making sure that everything that the customer needs is available.
- Increased employee productivity by reducing the number call-backs to the customer when items are not in stock.
- Improved overall customer shopping experience.

Note: See Appendix B - Example SOAP request & response messages.

Request Parameters

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Stock Availability for Item Number Requested
5	CustNumber	No / One	Char	Max 15	Customer Account Number. (If Customer # is not supplied then the default Customer profile will be used.)
6	DcNumber	No / One	Alpha-numeric	Dec 3.0	SPR Distribution Center Number. (If DC # is not supplied then it will default to the Customer default DC #.)
7	ItemNumber	Yes / One	Char	Max 25	Item Number (Mfr Id + Stock Number).
8	SortBy	No / One	Char	1	Result Set Sort Flag. A=sort the result set alphabetically. (default) N=sort the result set numerically.
9	MinInFullPacks	No / One	Char	1	Return all Quantities in Full Packs? Y=Convert Minimum Order Qty. to full packs. N=Do not convert Minimum Order Qty. (default)
10	AvailableOnly	No / One	Char	1	Only Return DCs with Quantity Available? Y=Only return DCs with Qty. available to sell (default) N=Return all DCs regardless of on-hand position.

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 180	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
3	SprItemNum	One	Char	Max 25	SPR Item Number.
4	StripNumber	One	Char	Max 25	Item Number without any special characters.
5	UpcNumber	One	Char	12	UPC Number.
6	OldNumber	One	Char	Max 25	Previous Item Number.
7	ItemStatus	One	Char	1	Item Status Code.
8	ProductClass	One	Char	4	Product Classification Code.
9	Description	One	Char	Max 35	Item Short Description.
10	SellUom	One	Char	Max 3	Selling Unit of Measure.
11	CatalogPage	One	Char	Max 4	General Line Catalog Page Number.
12	MatrixCatalogPage	One	Char	Max 4	Matrix Catalog Page Number
13	ItemWeight	One	Alpha-numeric	Dec 7.2	Item Weight in lbs per selling uom.
14	ItemCubes	One	Alpha-numeric	Dec 7.2	Item Cubes in inches per selling uom.
15	BrkenQtyAllowed	One	Char	1	Item can be Sold in Less Than Full Packs?
16	InfoProcessing	One	Char	1	Item is Classified as an Information Processing Item?
17	ReadyAssemble	One	Char	1	Item Requires Some Assembly after Purchase.
18	Furniture	One	Char	1	Item is Classified as a Furniture Item?
19	DatedGoods	One	Char	1	Item is Classified as a Dated Goods Item?
20	CountryOfOrigin	One	Char	3	Country of Origin Code.
21	ServiceSupply	One	Char	1	Item is Classified as a Service Supply Item?
22	NoReturn	One	Char	1	Item Can't be Returned after it is Purchased?
23	SpecialOrder	One	Char	1	Item is a Catalog Special Order Item?
24	UpsShippable	One	Char	1	Item Can be Shipped by a Parcel Carrier?
25	HazmatMessage	One	Char	Max 50	Description of Hazmat Requirements for this Item.
26	RetailPrice	One	Alpha-numeric	Dec 8.2	Manufacturers Suggested Retail List Price.
27	RetailUom	One	Char	3	Unit of Measure Associated with the RetailPrice.
28	MatrixPrice	One	Alpha-numeric	Dec 8.2	Matrix Catalog Retail Price.
29	MatrixUom	One	Char	3	Unit of Measure Associated with the MatrixPrice.
30	CurrencyCode	One	Char	3	Currency Code for Item Pricing.
31	OrderMinimum	One	Alpha-numeric	Dec 6.0	Minimum Quantity of the Item that can be Ordered.
32	UpchargeMessage	One	Char	Max 60	Dealer Net Price Up-Charge Message.
33	DcNum	Zero to Many	Alpha-numeric	Dec 3.0	Distribution Center Number.
34	DcName	Zero to Many	Char	Max 30	DC Name.
35	Available	Zero to Many	Alpha-numeric	Dec 6.0	Quantity Available to Sell.
36	DcUom	Zero to Many	Char	Max 3	DC Selling Unit Of Measure.
37	OnOrder	Zero to Many	Alpha-numeric	Dec 6.0	DC Quantity On-Order with the Manufacturer.



38	Expected	Zero to Many	Alpha-numeric	Dec 4.0	DC Expected Delivery from Manufacturer in Days.
39	Sprinter	Zero to Many	Char	1	DC Serves as a Sprinter Location?
40	CuttOff	Zero to Many	Alpha-numeric	Dec 3.0	DC Cutoff Time to Meet Delivery Time.
41	LeadTime	Zero to Many	Alpha-numeric	Dec 3.0	DC Delivery Lead Time to Sprinter Hub.
42	DcType	Zero to Many	Char	4	DC Type Code. FULL =Full Line Distribution Center FURN=Furniture Distribution Center RDC =Re-Distribution Center



Dealer Stock Check Service

Overview

The Stock Check web service is a basic interactive stock availability service which returns attributes about an item number such as description, packing, weight, and minimum order plus the inventory position at each SPR DC that stocks the item and the quantity that is on order with the manufacturer.

The Dealer Price Check Service has all of the same inputs and output as the Stock Check Service except that it adds the customer account number to the service inputs and adds the dealer specific price, pricing source and discountable price status to the service outputs.

Note: See Appendix B - Example SOAP request & response messages.

Request Parameters

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Stock Availability for Item Number Requested
5	CustNumber	No / One	Char	Max 15	Customer Account Number. (If Customer # is not supplied then the default Customer profile will be used. Prices will reflect std DNP prices, not contracts will be considered.)
6	DcNumber	No / One	Alpha-numeric	Dec 3.0	SPR Distribution Center Number. (If DC # is not supplied then it will default to the Customer default DC #.)
7	ItemNumber	Yes / One	Char	Max 25	Item Number (Mfr Id + Stock Number).
8	SortBy	No / One	Char	1	Result Set Sort Flag. A=sort the result set alphabetically. (default) N=sort the result set numerically.
9	MinInFullPacks	No / One	Char	1	Return all Quantities in Full Packs? Y=Convert Minimum Order Qty. to full packs. N=Do not convert Minimum Order Qty. (default)
10	AvailableOnly	No / One	Char	1	Only Return DCs with Quantity Available? Y=Only return DCs with Qty. available to sell (default) N=Return all DCs regardless of on-hand position.

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 180	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
3	SprItemNum	One	Char	Max 25	SPR Item Number.
4	StripNumber	One	Char	Max 25	Item Number without any special characters.
5	UpcNumber	One	Char	12	UPC Number.
6	OldNumber	One	Char	Max 25	Previous Item Number.
7	ItemStatus	One	Char	1	Item Status Code.
8	ProductClass	One	Char	4	Product Classification Code.
9	Description	One	Char	Max 35	Item Short Description.
10	SellUom	One	Char	Max 3	Selling Unit of Measure.
11	CatalogPage	One	Char	Max 4	General Line Catalog Page Number.
12	MatrixCatalogPage	One	Char	Max 4	Matrix Catalog Page Number
13	ItemWeight	One	Alpha-numeric	Dec 7.2	Item Weight in lbs per selling uom.
14	ItemCubes	One	Alpha-numeric	Dec 7.2	Item Cubes in inches per selling uom.
15	BrkenQtyAllowed	One	Char	1	Item can be Sold in Less Than Full Packs?
16	InfoProcessing	One	Char	1	Item is Classified as an Information Processing Item?
17	ReadyAssemble	One	Char	1	Item Requires Some Assembly after Purchase.
18	Furniture	One	Char	1	Item is Classified as a Furniture Item?
19	DatedGoods	One	Char	1	Item is Classified as a Dated Goods Item?
20	CountryOfOrigin	One	Char	3	Country of Origin Code.
21	ServiceSupply	One	Char	1	Item is Classified as a Service Supply Item?
22	NoReturn	One	Char	1	Item Can't be Returned after it is Purchased?
23	SpecialOrder	One	Char	1	Item is a Catalog Special Order Item?
24	UpsShippable	One	Char	1	Item Can be Shipped by a Parcel Carrier?
25	HazmatMessage	One	Char	Max 50	Description of Hazmat Requirements for this Item.
26	RetailPrice	One	Alpha-numeric	Dec 8.2	Manufacturers Suggested Retail List Price.
27	RetailUom	One	Char	3	Unit of Measure Associated with the RetailPrice.
28	MatrixPrice	One	Alpha-numeric	Dec 8.2	Matrix Catalog Retail Price.
29	MatrixUom	One	Char	3	Unit of Measure Associated with the MatrixPrice.
30	CurrencyCode	One	Char	3	Currency Code for Item Pricing.
31	OrderMinimum	One	Alpha-numeric	Dec 6.0	Minimum Quantity of the Item that can be Ordered.
32	UpchargeMessage	One	Char	Max 60	Dealer Net Price Up-Charge Message.
33	DealerPrice	One	Alpha-numeric	Dec 8.2	Dealer Net Unit Price.
34	Discountable	One	Char	1	Dealer Net Price is Discountable?
35	TariffMessage	One	Char	Max 50	Tariff Percentage Message.
36	DcNum	Zero to Many	Alpha-numeric	Dec 3.0	Distribution Center Number.
37	DcName	Zero to Many	Char	Max 30	DC Name.



38	Available	Zero to Many	Alpha-numeric	Dec 6.0	Quantity Available to Sell.
39	DcUom	Zero to Many	Char	Max 3	DC Selling Unit Of Measure.
40	OnOrder	Zero to Many	Alpha-numeric	Dec 6.0	DC Quantity On-Order with the Manufacturer.
41	Expected	Zero to Many	Alpha-numeric	Dec 4.0	DC Expected Delivery from Manufacturer in Days.
42	Sprinter	Zero to Many	Char	1	DC Serves as a Sprinter Location?
43	CuttOff	Zero to Many	Alpha-numeric	Dec 3.0	DC Cutoff Time to Meet Delivery Time.
44	LeadTime	Zero to Many	Alpha-numeric	Dec 3.0	DC Delivery Lead Time to Sprinter Hub.
45	DcType	Zero to Many	Char	4	DC Type Code. FULL =Full Line Distribution Center FURN=Furniture Distribution Center RDC =Re-Distribution Center

Sprinter Stock Check Service

Overview

The Sprinter Stock Check Service is geared towards orders that are delivered to dealer by the local SPR distribution center and its sprinter network for subsequent delivery to the consumer. The web service is called interactively and returns attributes about an item number such as description, packing, weight, minimum order, and dealer price plus the inventory position and quantity that is on order with the manufacturer at each SPR DC that stocks the item. The service also returns the cut-off times and lead-times for placing orders with the various sprinter DCs.

Note: See Appendix B - Example SOAP request & response messages.

Request Parameters

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Stock Availability for Item Number Requested
5	CustNumber	No / One	Char	Max 15	Customer Account Number. (If Customer # is not supplied then the default Customer profile will be used. Prices will reflect std DNP prices, not contracts will be considered.)
6	DcNumber	No / One	Alpha-numeric	Dec 3.0	SPR Distribution Center Number. (If DC # is not supplied then it will default to the Customer default DC #.) (If Customer # & DC # are not supplied then the DC Sprinter return parameters will be null.)
7	ItemNumber	Yes / One	Char	Max 25	Item Number (Mfr Id + Stock Number).
8	MinInFullPacks	No / One	Char	1	Return all Quantities in Full Packs? Y=Convert Minimum Order Qty. to full packs. N=Do not convert Minimum Order Qty. (default)

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 180	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
3	SprItemNum	One	Char	Max 25	SPR Item Number.
4	StripNumber	One	Char	Max 25	Item Number without any special characters.
5	UpcNumber	One	Char	12	UPC Number.
6	OldNumber	One	Char	Max 25	Previous Item Number.
7	ItemStatus	One	Char	1	Item Status Code.
8	ProductClass	One	Char	4	Product Classification Code.
9	Description	One	Char	Max 35	Item Short Description.
10	SellUom	One	Char	Max 3	Selling Unit of Measure.
11	CatalogPage	One	Char	Max 4	General Line Catalog Page Number.
12	MatrixCatalogPage	One	Char	Max 4	Matrix Catalog Page Number
13	ItemWeight	One	Alpha-numeric	Dec 7.2	Item Weight in lbs per selling uom.
14	ItemCubes	One	Alpha-numeric	Dec 7.2	Item Cubes in inches per selling uom.
15	BrkenQtyAllowed	One	Char	1	Item can be Sold in Less Than Full Packs?
16	InfoProcessing	One	Char	1	Item is Classified as an Information Processing Item?
17	ReadyAssemble	One	Char	1	Item Requires Some Assembly after Purchase.
18	Furniture	One	Char	1	Item is Classified as a Furniture Item?
19	DatedGoods	One	Char	1	Item is Classified as a Dated Goods Item?
20	CountryOfOrigin	One	Char	3	Country of Origin Code.
21	ServiceSupply	One	Char	1	Item is Classified as a Service Supply Item?
22	NoReturn	One	Char	1	Item Can't be Returned after it is Purchased?
23	SpecialOrder	One	Char	1	Item is a Catalog Special Order Item?
24	UpsShippable	One	Char	1	Item Can be Shipped by a Parcel Carrier?
25	HazmatMessage	One	Char	Max 50	Description of Hazmat Requirements for this Item.
26	RetailPrice	One	Alpha-numeric	Dec 8.2	Manufacturers Suggested Retail List Price.
27	RetailUom	One	Char	3	Unit of Measure Associated with the RetailPrice.
28	MatrixPrice	One	Alpha-numeric	Dec 8.2	Matrix Catalog Retail Price.
29	MatrixUom	One	Char	3	Unit of Measure Associated with the MatrixPrice.
30	CurrencyCode	One	Char	3	Currency Code for Item Pricing.
31	OrderMinimum	One	Alpha-numeric	Dec 6.0	Minimum Quantity of the Item that can be Ordered.
32	UpchargeMessage	One	Char	Max 60	Dealer Net Price Up-Charge Message.
33	DealerPrice	One	Alpha-numeric	Dec 8.2	Dealer Net Unit Price.
34	Discountable	One	Char	1	Dealer Net Price is Discountable?
35	TariffMessage	One	Char	Max 50	Tariff Percentage Message.
36	DcNum	Zero to Many	Alpha-numeric	Dec 3.0	Distribution Center Number.
37	DcName	Zero to Many	Char	Max 30	DC Name.



38	Available	Zero to Many	Alpha-numeric	Dec 6.0	Quantity Available to Sell.
39	DcUom	Zero to Many	Char	Max 3	DC Selling Unit Of Measure.
40	OnOrder	Zero to Many	Alpha-numeric	Dec 6.0	DC Quantity On-Order with the Manufacturer.
41	Expected	Zero to Many	Alpha-numeric	Dec 4.0	DC Expected Delivery from Manufacturer in Days.
42	Sprinter	Zero to Many	Char	1	DC Serves as a Sprinter Location?
43	CuttOff	Zero to Many	Alpha-numeric	Dec 3.0	DC Cutoff Time to Meet Delivery Time.
44	LeadTime	Zero to Many	Alpha-numeric	Dec 3.0	DC Delivery Lead Time to Sprinter Hub.
45	DcType	Zero to Many	Char	4	DC Type Code. FULL =Full Line Distribution Center FURN=Furniture Distribution Center RDC =Re-Distribution Center



Zip-Code Stock Check Service

Overview

The Zip-Code Stock Check Service is geared towards orders that are drop-shipped to the consumer on the dealer behalf by the closest SPR DCs to the delivery destination based on zip code. The web service is called interactively and returns various attributes about an item number such as description, packing, weight, minimum order, and dealer price plus the inventory position of each SPR DC that stocks the Item. The DCs are sorted from closest to farthest with the delivery lead-time for each DC.

Note: See Appendix B - Example SOAP request & response messages.

Input Parameters Container

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Stock Availability for Item Number Requested
5	CustNumber	Yes / One	Char	Max 15	Customer Account Number. (If Customer # is not supplied then the default Customer profile will be used. Prices will reflect std DNP prices, not contracts will be considered.)
6	ItemNumber	Yes / One	Char	Max 25	Item Number (Mfr Id + Stock Number)
7	MinInFullPacks	No / One	Char	1	Return all Quantities in Full Packs?
8	AvailableOnly	No / One	Char	1	Return Only Distributions Centers with Quantity Available to Sell?
9	ReturnLimit	No / One	Char	1	Max # of Stocking DCs to Return in Result Set

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 180	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
3	SprItemNum	One	Char	Max 25	SPR Item Number.
4	StripNumber	One	Char	Max 25	Item Number without any special characters.
5	UpcNumber	One	Char	12	UPC Number.
6	OldNumber	One	Char	Max 25	Previous Item Number.
7	ItemStatus	One	Char	1	Item Status Code.
8	ProductClass	One	Char	4	Product Classification Code.
9	Description	One	Char	Max 35	Item Short Description.
10	SellUom	One	Char	Max 3	Selling Unit of Measure.
11	CatalogPage	One	Char	Max 4	General Line Catalog Page Number.
12	MatrixCatalogPage	One	Char	Max 4	Matrix Catalog Page Number
13	ItemWeight	One	Alpha-numeric	Dec 7.2	Item Weight in lbs per selling uom.
14	ItemCubes	One	Alpha-numeric	Dec 7.2	Item Cubes in inches per selling uom.
15	BrkenQtyAllowed	One	Char	1	Item can be Sold in Less Than Full Packs?
16	InfoProcessing	One	Char	1	Item is Classified as an Information Processing Item?
17	ReadyAssemble	One	Char	1	Item Requires Some Assembly after Purchase.
18	Furniture	One	Char	1	Item is Classified as a Furniture Item?
19	DatedGoods	One	Char	1	Item is Classified as a Dated Goods Item?
20	CountryOfOrigin	One	Char	3	Country of Origin Code.
21	ServiceSupply	One	Char	1	Item is Classified as a Service Supply Item?
22	NoReturn	One	Char	1	Item Can't be Returned after it is Purchased?
23	SpecialOrder	One	Char	1	Item is a Catalog Special Order Item?
24	UpsShippable	One	Char	1	Item Can be Shipped by a Parcel Carrier?
25	HazmatMessage	One	Char	Max 50	Description of Hazmat Requirements for this Item.
26	RetailPrice	One	Alpha-numeric	Dec 8.2	Manufacturers Suggested Retail List Price.
27	RetailUom	One	Char	3	Unit of Measure Associated with the RetailPrice.
28	MatrixPrice	One	Alpha-numeric	Dec 8.2	Matrix Catalog Retail Price.
29	MatrixUom	One	Char	3	Unit of Measure Associated with the MatrixPrice.
30	CurrencyCode	One	Char	3	Currency Code for Item Pricing.
31	OrderMinimum	One	Alpha-numeric	Dec 6.0	Minimum Quantity of the Item that can be Ordered.
32	UpchargeMessage	One	Char	Max 60	Dealer Net Price Up-Charge Message.
33	DealerPrice	One	Alpha-numeric	Dec 8.2	Dealer Net Unit Price.
34	Discountable	One	Char	1	Dealer Net Price is Discountable?
35	TariffMessage	One	Char	Max 50	Tariff Percentage Message.
36	DcNum	Zero to Many	Alpha-numeric	Dec 3.0	Distribution Center Number.
37	DcName	Zero to Many	Char	Max 30	DC Name.



38	Available	Zero to Many	Alpha-numeric	Dec 6.0	Quantity Available to Sell.
39	DcUom	Zero to Many	Char	Max 3	DC Selling Unit Of Measure.
40	OnOrder	Zero to Many	Alpha-numeric	Dec 6.0	DC Quantity On-Order with the Manufacturer.
41	Expected	Zero to Many	Alpha-numeric	Dec 4.0	DC Expected Delivery from Manufacturer in Days.
42	DcType	Zero to Many	Char	4	DC Type Code. FULL =Full Line Distribution Center FURN=Furniture Distribution Center RDC =Re-Distribution Center



Quick Check Plus Service

Overview

Quick Check Plus is a simple request and response web service which returns attributes about an item number such as description, dealer specific pricing, minimum order etc. plus the inventory position at up to eight specified SPR DC's. Quick Check Plus is a light weight inventory availability service useful when you only deal with a few SPR DC's.

Note: See Appendix B - Example SOAP request & response messages.

Request Parameters

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Stock Availability for Item Number Requested
5	CustNumber	No / One	Char	Max 15	Customer Account Number. (If Customer # is not supplied then all pricing related fields will be null.)
6	ItemNumber	Yes / One	Char	Max 25	Item Number (Mfr Id + Stock Number).
7	MinInFullPacks	No / One	Char	1	Return all Quantities in Full Packs? Y=Convert Minimum Order Qty. to full packs. N=Do not convert Minimum Order Qty. (default)
8	DcNumber1	Yes / One	Alpha-numeric	Dec 3.0	First SPR Distribution Center Number.
9	DcNumber2	No / One	Alpha-numeric	Dec 3.0	Second SPR Distribution Center Number.
10	DcNumber3	No / One	Alpha-numeric	Dec 3.0	Third SPR Distribution Center Number.
11	DcNumber4	No / One	Alpha-numeric	Dec 3.0	Forth SPR Distribution Center Number.
12	DcNumber5	No / One	Alpha-numeric	Dec 3.0	Fifth SPR Distribution Center Number.
13	DcNumber6	No / One	Alpha-numeric	Dec 3.0	Sixth SPR Distribution Center Number.
14	DcNumber7	No / One	Alpha-numeric	Dec 3.0	Seventh SPR Distribution Center Number.
15	DcNumber8	No / One	Alpha-numeric	Dec 3.0	Eight SPR Distribution Center Number.

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 180	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
3	SprItemNum	One	Char	Max 25	SPR Item Number.
4	ItemStatus	One	Char	1	Item Status Code.
5	Description	One	Char	Max 35	Item Short Description.
6	SellUom	One	Char	Max 3	Selling Unit of Measure.
7	CatalogPage	One	Char	Max 4	General Line Catalog Page Number.
8	InfoProcessing	One	Char	1	Item is Classified as an Information Processing Item?
9	ReadyAssemble	One	Char	1	Item Requires Some Assembly after Purchase.
10	Furniture	One	Char	1	Item is Classified as a Furniture Item?
11	DatedGoods	One	Char	1	Item is Classified as a Dated Goods Item?
12	CountryOfOrigin	One	Char	3	Country of Origin Code.
13	ServiceSupply	One	Char	1	Item is Classified as a Service Supply Item?
14	NoReturn	One	Char	1	Item Can't be Returned after it is Purchased?
15	SpecialOrder	One	Char	1	Item is a Catalog Special Order Item?
16	UpsShippable	One	Char	1	Item Can be Shipped by a Parcel Carrier?
17	HazmatMessage	One	Char	Max 50	Description of Hazmat Requirements for this Item.
18	RetailPrice	One	Alpha-numeric	Dec 8.2	Manufacturers Suggested Retail List Price.
19	RetailUom	One	Char	3	Unit of Measure Associated with the RetailPrice.
20	CurrencyCode	One	Char	3	Currency Code for Item Pricing.
21	OrderMinimum	One	Alpha-numeric	Dec 6.0	Minimum Quantity of the Item that can be Ordered.
22	CurrencyCode	One	Char	3	Currency Code for Item Pricing.
23	OrderMinimum	One	Alpha-numeric	Dec 6.0	Minimum Quantity of the Item that can be Ordered.
24	UpchargeMessage	One	Char	Max 60	Dealer Net Price Up-Charge Message.
25	DealerPrice	One	Alpha-numeric	Dec 8.2	Dealer Net Unit Price.
26	PriceDescription	One	Char	Max 50	Dealer Net Price Discountable Status
27	DiscountMessage	One	Char	Max 35	Dealer Net Price Discountable Status
28	TariffMessage	One	Char	Max 50	Tariff Percentage Message.
29	Location1DcNum	One	Alpha-numeric	Dec 3.0	Location #1 Distribution Center Number.
30	Location1DcName	One	Char	Max 30	Location #1 DC Name.
31	Location1Available	One	Alpha-numeric	Dec 6.0	Location #1 Quantity Available to Sell.
32	Location1SellUom	One	Char	Max 3	Location #1 Selling Unit Of Measure.
33	Location2DcNum	One	Alpha-numeric	Dec 3.0	Location #2 Distribution Center Number.
34	Location2DcName	One	Char	Max 30	Location #2 DC Name.
35	Location2Available	One	Alpha-numeric	Dec 6.0	Location #2 Quantity Available to Sell.
36	Location2SellUom	One	Char	Max 3	Location #2 Selling Unit Of Measure.

37	Location3DcNum	One	Alpha-numeric	Dec 3.0	Location #3 Distribution Center Number.
38	Location3DcName	One	Char	Max 30	Location #3 DC Name.
39	Location3Available	One	Alpha-numeric	Dec 6.0	Location #3 Quantity Available to Sell.
40	Location3SellUom	One	Char	Max 3	Location #3 Selling Unit Of Measure.
41	Location4DcNum	One	Alpha-numeric	Dec 3.0	Location #4 Distribution Center Number.
42	Location4DcName	One	Char	Max 30	Location #4 DC Name.
43	Location4Available	One	Alpha-numeric	Dec 6.0	Location #4 Quantity Available to Sell.
44	Location4SellUom	One	Char	Max 3	Location #4 Selling Unit Of Measure.
45	Location5DcNum	One	Alpha-numeric	Dec 3.0	Location #5 Distribution Center Number.
46	Location5DcName	One	Char	Max 30	Location #5 DC Name.
47	Location5Available	One	Alpha-numeric	Dec 6.0	Location #5 Quantity Available to Sell.
48	Location5SellUom	One	Char	Max 3	Location #5 Selling Unit Of Measure.
49	Location6DcNum	One	Alpha-numeric	Dec 3.0	Location #6 Distribution Center Number.
50	Location6DcName	One	Char	Max 30	Location #6 DC Name.
51	Location6Available	One	Alpha-numeric	Dec 6.0	Location #6 Quantity Available to Sell.
52	Location6SellUom	One	Char	Max 3	Location #6 Selling Unit Of Measure.
53	Location7DcNum	One	Alpha-numeric	Dec 3.0	Location #7 Distribution Center Number.
54	Location7DcName	One	Char	Max 30	Location #7 DC Name.
55	Location7Available	One	Alpha-numeric	Dec 6.0	Location #7 Quantity Available to Sell.
56	Location7SellUom	One	Char	Max 3	Location #7 Selling Unit Of Measure.
57	Location8DcNum	One	Alpha-numeric	Dec 3.0	Location #8 Distribution Center Number.
58	Location8DcName	One	Char	Max 30	Location #8 DC Name.
59	Location8Available	One	Alpha-numeric	Dec 6.0	Location #8 Quantity Available to Sell.
60	Location8SellUom	One	Char	Max 3	Location #8 Selling Unit Of Measure.

Find Freight Rates Service

Overview

With the Find Freight Rates Service online shoppers can compare rates and select shipping services that best fit their needs and budgets. For example, customers can choose express services when they need their packages right away or standard services when they have more time for delivery.

The Find Freight Rates Service provides:

- The Find Freight Rates Service identifies all the available UPS/Fedex domestic services that satisfy shipping requirements and returns the shipping rates based on the package specifications and options. It can be used to dynamically generate a list of shipping services tailored for your customers' shipments.
- Since the Find Freight Rates Service output is in XML format, it provides greater flexibility by allowing formatting the rates and services data to suit any Web site or application design and layout. Easy-to-understand menus from which your online customers can select the best shipping method can be created.

Give customers a wider range of service levels and rates by adding the Find Freight Rates Service to your site.

Note: See Appendix B - Example SOAP request & response messages.

Request Parameters

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Find Estimated Freight Rates for Shipment
5	CustNumber	Yes / One	Char	Max 15	Customer Account Number.
6	ShipFromDc	Yes / One	Alpha-numeric	Dec 3.0	Ship-from Distribution Center Number.
7	StateCode	Yes / One	Char	Max 20	Ship-to State or Province Code.
8	PostalCode	Yes / One	Char	Max 11	Ship-to Postal Code.
9	TotWeight	Yes / One	Alpha-numeric	Dec 10.2	Total Weight of Shipment in pounds.
10	ReqCarrier	Yes / One	Char	4	Requested Carrier ID.
11	ReqSrvLevel	Yes / One	Alpha-numeric	dec 2.0	Requested Service Level Code. (see reference table #4 for list of service level codes and descriptions)
12	Residential	Yes / One	Char	1	Residential Address Indicator.

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 120	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
4	DcNumber	One	Char	Dec 3.0	Distribution Center Number.
5	CarrierId	One	Char	4	Carrier ID.
6	CarrierDesc	One	Char	Max 30	Carrier Description.
7	ShipVia	One	Char	4	Method of Shipment Code
8	FrghtRate	One	Alpha-numeric	Dec 10.2	Estimated Freight Rate.
9	DeliveryDays	One	Alpha-numeric	Dec 3.0	Estimated Number of Days to Deliver Shipment.
10	NumCartons	One	Alpha-numeric	Dec 3.0	Estimated Number of Cartons
11	ServiceLevel	One	Alpha-numeric	Dec 2.0	Level of Service Code.
12	ResAdrInd	One	Char	1	Residential Address Indicator.



Lowest Freight Rate Service

Overview

With the Lowest Freight Rate Service online shoppers can find the lowest rate that satisfies their service needs. For example, customers can choose express services when they need their packages right away or standard services when they have more time for delivery.

The Lowest Freight Rate Service provides:

- The Lowest Freight Rate Service identifies the best available UPS/Fedx domestic service that satisfy shipping requirements and returns the lowest rate based on the package specifications and options.

Give customers a wider range of service levels and rates by adding the Lowest Freight Rate Service to your site.

Note: See Appendix B - Example SOAP request & response messages.

Request Parameters

	Element	Required / Cardinality	Type	Length	Description / Values
1	GroupCode	Yes / One	Char	Max 10	Group Code Assigned to Dealer Organization after Registration.
2	UserID	Yes / One	Char	Max 10	Unique Identifier assigned to each customer as part of the User Authentication.
3	Password	Yes / One	Char	Max 20	The password portion of the User Authentication that has a direct relationship to the User ID.
4	Action	Yes / One	Char	1	Service Action Request. ?=Ping Service for Generic Heartbeat Response F=Find Lowest Freight Rate for Shipment and Level of Service
5	CustNumber	Yes / One	Char	Max 15	Customer Account Number.
6	ShipFromDc	Yes / One	Alpha-numeric	Dec 3.0	Ship-from Distribution Center Number.
7	StateCode	No / One	Char	Max 20	Ship-to State or Province Code.
8	PostalCode	No / One	Char	Max 11	Ship-to Postal Code.
9	Residential	No / One	Char	1	Residential Address Indicator.
10	TotWeight	No / One	Alpha-numeric	Dec 10.2	Total Weight of Shipment in pounds.
11	ReqCarrier	No / One	Char	4	Requested Carrier ID.
12	ReqSrvclvl	Yes / One	Alpha-numeric	dec 2.0	Requested Service Level Code. (see reference table #4 for list of service level codes and descriptions)

Response Parameters

	Element	Cardinality	Type	Length	Description / Values
1	RtnStatus	One	Char	4	Return Status Code. (0000=Success) (see reference table #1 for list of status codes and descriptions)
2	RtnMessage	One	Char	Max 120	Return Status Message. (OK=Success) (see reference table #1 for list of status codes and descriptions)
3	DcNumber	One	Char	Dec 3.0	Distribution Center Number.
4	CarrierId	One	Char	4	Carrier ID.
5	CarrierDesc	One	Char	Max 30	Carrier Description.
6	ShipVia	One	Char	4	Method of Shipment Code
7	FrghtRate	One	Alpha-numeric	Dec 10.2	Estimated Freight Rate.
8	DeliveryDays	One	Alpha-numeric	Dec 3.0	Estimated Number of Days to Deliver Shipment.
9	NumCartons	One	Alpha-numeric	Dec 3.0	Estimated Number of Cartons
10	ServiceLevel	One	Alpha-numeric	Dec 2.0	Level of Service Code.

Appendix A – Reference Tables

Table 1: Http Status Codes

Each HTTP response contains a status code. The following table lists the possible values:

<u>Code</u>	<u>Description</u>
200	Request processed successfully.
240	Request Processed, some warnings exist. Check XML Doc for details.
250	Request could not be processed. Check XML Doc for error information.
500	UPS OnLine Tool unavailable; try again later.

Table 2: PO Sales Order Types

<u>Code</u>	<u>Description</u>
01	SPR Stock Order.
02	Second Party Logistics Order.
03	SPR Wrap and Label Order.
04	SPR Drop-Ship/USA Express Order.
05	Vendor Drop-Ship.
06	Vendor Cross-Dock.

Table 3: Shipment Methods

<u>Code</u>	<u>Description</u>
00	Dealer Default Shipment Method.
01	Dealer Will-Call
02	SPR Truck (Local Delivery).
03	SPR Sprinter Truck.
05	Common Carrier.
07	Courier.
09	Parcel Carrier.

Table 4: Shipment Levels of Service

<u>Code</u>	<u>Description</u>
00	Dealer Default Level of Service.
01	Next Day Air
02	Next Day Air AM.
03	2 nd Day Air.
04	Ground.
05	Next Day Air PM.
06	2 nd Day Air AM.
09	Next Day

Table 5: SPR Carrier Codes

Code	Description
SPR	Dealer Default Carrier.
LTL	Common Carrier.
UPS	United Parcel Service.
FDX	Federal Express.
PCS	All Supported Parcel Carrier Services

Table 6: SPR Ship Via Codes

Code	Description	Service Level
WILL	Dealer Will-Call.	N/A
SPR	SPR Truck Delivery	1
UPSN	UPS Next Day Air	1
UPEA	UPS Next Day Air Early AM	2
UPS2	UPS 2 nd Day Air	3
UPSG	UPS Ground	4
UP2S	UPS Next Day Air Saver	5
UP2A	UPS 2 nd Day Air AM	6
FXND	FedEx Express Prepaid	1
FXFO	FedEx First Overnight (8am)	2
FX2D	FedEx Economy Prepaid	3
FXGD	FedEx Ground Prepaid	4
FXSO	FedEx Standard Overnight	5

Table 7: SPR Distribution Centers

Code	Description
001	Atlanta, GA.
002	Charlotte, NC.
003	Miami, FL.
004	Tampa, FL.
005	Dallas, TX.
006	Memphis, TN.
007	Kansas City, MO.
008	Houston, TX.
009	Columbus, OH.
010	St. Paul, MN.
011	Denver, CO.
012	Richmond, VA.
013	Oklahoma City, OK.
014	Hartford, CT.
015	San Antonio, TX.
016	Birmingham, AL.
017	New Orleans, LA.
018	St. Louis, MO.
019	Baltimore, MD.
020	Orlando, FL.
022	Greensboro, NC.
023	Philadelphia, PA.
024	Indianapolis, IN.
026	Nashville, TN.
027	Jacksonville, FL.
028	Seattle, WA.
029	Syracuse, NY.
030	Sacramento, CA.
031	Los Angeles, CA.
033	Salt Lake City, UT.
034	Boston, MA.
035	Chicago, IL.
036	Phoenix, AR.
037	New York, NY.
038	Pittsburgh, PA.
039	Grand Rapids, MI.

Table 8: State Codes

Code	Name	Code	Name
AL	Alabama	MO	Missouri
AK	Alaska	MT	Montana
AZ	Arizona	NE	Nebraska
AR	Arkansas	NV	Nevada
CA	California	NH	New Hampshire
CO	Colorado	NJ	New Jersey
CT	Connecticut	NM	New Mexico
DE	Delaware	NY	New York
DC	District of Columbia	NC	North Carolina
FL	Florida	ND	North Dakota
GA	Georgia	OH	Ohio
HI	Hawaii	OK	Oklahoma
ID	Idaho	OR	Oregon
IL	Illinois	PA	Pennsylvania
IN	Indiana	RI	Rhode Island
IA	Iowa	SC	South Carolina
KS	Kansas	SD	South Dakota
KY	Kentucky	TN	Tennessee
LA	Louisiana	TX	Texas
ME	Maine	UT	Utah
MD	Maryland	VT	Vermont
MA	Massachusetts	VA	Virginia
MI	Michigan	WA	Washington
MN	Minnesota	WV	West Virginia
MS	Mississippi	WI	Wisconsin
		WY	Wyoming

Appendix B – Example SOAP Messages

Example Stock Check Request Message

POST http://sprws.sprich.com/sprws/StockCheck.php HTTP/1.1
Content-Type: text/xml;charset=UTF-8
SOAPAction: "http://sprws.sprich.com/sprws/StockCheck.php?wsdl"
User-Agent: *your client name goes here*
Host: *your hostname goes here*
Content-Length: *your calculated message length goes here*

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:stoc="http://sprws.sprich.com/sprws/StockCheck.php?wsdl">
  <soapenv:Header/>
  <soapenv:Body>
    <stoc:StockCheck>
      <input>
        <GroupCode>your GroupeCode goes here</GroupCode>
        <UserID> your UserID goes here </UserID>
        <Password> your Password goes here </Password>
        <Action>F</Action>
        <CustNumber>> your CustNumber goes here </CustNumber>
        <DcNumber></DcNumber>
        <ItemNumber>SPRW1011</ItemNumber>
        <SortBy>A</SortBy>
        <MinInFullPacks></MinInFullPacks>
        <AvailableOnly>Y</AvailableOnly>
      </input>
    </stoc:StockCheck>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Stock Check Response Message

HTTP/1.1 200 OK
Date: Wed, 28 Oct 2009 13:40:09 GMT
Server: Apache/2.0.52 (Red Hat)
X-Powered-By: PHP/5.1.6
X-SOAP-Server: NuSOAP/0.7.3 (1.114)
Content-Length: 18203
Connection: close
Content-Type: text/xml; charset=UTF-8

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP-
ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:tns="http://sprws.sprich.com/sprws/StockCheck.php?wsdl">
  <SOAP-ENV:Body>
    <ns1:StockCheckResponse xmlns:ns1="http://sprws.sprich.com/sprws/StockCheck.php?wsdl">
      <return xsi:type="tns:StockCheckResults">
        <ErrorMessage xsi:type="xsd:string"/>
        <RtnError xsi:nil="true" xsi:type="xsd:string"/>
        <RtnMessage xsi:type="xsd:string">OK</RtnMessage>
        <SprItemNum xsi:type="xsd:string">SPRW1011</SprItemNum>
        <StripNumber xsi:type="xsd:string">SPRW1011</StripNumber>
        <UpcNumber xsi:type="xsd:string">035255004503</UpcNumber>
        <OldNumber xsi:type="xsd:string"/>
        <ItemStatus xsi:type="xsd:string">A</ItemStatus>
        <ProductClass xsi:type="xsd:string">N</ProductClass>
        <Description xsi:type="xsd:string">PAD,LEGAL,LTR SZ,WE</Description>
        <SellUom xsi:type="xsd:string">EA</SellUom>
        <CatalogPage xsi:type="xsd:string">888</CatalogPage>
        <MatrixPage xsi:type="xsd:string">0914</MatrixPage>
        <ItemWeight xsi:type="xsd:string">0.40</ItemWeight>
        <ItemCubes xsi:type="xsd:string">0.02</ItemCubes>
        <BrokenQtyAllowed xsi:type="xsd:string">Y</BrokenQtyAllowed>
        <InfoProcessing xsi:type="xsd:string">N</InfoProcessing>
        <ReadyAssemble xsi:type="xsd:string">N</ReadyAssemble>
        <Furniture xsi:type="xsd:string">N</Furniture>
        <DatedGoods xsi:type="xsd:string">N</DatedGoods>
        <CountryOfOrigin xsi:type="xsd:string">US</CountryOfOrigin>
        <ServiceSupply xsi:type="xsd:string">N</ServiceSupply>
        <NoReturn xsi:type="xsd:string">N</NoReturn>
        <SpecialOrder xsi:type="xsd:string">N</SpecialOrder>
        <UpsShippable xsi:type="xsd:string">Y</UpsShippable>
        <HazmatMessage xsi:type="xsd:string">No</HazmatMessage>
        <RetailPrice xsi:type="xsd:string">3.32</RetailPrice>
        <RetailUom xsi:type="xsd:string">EA</RetailUom>
        <MatrixPrice xsi:type="xsd:string"/>
        <MatrixUom xsi:type="xsd:string"/>
        <CurrencyCode xsi:type="xsd:string">USA</CurrencyCode>
        <OrderMinimum xsi:type="xsd:string">1</OrderMinimum>
        <UpchargeMessage xsi:type="xsd:string">No</UpchargeMessage>
        <ResultsRows xsi:type="SOAP-ENC:Array" SOAP-ENC:arrayType="tns:StockCheckRow[34]">
          <item xsi:type="tns:StockCheckRow">
            <DcNum xsi:type="xsd:string">01</DcNum>
            <DcName xsi:type="xsd:string">ATLANTA</DcName>
            <Available xsi:type="xsd:string">101</Available>
            <Uom xsi:type="xsd:string">EA</Uom>
```

```
<OnOrder xsi:type="xsd:string">288</OnOrder>
<Expected xsi:type="xsd:string">DUE</Expected>
<Sprinter xsi:type="xsd:string">H</Sprinter>
<CutOff xsi:type="xsd:string"/>
<LeadTime xsi:type="xsd:string"/>
<DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">19</DcNum>
  <DcName xsi:type="xsd:string">BALTIMORE</DcName>
  <Available xsi:type="xsd:string">434</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">16</DcNum>
  <DcName xsi:type="xsd:string">BIRMINGHAM</DcName>
  <Available xsi:type="xsd:string">627</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string">Y</Sprinter>
  <CutOff xsi:type="xsd:string">05:30 pm</CutOff>
  <LeadTime xsi:type="xsd:string">1</LeadTime>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">34</DcNum>
  <DcName xsi:type="xsd:string">BOSTON</DcName>
  <Available xsi:type="xsd:string">168</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">72</OnOrder>
  <Expected xsi:type="xsd:string">LATE</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">02</DcNum>
  <DcName xsi:type="xsd:string">CHARLOTTE</DcName>
  <Available xsi:type="xsd:string">204</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string">Y</Sprinter>
  <CutOff xsi:type="xsd:string">04:00 pm</CutOff>
  <LeadTime xsi:type="xsd:string">2</LeadTime>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">35</DcNum>
  <DcName xsi:type="xsd:string">CHICAGO</DcName>
```



```
<Available xsi:type="xsd:string">444</Available>
<Uom xsi:type="xsd:string">EA</Uom>
<OnOrder xsi:type="xsd:string">216</OnOrder>
<Expected xsi:type="xsd:string">DUE</Expected>
<Sprinter xsi:type="xsd:string"/>
<CutOff xsi:type="xsd:string"/>
<LeadTime xsi:type="xsd:string"/>
<DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">09</DcNum>
  <DcName xsi:type="xsd:string">COLUMBUS</DcName>
  <Available xsi:type="xsd:string">132</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">05</DcNum>
  <DcName xsi:type="xsd:string">DALLAS</DcName>
  <Available xsi:type="xsd:string">519</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">11</DcNum>
  <DcName xsi:type="xsd:string">DENVER</DcName>
  <Available xsi:type="xsd:string">282</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">39</DcNum>
  <DcName xsi:type="xsd:string">GRAND RAPIDS</DcName>
  <Available xsi:type="xsd:string">98</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
```

```
<DeNum xsi:type="xsd:string">22</DeNum>
<DeName xsi:type="xsd:string">GREENSBORO</DeName>
<Available xsi:type="xsd:string">347</Available>
<Uom xsi:type="xsd:string">EA</Uom>
<OnOrder xsi:type="xsd:string">216</OnOrder>
<Expected xsi:type="xsd:string">DUE</Expected>
<Sprinter xsi:type="xsd:string">Y</Sprinter>
<CutOff xsi:type="xsd:string">05:00 pm</CutOff>
<LeadTime xsi:type="xsd:string">3</LeadTime>
<DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">14</DeNum>
  <DeName xsi:type="xsd:string">HARTFORD</DeName>
  <Available xsi:type="xsd:string">211</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">08</DeNum>
  <DeName xsi:type="xsd:string">HOUSTON</DeName>
  <Available xsi:type="xsd:string">692</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">144</OnOrder>
  <Expected xsi:type="xsd:string">DUE</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">24</DeNum>
  <DeName xsi:type="xsd:string">INDIANAPOLIS</DeName>
  <Available xsi:type="xsd:string">329</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">27</DeNum>
  <DeName xsi:type="xsd:string">JACKSONVILLE</DeName>
  <Available xsi:type="xsd:string">369</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">216</OnOrder>
  <Expected xsi:type="xsd:string">DUE</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
```

```
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">07</DeNum>
  <DeName xsi:type="xsd:string">KANSAS CITY</DeName>
  <Available xsi:type="xsd:string">472</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">144</OnOrder>
  <Expected xsi:type="xsd:string">DUE</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DeType xsi:type="xsd:string">ALL</DeType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">06</DeNum>
  <DeName xsi:type="xsd:string">MEMPHIS</DeName>
  <Available xsi:type="xsd:string">587</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DeType xsi:type="xsd:string">ALL</DeType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">03</DeNum>
  <DeName xsi:type="xsd:string">MIAMI</DeName>
  <Available xsi:type="xsd:string">203</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DeType xsi:type="xsd:string">ALL</DeType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">26</DeNum>
  <DeName xsi:type="xsd:string">NASHVILLE</DeName>
  <Available xsi:type="xsd:string">168</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string">Y</Sprinter>
  <CutOff xsi:type="xsd:string">05:00 pm</CutOff>
  <LeadTime xsi:type="xsd:string">3</LeadTime>
  <DeType xsi:type="xsd:string">ALL</DeType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DeNum xsi:type="xsd:string">17</DeNum>
  <DeName xsi:type="xsd:string">NEW ORLEANS</DeName>
  <Available xsi:type="xsd:string">167</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
```

```
<LeadTime xsi:type="xsd:string"/>
<DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">37</DcNum>
  <DcName xsi:type="xsd:string">NEW YORK</DcName>
  <Available xsi:type="xsd:string">262</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">13</DcNum>
  <DcName xsi:type="xsd:string">OKLAHOMA CITY</DcName>
  <Available xsi:type="xsd:string">441</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">20</DcNum>
  <DcName xsi:type="xsd:string">ORLANDO</DcName>
  <Available xsi:type="xsd:string">160</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">23</DcNum>
  <DcName xsi:type="xsd:string">PHILADELPHIA</DcName>
  <Available xsi:type="xsd:string">587</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">36</DcNum>
  <DcName xsi:type="xsd:string">PHOENIX</DcName>
  <Available xsi:type="xsd:string">150</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">144</OnOrder>
  <Expected xsi:type="xsd:string">LATE</Expected>
```

```
<Sprinter xsi:type="xsd:string"/>
<CutOff xsi:type="xsd:string"/>
<LeadTime xsi:type="xsd:string"/>
<DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">38</DcNum>
  <DcName xsi:type="xsd:string">PITTSBURGH</DcName>
  <Available xsi:type="xsd:string">267</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">12</DcNum>
  <DcName xsi:type="xsd:string">RICHMOND</DcName>
  <Available xsi:type="xsd:string">347</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">72</OnOrder>
  <Expected xsi:type="xsd:string">4</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">33</DcNum>
  <DcName xsi:type="xsd:string">SALT LAKE CITY</DcName>
  <Available xsi:type="xsd:string">262</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">15</DcNum>
  <DcName xsi:type="xsd:string">SAN ANTONIO</DcName>
  <Available xsi:type="xsd:string">226</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">144</OnOrder>
  <Expected xsi:type="xsd:string">DUE</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">28</DcNum>
  <DcName xsi:type="xsd:string">SEATTLE</DcName>
  <Available xsi:type="xsd:string">219</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
```

```
<OnOrder xsi:type="xsd:string">144</OnOrder>
<Expected xsi:type="xsd:string">DUE</Expected>
<Sprinter xsi:type="xsd:string"/>
<CutOff xsi:type="xsd:string"/>
<LeadTime xsi:type="xsd:string"/>
<DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">18</DcNum>
  <DcName xsi:type="xsd:string">ST. LOUIS</DcName>
  <Available xsi:type="xsd:string">285</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">10</DcNum>
  <DcName xsi:type="xsd:string">ST. PAUL</DcName>
  <Available xsi:type="xsd:string">334</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">0</OnOrder>
  <Expected xsi:type="xsd:string"/>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">29</DcNum>
  <DcName xsi:type="xsd:string">SYRACUSE</DcName>
  <Available xsi:type="xsd:string">195</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">72</OnOrder>
  <Expected xsi:type="xsd:string">2</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
<item xsi:type="tns:StockCheckRow">
  <DcNum xsi:type="xsd:string">04</DcNum>
  <DcName xsi:type="xsd:string">TAMPA</DcName>
  <Available xsi:type="xsd:string">209</Available>
  <Uom xsi:type="xsd:string">EA</Uom>
  <OnOrder xsi:type="xsd:string">72</OnOrder>
  <Expected xsi:type="xsd:string">DUE</Expected>
  <Sprinter xsi:type="xsd:string"/>
  <CutOff xsi:type="xsd:string"/>
  <LeadTime xsi:type="xsd:string"/>
  <DcType xsi:type="xsd:string">ALL</DcType>
</item>
</ResultsRows>
</return>
</ns1:StockCheckResponse>
```



</SOAP-ENV:Body>
</SOAP-ENV:Envelope>



Example Dealer Stock Check Request Message

<<under construction>>



Example Dealer Stock Check Response Message

<<under construction>>



Example Sprinter Stock Check Request Message

<<under construction>>



Example Sprinter Stock Check Response Message

<<under construction>>



Example Zip-Code Stock Check Request Message

<<under construction>>



Example Zip-Code Stock Check Response Message

<<under construction>>

Example Quick Check Plus Request Message

POST http://sprws.sprich.com/sprws/QuickCheckPlus.php HTTP/1.1

Content-Type: text/xml; charset=UTF-8

SOAPAction: " "

User-Agent: *your client name goes here*

Host: *your hostname goes here*

Content-Length: *your calculated message length goes here*

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:mes="http://tempuri.org/quick_check_plus/message">
  <soapenv:Header/>
  <soapenv:Body>
    <mes:QuickCheckPlus>
      <GroupCode>your GroupeCode goes here</GroupCode>
      <UserID> your UserID goes here </UserID>
      <Password> your Passworde goes here </Password>
      <Action>F</Action>
      <CustNumber>> your CustNumber goes here </CustNumber>
      <ItemNumber>SPRW1011</ItemNumber>
      <MinInFullPacks></MinInFullPacks>
      <DcNumber1>001</DcNumber1>
      <DcNumber2>016</DcNumber2>
      <DcNumber3>002</DcNumber3>
      <DcNumber4>022</DcNumber4>
      <DcNumber5>026</DcNumber5>
      <DcNumber6></DcNumber6>
      <DcNumber7></DcNumber7>
      <DcNumber8></DcNumber8>
    </mes:QuickCheckPlus>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Quick Check Plus Check Response Message

HTTP/1.1 200 OK
 Date: Wed, 28 Oct 2009 14:46:15 GMT
 Server: Apache/2.0.52 (Red Hat)
 X-Powered-By: PHP/5.1.6
 X-SOAP-Server: NuSOAP/0.7.3 (1.114)
 Content-Length: 3827
 Connection: close
 Content-Type: text/xml; charset=ISO-8859-1

```

<?xml version="1.0" encoding="ISO-8859-1"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP-
ENC="http://schemas.xmlsoap.org/soap/encoding/">
  <SOAP-ENV:Body>
    <ns1:QuickCheckPlusResponse xmlns:ns1="http://tempuri.org/quick_check_plus/message">
      <RtnStatus xsi:type="xsd:string">0000</RtnStatus>
      <RtnMessage xsi:type="xsd:string">OK</RtnMessage>
      <SprItemNum xsi:type="xsd:string">SPRW1011</SprItemNum>
      <ItemStatus xsi:type="xsd:string">A</ItemStatus>
      <Description xsi:type="xsd:string">PAD,LEGAL,LTR SZ,WE</Description>
      <SellUom xsi:type="xsd:string">EA</SellUom>
      <CatalogPage xsi:type="xsd:string">888</CatalogPage>
      <InfoProcessing xsi:type="xsd:string">N</InfoProcessing>
      <ReadyAssemble xsi:type="xsd:string">N</ReadyAssemble>
      <Furniture xsi:type="xsd:string">N</Furniture>
      <DatedGoods xsi:type="xsd:string">N</DatedGoods>
      <CountryOfOrigin xsi:type="xsd:string">US</CountryOfOrigin>
      <ServiceSupply xsi:type="xsd:string">N</ServiceSupply>
      <NoReturn xsi:type="xsd:string">N</NoReturn>
      <SpecialOrder xsi:type="xsd:string">N</SpecialOrder>
      <UpsShippable xsi:type="xsd:string">Y</UpsShippable>
      <HazmatMessage xsi:type="xsd:string">No</HazmatMessage>
      <RetailPrice xsi:type="xsd:string">3.89</RetailPrice>
      <RetailUom xsi:type="xsd:string">EA</RetailUom>
      <CurrencyCode xsi:type="xsd:string">USA</CurrencyCode>
      <OrderMinimum xsi:type="xsd:string">1</OrderMinimum>
      <UpchargeMessage xsi:type="xsd:string">No</UpchargeMessage>
      <DealerPrice xsi:type="xsd:string">0.99</DealerPrice>
      <PriceDescription xsi:type="xsd:string">SMART CHOICE CATALOG</PriceDescription>
      <DiscountMessage xsi:type="xsd:string">No Volume Cash Discount Allowed.</DiscountMessage>
      <TariffMessage xsi:type="xsd:string">none</TariffMessage>
      <Location1DcNum xsi:type="xsd:string">001</Location1DcNum>
      <Location1DcName xsi:type="xsd:string">ATLANTA</Location1DcName>
      <Location1Available xsi:type="xsd:string">101</Location1Available>
      <Location1SellUom xsi:type="xsd:string">EA</Location1SellUom>
      <Location2DcNum xsi:type="xsd:string">016</Location2DcNum>
      <Location2DcName xsi:type="xsd:string">BIRMINGHAM</Location2DcName>
      <Location2Available xsi:type="xsd:string">627</Location2Available>
      <Location2SellUom xsi:type="xsd:string">EA</Location2SellUom>
      <Location3DcNum xsi:type="xsd:string">002</Location3DcNum>
      <Location3DcName xsi:type="xsd:string">CHARLOTTE</Location3DcName>
      <Location3Available xsi:type="xsd:string">204</Location3Available>
    </ns1:QuickCheckPlusResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
  
```

```
<Location3SellUom xsi:type="xsd:string">EA</Location3SellUom>
<Location4DcNum xsi:type="xsd:string">022</Location4DcNum>
<Location4DcName xsi:type="xsd:string">GREENSBORO</Location4DcName>
<Location4Available xsi:type="xsd:string">347</Location4Available>
<Location4SellUom xsi:type="xsd:string">EA</Location4SellUom>
<Location5DcNum xsi:type="xsd:string">026</Location5DcNum>
<Location5DcName xsi:type="xsd:string">NASHVILLE</Location5DcName>
<Location5Available xsi:type="xsd:string">168</Location5Available>
<Location5SellUom xsi:type="xsd:string">EA</Location5SellUom>
<Location6DcNum xsi:type="xsd:string"/>
<Location6DcName xsi:type="xsd:string"/>
<Location6Available xsi:type="xsd:string"/>
<Location6SellUom xsi:type="xsd:string"/>
<Location7DcNum xsi:type="xsd:string"/>
<Location7DcName xsi:type="xsd:string"/>
<Location7Available xsi:type="xsd:string"/>
<Location7SellUom xsi:type="xsd:string"/>
<Location8DcNum xsi:type="xsd:string"/>
<Location8DcName xsi:type="xsd:string"/>
<Location8Available xsi:type="xsd:string"/>
<Location8SellUom xsi:type="xsd:string"/>
</ns1:QuickCheckPlusResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```


Example Find Freight Rates Request Message

POST http://sprws.sprich.com/sprws/FindFreightRate.php HTTP/1.1
Content-Type: text/xml; charset=UTF-8
SOAPAction: "http://sprws.sprich.com/sprws/FindFreightRate.php?wsdl#FindFreightRate"
User-Agent: *your client name goes here*
Host: *your hostname goes here*
Content-Length: *your calculated message length goes here*

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:fin="http://sprws.sprich.com/sprws/FindFreightRate.php?wsdl">
  <soapenv:Header/>
  <soapenv:Body>
    <fin:FindFreightRate>
      <input>
        <GroupCode>your GroupeCode goes here</GroupCode>
        <UserID> your UserID goes here </UserID>
        <Password> your Passworde goes here </Password>
        <Action>F</Action>
        <CustNumber>> your CustNumber goes here </CustNumber>
        <Warehouse>008</Warehouse>
        <State>GA</State>
        <ZipCode>30341</ZipCode>
        <Weight>1.00</Weight>
        <Carrier></Carrier>
        <Service>9</Service>
        <Residential>N</Residential>
      </input>
    </fin:FindFreightRate>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Find Freight Rates Response Message

HTTP/1.1 200 OK
Date: Wed, 28 Oct 2009 15:31:32 GMT
Server: Apache/2.0.52 (Red Hat)
X-Powered-By: PHP/5.1.6
X-SOAP-Server: NuSOAP/0.7.3 (1.114)
Content-Length: 2316
Connection: close
Content-Type: text/xml; charset=UTF-8

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP-
ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:tns="http://sprws.sprich.com/sprws/FindFreightRate.php?wsdl">
  <SOAP-ENV:Body>
    <ns1:FindFreightRateResponse xmlns:ns1="http://sprws.sprich.com/sprws/FindFreightRate.php?wsdl">
      <return xsi:type="tns:FindFreightRateResults">
        <ErrorMessage xsi:type="xsd:string"/>
        <RtnError xsi:nil="true" xsi:type="xsd:string"/>
        <RtnStatus xsi:type="xsd:string">0000</RtnStatus>
        <RtnMessage xsi:type="xsd:string">OK</RtnMessage>
        <ResultsRows xsi:type="SOAP-ENC:Array" SOAP-ENC:arrayType="tns:FindFreightRateRow[3]">
          <item xsi:type="tns:FindFreightRateRow">
            <WhseOut xsi:type="xsd:string">08</WhseOut>
            <CarrOut xsi:type="xsd:string">UPS</CarrOut>
            <CarrierDesc xsi:type="xsd:string">UPS NEXT DAY AIR EARLY AM</CarrierDesc>
            <ShipVia xsi:type="xsd:string">UPEA</ShipVia>
            <Rate xsi:type="xsd:string">68.16</Rate>
            <DeliveryDays xsi:type="xsd:string">1</DeliveryDays>
            <NumberCartons xsi:type="xsd:string">1</NumberCartons>
            <SrvLevOut xsi:type="xsd:string">2</SrvLevOut>
            <ResAdrInd xsi:type="xsd:string">N</ResAdrInd>
          </item>
          <item xsi:type="tns:FindFreightRateRow">
            <WhseOut xsi:type="xsd:string">08</WhseOut>
            <CarrOut xsi:type="xsd:string">UPS</CarrOut>
            <CarrierDesc xsi:type="xsd:string">UPS Next Day Air Bill SPR</CarrierDesc>
            <ShipVia xsi:type="xsd:string">UPSN</ShipVia>
            <Rate xsi:type="xsd:string">34.83</Rate>
            <DeliveryDays xsi:type="xsd:string">1</DeliveryDays>
            <NumberCartons xsi:type="xsd:string">1</NumberCartons>
            <SrvLevOut xsi:type="xsd:string">1</SrvLevOut>
            <ResAdrInd xsi:type="xsd:string">N</ResAdrInd>
          </item>
          <item xsi:type="tns:FindFreightRateRow">
            <WhseOut xsi:type="xsd:string">08</WhseOut>
            <CarrOut xsi:type="xsd:string">UPS</CarrOut>
            <CarrierDesc xsi:type="xsd:string">UPS NEXT DAY AIR SAVER</CarrierDesc>
            <ShipVia xsi:type="xsd:string">UP2S</ShipVia>
            <Rate xsi:type="xsd:string">31.66</Rate>
            <DeliveryDays xsi:type="xsd:string">1</DeliveryDays>
            <NumberCartons xsi:type="xsd:string">1</NumberCartons>
            <SrvLevOut xsi:type="xsd:string">5</SrvLevOut>
            <ResAdrInd xsi:type="xsd:string">N</ResAdrInd>
          </item>
        </ResultsRows>
      </return>
    </ns1:FindFreightRateResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```



```
</return>
</ns1:FindFreightRateResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Example Lowest Freight Rate Request Message

POST http://sprws.sprich.com/sprws/LowestFreightRate.php HTTP/1.1

Content-Type: text/xml; charset=UTF-8

SOAPAction: " "

User-Agent: *your client name goes here*

Host: *your hostname goes here*

Content-Length: *your calculated message length goes here*

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:mes="http://tempuri.org/lowest_freight_rate2/message">
  <soapenv:Header/>
  <soapenv:Body>
    <mes:LowestFreightRate>
      <GroupCode>your GroupeCode goes here</GroupCode>
      <UserID> your UserID goes here </UserID>
      <Password> your Passworde goes here </Password>
      <Action>F</Action>
      <CustNumber>> your CustNumber goes here </CustNumber>
      <ShipFromDc>008</ShipFromDc>
      <StateCode>GA</StateCode>
      <PostalCode>30341</PostalCode>
      <TotWeight>1.00</TotWeight>
      <ReqCarrier></ReqCarrier>
      <ReqSrvLevel>9</ReqSrvLevel>
      <Residential>N</Residential>
    </mes:LowestFreightRate>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Lowest Freight Rate Response Message

HTTP/1.1 200 OK
Date: Wed, 28 Oct 2009 17:04:14 GMT
Server: Apache/2.0.52 (Red Hat)
X-Powered-By: PHP/5.1.6
X-SOAP-Server: NuSOAP/0.7.3 (1.114)
Content-Length: 1059
Connection: close
Content-Type: text/xml; charset=ISO-8859-1

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP-
ENC="http://schemas.xmlsoap.org/soap/encoding/">
  <SOAP-ENV:Body>
    <ns1:LowestFreightRateResponse xmlns:ns1="http://tempuri.org/lowest_freight_rate2/message">
      <ErrorMessage xsi:type="xsd:string"/>
      <RtnStatus xsi:type="xsd:string">0000</RtnStatus>
      <RtnMessage xsi:type="xsd:string">OK</RtnMessage>
      <DcNumber xsi:type="xsd:string">08</DcNumber>
      <CarrierId xsi:type="xsd:string">UPS</CarrierId>
      <CarrierDesc xsi:type="xsd:string">UPS NEXT DAY AIR SAVER</CarrierDesc>
      <ShipVia xsi:type="xsd:string">UP2S</ShipVia>
      <FrghtRate xsi:type="xsd:string">31.66</FrghtRate>
      <DeliveryDays xsi:type="xsd:string">1</DeliveryDays>
      <NumCartons xsi:type="xsd:string">1</NumCartons>
      <ServiceLevel xsi:type="xsd:string">5</ServiceLevel>
      <ResAdrInd xsi:type="xsd:string">N</ResAdrInd>
    </ns1:LowestFreightRateResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Appendix C - FAQ

General Questions

Q. What are SPR web services?

- A.** SPR web services is a set of SPR hosted applications that present an Application Programming Interface (API) based on HTTP, SOAP Messages and XML. SPR web services provide an easy method for integrating UPS shipping services into your e-commerce applications. The tools return data in a convenient XML format that can be easily processed by client-side applications.

SPR web services acts as the server side of an internet client/server application. An e-commerce application using SPR web services acts as the client, even though the application may be simultaneously acting as a server to its end-users' web browsers.

Q. Do I need to install SPR web services on my system?

- A.** No. All functionality is implemented on the remote SPR web services server maintained by UPS.

Q. Is there a graphical user interface?

- A.** No. Use the SPR web services by exchanging XML documents between your e-commerce applications and SPR Internet server.

Q. How do my applications communicate with SPR web services?

- A.** Applications connected to the internet can connect directly to remote SPR web services by opening either a secure TCP/IP socket or secure URL connection. Applications send request data to remote SPR web services by writing data to the TCP/IP socket or URL connection. The request data must be formatted as a valid XML request message and adhere to the HTTP protocol. Response data is received from SPR web services by reading data from the same TCP Applications receive TCP/IP socket or URL connection.

Q. How do I get the WSDL's?

A..

Q. What user development effort is required?

- A.** To integrate remote SPR web services into your e-commerce applications, you must develop custom code that adapts your application's business logic and data to SPR web services. You can use any programming language that supports HTTP communication across Internet socket and secure connections, such as Java, Visual Basic, or C++.

Knowledge of URL programming or socket connections is required. There are several ways you can do this. Which method you choose will depend on the application platform and programming language. For example, if you program in Java on any platform, you could use the URLConnection Class, which is part of the Java Software Development Kit.

You must obtain, or write, a secure socket implementation that supports the SSL standard for secure communications.

You must know how to encode and decode XML documents. To program XML documents, you will probably want to use an XML parser, which provides an Application Programming Interface (API) for manipulating XML documents. There are several XML parsers available as freeware as well as commercial software products.

You must establish a connection to the Internet from the computer that runs your e-commerce applications. You must establish internet access with your own Internet Service Provider (ISP).

Q. How SPR web services return data?

- A.** SPR web services returns data in an XML format that can be easily parsed by client-side applications. XML Schema Definitions (XSDs) may be used to validate the syntax of XML documents.

Q. When attempting to connect to the SPR web services server, I receive an error stating "wrong Content-Type". What content-type does the server respond to?

- A.** The SPR web services Server does not require a content-type to be used. However, through our existing and platform integration we have discovered that applications running under WindowsNT they must set the content-type to application/x-www-form-urlencoded.

Q. How does SPR web services handle security?

A.

Q. I operate a mail order business that receives orders over the Internet and the telephone. How can SPR web services help me?

- A.** You can integrate SPR web services into your existing order entry system. Let us suppose you have software installed that accepts order, shipping, and payment information. You can use SPR web services to validate address information, validate shipping service information and options, and to ship packages. You can also use SPR web services to cancel orders, and to track shipments and verify delivery. Another use of SPR Web services would be in a warehouse fulfillment business. Suppose retail outlets use your warehouse to provide product and shipping to end customers. You can integrate SPR web services into your order-entry system to upload package detail to UPS and to track shipments.

Q. How will I know when updates to the Tools are available?

- A.** As your e-commerce site continues to evolve, SPR so will the web services evolve, offering more features and service benefits for your online customers. Once you have registered to use SPR web services, SPR will notify you by e-mail of all updates and changes to the tools. It is essential that an accurate email address for your company be maintained. You should update your profile when changes occur or responsibilities for the tools shift within your company. You may also return to the SPR Services Portal site to receive the latest updated information about SPR web services.

XML Questions

Q. I read in the Developer's Guide that XML does not allow certain characters. Where can I get a list of those characters?

- A.** For a comprehensive treatment of XML 1.0, refer to the following web site:
<http://www.w3.org/TR/1998/REC-xml-19980210>.

Service Response Questions

Q. The SPR Web Services Server is not responding. Why is this happening?

- A.** There may be several reasons why the SPR Web Services Server is not responding:
1. The URL (Universal Resource Locator) may not be correct.
 2. Your firewall or proxy server is not allowing access to the service.
 3. Your DNS (Domain Name Server) server may have the wrong IP address/Server name.
 4. The server may be temporarily unavailable.

Q. How do I determine if SPR Web Services Server is unavailable?

- A.** To determine if the XML SPR Internet Tools Server is available, follow these steps:
1. Use a browser to perform on the server <hostname>, for example:
https://onlinetools.ups.com/ups.app/xml<toolname>
 2. If the server is available, the response will state the following:
Service Name: <toolname>
Remote User: null
Server Port: 80
Server Name: /onlinetools.ups.com
Server Path: /ups.app

Q. I am sending XML request documents to the SPR Web Services Server but there is no response. Why is there no response?

- A.** If your XML request document is being sent to the correct service URL, you should receive a response in the form of an XML document. If you have ensured that your software is making a connection and passing authentication but still receive no response, contact technical support.

Q. I am getting the following HTML response when I submit an XML Request document:

<HTML><HEAD><TITLE>Content wrong type.</TITLE></HEAD><BODY><H1>Content wrong type.</H1> Your browser sent a query this server could not understand. </BODY></HTML>
How can I resolve this problem?

- A.** Though XML standards do not recommend that data be transmitted using a content type of "application/x-www-form-urlencoded", experience has shown that this is the only content type that will allow Microsoft's wininet.dll to communicate properly. If not using this .dll, the content type should always be set to "application/xml".



Appendix D – Contacts

General Questions

Contacts

SPR Customer Support 888-763-2615 770-803-4457 helpdesk@sprich.com
SPR EDI Team edi@sprich.com

Author: Joseph Smith	EDI Manager Signature: On File
-------------------------	-----------------------------------

-- End of document --