



American International University- Bangladesh

CSC 3215: Web Technologies

CO2 and CO4 Evaluation Finished Project Report Spring 2021-22

Project Title: Good Health And Consultancy For Everyone
Section: E

Student Name	Student Id
ARIFA MUSHARRAT	18-37707-1
ASADUJJAMAN	18-38507-2
Abdullah-Al-Samad	18-38565-2

Project Description:

The project's background description focuses on health care and observation. In underdeveloped nations, smart health care offers immense potential to assure healthcare quality, accessibility, and cost. This endeavor makes it easier for everyone to be inoculated at the right time. Good Health and Consultancy for Everyone's purpose is to make high-quality medical care available to everyone. Furthermore, in many regions of the world, no one receives care in a timely manner. Our website may give guidelines to make a patient's life simpler at any moment, no matter how unpleasant the situation is. They have the option of doing their own research and development. This campaign's goal is to raise health awareness and deliver information to the general public. There is also documented information about a patient's present state. The subject of our project is a health-care monitoring and consulting system. Admin, customer, and consultant are the three components. To access their panels, they must first log in.

We created CRUD consultant in the admin section. So that we may access it from the administrative side. Here, the customer and consultant may see all of their registered information. If the customer or consultant encounters any administrative issues, they will be notified separately. Admin will update the information so that other portions will know whether or not the vaccination is accessible. It will also create all part reports.

New customers must register in the client section. After registering, he or she must log in to begin the procedure. After logging in, the public may view the most recent updates on consultation, as well as whether or not the consultancy time is accessible. Clients can also check their registration status. If he or she want, they may provide comments.

New consultants must register in the consultant section. After registering, they have similar access to that of a customer.

We chose a web-based solution since it is easy to use. The group's consensus is that everyone involved in the initiative is benefitting from the web portal. This will help in the public and private sectors, which is where the main issue lies.



Core Modules of the Project: pages:03(Login), 04(Admin dashboard) and 20(Registration)

Login.php-> index1.php

```

http://localhost:8080/Good Health And Consultancy For Everyone/index1.php
/* <h3 style="margin-top: 10%">Client Login</h3><br>
    <form class="form-group" method="POST" action="func.php">
        <div class="row" style="margin-top: 10%">
            <div class="col-md-4"><label>Email-ID: </label></div>
            <div class="col-md-8"><input type="text" name="email"
class="form-control" placeholder="enter email ID" required/></div><br><br>
            <div class="col-md-4" style="margin-top: 8%"><label>Password:
</label></div>
            <div class="col-md-8" style="margin-top: 8%"><input
type="password" class="form-control" name="password2" placeholder="enter
password" required/></div><br><br><br>
        </div>
        <div class="row">
            <div class="col-md-4" style="padding-left: 160px;margin-top:
10%">
                <center><input type="submit" id="inputbtn" name="patsub"
value="Login" class="btn btn-primary"></center></div>
                <div class="col-md-6" style="margin-top: 10%">
                    <a href="index.php" class="btn btn-primary">Back</a></div>
                </div>
            </form>
/*http://localhost:8080/Good Health And Consultancy For Everyone/index.php*/

<div class="tab-pane fade show" id="profile" role="tabpanel" aria-
labelledby="profile-tab">
    <h3 class="register-heading">Login as
CONSULTANT</h3>
    <form method="post" action="func1.php">
        <div class="row register-form">
            <div class="col-md-6">
                <div class="form-group">
                    <input type="text" class="form-
control" placeholder="User Name *" name="username3" onkeydown="return
alphaOnly(event);" required/>
                </div>
            </div>
            <div class="col-md-6">
                <div class="form-group">
                    <input type="password" class="form-
control" placeholder="Password *" name="password3" required/>
                </div>
            </div>
        </div>
    </form>

```



```

                                <input type="submit"
class="btnRegister" name="docsub1" value="Login"/>
                                </div>
                            </div>
                        </form>
                    </div>

/*admin*/
                                <div class="tab-pane fade show" id="admin"
role="tabpanel" aria-labelledby="profile-tab">
                                    <h3 class="register-heading">Login as
Admin</h3>

                                    <form method="post" action="func3.php">
                                        <div class="row register-form">
                                            <div class="col-md-6">
                                                <div class="form-group">
                                                    <input type="text" class="form-
control" placeholder="User Name *" name="username1" onkeydown="return
alphaOnly(event);" required/>

                                                </div> */

```

Admin dashboard -> admin-panel1.php

<http://localhost:8080/Good Health And Consultancy For Everyone/admin-panel1.php>

```

/* <!DOCTYPE html>
<?php
$con=mysqli_connect("localhost","root","","myhmsdb");

include('newfunc.php');

if(isset($_POST['docsub']))
{
    $doctor=$_POST['doctor'];
    $dpassword=$_POST['dpassword'];
    $demail=$_POST['demail'];
    $spec=$_POST['special'];
    $docFees=$_POST['docFees'];
    $query="insert into
doctb(username,password,email,spec,docFees)values('$doctor','$dpassword','$dema
il','$spec','$docFees')";
    $result=mysqli_query($con,$query);
    if($result)
    {
        echo "<script>alert('Doctor added successfully!');</script>";
    }
}
}

```



```
if(isset($_POST['docsub1']))
{
    $demail=$_POST['demail'];
    $query="delete from doctb where email='$demail'";
    $result=mysqli_query($con,$query);
    if($result)
    {
        echo "<script>alert('Doctor removed successfully!');</script>";
    }
    else{
        echo "<script>alert('Unable to delete!');</script>";
    }
}

?>
<html lang="en">
<head>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
    <link rel="stylesheet" type="text/css" href="font-awesome-4.7.0/css/font-
awesome.min.css">
    <link rel="stylesheet" href="style.css">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
    <link
href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap"
rel="stylesheet">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta/css/bootstrap.min.css" integrity="sha384-
/Y6pD6FV/Vv2HJnA6t+vsLU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M"
crossorigin="anonymous">
    <nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">

        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
        <a class="navbar-brand" href="#"><i class="fa fa-user-plus" aria-
hidden="true"></i> GOOD HEALTH AND CONSULTANCY FOR EVERYONE </a>
```



```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>

<script > /*check pass*/
  var check = function() {
  if (document.getElementById('dpassword').value ==
  document.getElementById('cdpassword').value) {
    document.getElementById('message').style.color = '#5dd05d';
    document.getElementById('message').innerHTML = 'Matched';
  } else {
    document.getElementById('message').style.color = '#f55252';
    document.getElementById('message').innerHTML = 'Not Matching';
  }
}

  function alphaOnly(event) {
  var key = event.keyCode;
  return ((key >= 65 && key <= 90) || key == 8 || key == 32);
};
</script>

<style >
  .bg-primary { /* top header color pink*/
    background: -webkit-linear-gradient(left, #1B837A, #00F2FF);
  }

.col-md-4{ /* dashboard size*/
  max-width:25% !important;
}

.list-group-item.active { /* D,P,M List*/
  z-index: 2;
  color: #fff;
  background-color: #2ac1b7;
  border-color: #007bff;
}
.text-primary {
  color: #2ac1b7!important;
}

#cpass {
  display: -webkit-box;
}

#list-app{
```




```
font-size:15px;
}

.btn-primary{
background-color: #1B837A;
border-color: #ba3cc1;
}
</style>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
  <ul class="navbar-nav mr-auto">
    <li class="nav-item">
      <a class="nav-link" href="logout1.php"><i class="fa fa-sign-out" aria-
hidden="true"></i>Logout</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#"></a>
    </li>
  </ul>
</div>
</nav>
</head>
<style type="text/css">
  button:hover{cursor:pointer;}
  #inputbtn:hover{cursor:pointer;}
</style>
<body style="padding-top:50px;">
  <div class="container-fluid" style="margin-top:50px;">
    <h3 style = "margin-left: 40%; padding-bottom: 20px;font-family: 'IBM Plex
Sans', sans-serif;"> WELCOME ADMIN </h3>
    <div class="row">
      <div class="col-md-4" style="max-width:25%;margin-top: 3%;">
        <div class="list-group" id="list-tab" role="tablist">
          <a class="list-group-item list-group-item-action active" id="list-dash-
list" data-toggle="list" href="#list-dash" role="tab" aria-
controls="home">Dashboard</a>
          <a class="list-group-item list-group-item-action" href="#list-doc"
id="list-doc-list" role="tab" aria-controls="home" data-
toggle="list">Consultant List</a>
          <a class="list-group-item list-group-item-action" href="#list-pat"
id="list-pat-list" role="tab" data-toggle="list" aria-controls="home">Client
List</a>
          <a class="list-group-item list-group-item-action" href="#list-app"
id="list-app-list" role="tab" data-toggle="list" aria-
controls="home">Appointment Details</a>
          <a class="list-group-item list-group-item-action" href="#list-pres"
id="list-pres-list" role="tab" data-toggle="list" aria-
controls="home">Prescription List</a>
```




```

    <a class="list-group-item list-group-item-action" href="#list-settings"
id="list-adoc-list" role="tab" data-toggle="list" aria-controls="home">Add
Consultant</a>
    <a class="list-group-item list-group-item-action" href="#list-settings1"
id="list-ddoc-list" role="tab" data-toggle="list" aria-controls="home">Delete
Consultant</a>
    <a class="list-group-item list-group-item-action" href="#list-mes"
id="list-mes-list" role="tab" data-toggle="list" aria-
controls="home">Queries</a>

</div><br>
</div>
<div class="col-md-8" style="margin-top: 3%;">
    <div class="tab-content" id="nav-tabContent" style="width: 950px;">

        <div class="tab-pane fade show active" id="list-dash" role="tabpanel"
aria-labelledby="list-dash-list">
            <div class="container-fluid container-fullw bg-white" >
                <div class="row">
                    <div class="col-sm-4">
                        <div class="panel panel-white no-radius text-center">
                            <div class="panel-body">
                                <span class="fa-stack fa-2x"> <i class="fa fa-square fa-
stack-2x text-primary"></i> <i class="fa fa-users fa-stack-1x fa-inverse"></i>
</span>
                                <h4 class="StepTitle" style="margin-top: 5%;">Consultant
List</h4>
                                <script>
                                    function clickDiv(id) {
                                        document.querySelector(id).click();
                                    }
                                </script>
                                <p class="links cl-effect-1">
                                    <a href="#list-doc" onclick="clickDiv('#list-doc-
list')">
                                        View Consultant
                                    </a>
                                </p>
                            </div>
                        </div>
                    </div>
                </div>
            </div>

            <div class="col-sm-4" style="left: -3%;">
                <div class="panel panel-white no-radius text-center">
                    <div class="panel-body" >

```



```

        <span class="fa-stack fa-2x"> <i class="fa fa-square fa-
stack-2x text-primary"></i> <i class="fa fa-users fa-stack-1x fa-inverse"></i>
</span>

```

```

        <h4 class="StepTitle" style="margin-top: 5%;">Client
List</h4>

```

```

        <p class="cl-effect-1">
        <a href="#app-hist" onclick="clickDiv('#list-pat-
list')">

```

```

            View Client
        </a>
    </p>
</div>
</div>
</div>

```

```

    <div class="col-sm-4">
        <div class="panel panel-white no-radius text-center">
            <div class="panel-body" >
                <span class="fa-stack fa-2x"> <i class="fa fa-square fa-
stack-2x text-primary"></i> <i class="fa fa-paperclip fa-stack-1x fa-
inverse"></i> </span>
                <h4 class="StepTitle" style="margin-top: 5%;">Appointment
Details</h4>

```

```

        <p class="cl-effect-1">
        <a href="#app-hist" onclick="clickDiv('#list-app-
list')">

```

```

            View Appointments
        </a>
    </p>
</div>
</div>
</div>

```

```

    <div class="row">
        <div class="col-sm-4" style="left: 13%;margin-top: 5%;">
            <div class="panel panel-white no-radius text-center">
                <div class="panel-body" >
                    <span class="fa-stack fa-2x"> <i class="fa fa-square fa-
stack-2x text-primary"></i> <i class="fa fa-list-ul fa-stack-1x fa-
inverse"></i> </span>
                    <h4 class="StepTitle" style="margin-top:
5%;">Prescription List</h4>

```

```

        <p class="cl-effect-1">

```



```

        <a href="#list-pres" onclick="clickDiv('#list-pres-
list')">
            View Prescriptions
        </a>
    </p>
</div>
</div>
</div>

<div class="col-sm-4" style="left: 18%;margin-top: 5%">
    <div class="panel panel-white no-radius text-center">
        <div class="panel-body" >
            <span class="fa-stack fa-2x"> <i class="fa fa-square fa-
stack-2x text-primary"></i> <i class="fa fa-plus fa-stack-1x fa-inverse"></i>
</span>
            <h4 class="StepTitle" style="margin-top: 5%;">Manage
Consultant</h4>

            <p class="cl-effect-1">
                <a href="#app-hist" onclick="clickDiv('#list-adoc-
list')">Add Consultant</a>
                &nbsp;|
                <a href="#app-hist" onclick="clickDiv('#list-ddoc-
list')">
                    Delete Consultant
                </a>
            </p>
        </div>
    </div>
</div>
</div>

</div>
</div>

<div class="tab-pane fade" id="list-doc" role="tabpanel" aria-
labelledby="list-home-list">

    <div class="col-md-8">
        <form class="form-group" action="doctorsearch.php" method="post">

```



```

<div class="row">
  <div class="col-md-10"><input type="text" name="doctor_contact"
placeholder="Enter Email ID" class = "form-control"></div>
  <div class="col-md-2"><input type="submit" name="doctor_search_submit"
class="btn btn-primary" value="Search"></div></div>
</form>
</div>

<table class="table table-hover">
  <thead>
    <tr>
      <th scope="col">Consultant Name</th>
      <th scope="col">Specialization</th>
      <th scope="col">Email</th>
      <th scope="col">Password</th>
      <th scope="col">Fees</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $con=mysqli_connect("localhost","root","","myhmsdb");
      global $con;
      $query = "select * from doctb";
      $result = mysqli_query($con,$query);
      while ($row = mysqli_fetch_array($result)){
        $username = $row['username'];
        $spec = $row['spec'];
        $email = $row['email'];
        $password = $row['password'];
        $docFees = $row['docFees'];

        echo "<tr>
          <td>$username</td>
          <td>$spec</td>
          <td>$email</td>
          <td>$password</td>
          <td>$docFees</td>
        </tr>";
      }

    ?>
  </tbody>
</table>

<br>
</div>

```

```

<div class="tab-pane fade" id="list-pat" role="tabpanel" aria-
labelledby="list-pat-list">

```



```

<div class="col-md-8">
<form class="form-group" action="patientsearch.php" method="post">
  <div class="row">
    <div class="col-md-10"><input type="text" name="patient_contact"
placeholder="Enter Contact" class = "form-control"></div>
    <div class="col-md-2"><input type="submit" name="patient_search_submit"
class="btn btn-primary" value="Search"></div></div>
  </form>
</div>

```

```

<table class="table table-hover">
  <thead>
    <tr>
      <th scope="col">Client ID</th>
      <th scope="col">First Name</th>
      <th scope="col">Last Name</th>
      <th scope="col">Gender</th>
      <th scope="col">Email</th>
      <th scope="col">Contact</th>
      <th scope="col">Password</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $con=mysqli_connect("localhost","root","","myhmsdb");
      global $con;
      $query = "select * from patreg";
      $result = mysqli_query($con,$query);
      while ($row = mysqli_fetch_array($result)){
        $pid = $row['pid'];
        $fname = $row['fname'];
        $lname = $row['lname'];
        $gender = $row['gender'];
        $email = $row['email'];
        $contact = $row['contact'];
        $password = $row['password'];

        echo "<tr>
          <td>$pid</td>
          <td>$fname</td>
          <td>$lname</td>
          <td>$gender</td>
          <td>$email</td>
          <td>$contact</td>
          <td>$password</td>
        </tr>";
      }
    </?php>
  </tbody>
</table>

```



```

        ?>
    </tbody>
</table>
<br>
</div>

```

```

<div class="tab-pane fade" id="list-pres" role="tabpanel" aria-
labelledby="list-pres-list">

```

```

<div class="col-md-8">

```

```

<div class="row">

```

```

<table class="table table-hover">
<thead>
<tr>
<th scope="col">Consultant</th>
<th scope="col">Client ID</th>
<th scope="col">Appointment ID</th>
<th scope="col">First Name</th>
<th scope="col">Last Name</th>
<th scope="col">Appointment Date</th>
<th scope="col">Appointment Time</th>
<th scope="col">Disease</th>
<th scope="col">Allergy</th>
<th scope="col">Prescription</th>
</tr>
</thead>
<tbody>
<?php
    $con=mysqli_connect("localhost","root","","myhmsdb");
    global $con;
    $query = "select * from prestb";
    $result = mysqli_query($con,$query);
    while ($row = mysqli_fetch_array($result)){
        $doctor = $row['doctor'];
        $pid = $row['pid'];
        $ID = $row['ID'];
        $fname = $row['fname'];
        $lname = $row['lname'];
        $appdate = $row['appdate'];
        $apptime = $row['apptime'];
        $disease = $row['disease'];
        $allergy = $row['allergy'];
    }
}

```



```

        $pres = $row['prescription'];

        echo "<tr>
            <td>$doctor</td>
            <td>$pid</td>
            <td>$ID</td>
            <td>$fname</td>
            <td>$lname</td>
            <td>$appdate</td>
            <td>$apptime</td>
            <td>$disease</td>
            <td>$allergy</td>
            <td>$pres</td>
        </tr>";
    }

    ?>
</tbody>
</table>

<br>
</div>
</div>
</div>

```

```

<div class="tab-pane fade" id="list-app" role="tabpanel" aria-
labelledby="list-pat-list">

```

```

    <div class="col-md-8">
    <form class="form-group" action="appsearch.php" method="post">
        <div class="row">
            <div class="col-md-10"><input type="text" name="app_contact"
placeholder="Enter Contact" class = "form-control"></div>
            <div class="col-md-2"><input type="submit" name="app_search_submit"
class="btn btn-primary" value="Search"></div></div>
        </form>
    </div>

```

```

<table class="table table-hover">
    <thead>
        <tr>
            <th scope="col">Appointment ID</th>
            <th scope="col">Client ID</th>
            <th scope="col">First Name</th>
            <th scope="col">Last Name</th>

```




```

        <th scope="col">Gender</th>
        <th scope="col">Email</th>
        <th scope="col">Contact</th>
        <th scope="col">Consultant Name</th>
        <th scope="col">Consultancy Fees</th>
        <th scope="col">Appointment Date</th>
        <th scope="col">Appointment Time</th>
        <th scope="col">Appointment Status</th>
    </tr>
</thead>
<tbody>
<?php

    $con=mysqli_connect("localhost","root","","myhmsdb");
    global $con;

    $query = "select * from appointmenttb";
    $result = mysqli_query($con,$query);
    while ($row = mysqli_fetch_array($result)){
?>
        <tr>
            <td><?php echo $row['ID'];?></td>
            <td><?php echo $row['pid'];?></td>
            <td><?php echo $row['fname'];?></td>
            <td><?php echo $row['lname'];?></td>
            <td><?php echo $row['gender'];?></td>
            <td><?php echo $row['email'];?></td>
            <td><?php echo $row['contact'];?></td>
            <td><?php echo $row['doctor'];?></td>
            <td><?php echo $row['docFees'];?></td>
            <td><?php echo $row['appdate'];?></td>
            <td><?php echo $row['apptime'];?></td>
            <td>
                <?php if(($row['userStatus']==1) &&
($row['doctorStatus']==1))
                {
                    echo "Active";
                }
                if(($row['userStatus']==0) && ($row['doctorStatus']==1))
                {
                    echo "Cancelled by Patient";
                }

                if(($row['userStatus']==1) && ($row['doctorStatus']==0))
                {
                    echo "Cancelled by Doctor";
                }
            ?></td>
        </tr>
    }
}

```



```

        </tr>
        <?php } ?>
    </tbody>
</table>
<br>
</div>

<div class="tab-pane fade" id="list-messages" role="tabpanel" aria-
labelledby="list-messages-list">...</div>

    <div class="tab-pane fade" id="list-settings" role="tabpanel" aria-
labelledby="list-settings-list">
        <form class="form-group" method="post" action="admin-panel1.php">
            <div class="row">
                <div class="col-md-4"><label>Consultant Name:</label></div>
                <div class="col-md-8"><input type="text" class="form-control"
name="doctor" onkeydown="return alphaOnly(event);" required></div><br><br>
                <div class="col-md-4"><label>Specialization:</label></div>
                <div class="col-md-8">
                    <select name="special" class="form-control" id="special"
required="required">
                        <option value="head" name="spec" disabled selected>Select
Specialization</option>
                        <option value="General" name="spec">General</option>
                        <option value="Cardiologist"
name="spec">Cardiologist</option>
                        <option value="Neurologist"
name="spec">Neurologist</option>
                        <option value="Pediatrician"
name="spec">Pediatrician</option>
                    </select>
                </div><br><br>
                <div class="col-md-4"><label>Email ID:</label></div>
                <div class="col-md-8"><input type="email" class="form-
control" name="demail" required></div><br><br>
                <div class="col-md-4"><label>Password:</label></div>
                <div class="col-md-8"><input type="password" class="form-
control" onkeyup='check();' name="dpassword" id="dpassword"
required></div><br><br>
                <div class="col-md-4"><label>Confirm Password:</label></div>
                <div class="col-md-8" id='cpass'><input type="password"
class="form-control" onkeyup='check();' name="cdpassword" id="cdpassword"
required>&nbsp; &nbsp;<span id='message'></span> </div><br><br>

                <div class="col-md-4"><label>Consultancy Fees:</label></div>
                <div class="col-md-8"><input type="text" class="form-control"
name="docFees" required></div><br><br>

```



```
        </div>
        <input type="submit" name="docsub" value="Add Consultant" class="btn
btn-primary">
    </form>
</div>

<div class="tab-pane fade" id="list-settings1" role="tabpanel" aria-
labelledby="list-settings1-list">
    <form class="form-group" method="post" action="admin-panel1.php">
        <div class="row">

            <div class="col-md-4"><label>Email ID:</label></div>
            <div class="col-md-8"><input type="email" class="form-
control" name="demail" required></div><br><br>

        </div>
        <input type="submit" name="docsub1" value="Delete Consultant"
class="btn btn-primary" onclick="confirm('do you really want to delete?')">
    </form>
</div>

<div class="tab-pane fade" id="list-attend" role="tabpanel" aria-
labelledby="list-attend-list">...</div>

<div class="tab-pane fade" id="list-mes" role="tabpanel" aria-
labelledby="list-mes-list">

    <div class="col-md-8">
    <form class="form-group" action="messearch.php" method="post">
        <div class="row">
            <div class="col-md-10"><input type="text" name="mes_contact"
placeholder="Enter Contact" class = "form-control"></div>
            <div class="col-md-2"><input type="submit" name="mes_search_submit"
class="btn btn-primary" value="Search"></div></div>
        </form>
    </div>

    <table class="table table-hover">
        <thead>
            <tr>
                <th scope="col">User Name</th>
                <th scope="col">Email</th>
                <th scope="col">Contact</th>
                <th scope="col">Message</th>
            </tr>
        </thead>
        <tbody>
```



```

        <?php

            $con=mysqli_connect("localhost","root","","myhmsdb");
            global $con;

            $query = "select * from contact;";
            $result = mysqli_query($con,$query);
            while ($row = mysqli_fetch_array($result)){

                ?>
                <tr>
                    <td><?php echo $row['name'];?></td>
                    <td><?php echo $row['email'];?></td>
                    <td><?php echo $row['contact'];?></td>
                    <td><?php echo $row['message'];?></td>
                </tr>
            <?php } ?>
        </tbody>
    </table>

    <br>
</div>

</div>
</div>
</div>
    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KChRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js"
integrity="sha384-
b/U6ypiBEHp0f/4+1nzFpr53nxSS+GLCKfWBdFNTxtclqenISfwAzpKaMNFNmj4"
crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta/js/bootstrap.min.js" integrity="sha384-
h0AbiXch4ZDo7tp9hKZ4TshBi047NrKGL03SEJAg45jXxnGIIfYzk4Si90RDIqNm1"
crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/limonte-
sweetalert2/6.10.1/sweetalert2.all.min.js"></script>
</body>
</html> */

```



checkout.php-> registration form

<http://localhost:8080/Good Health And Consultancy For Everyone/index.php>

```

/* <html>
<head>
    <title>HMS</title>
    <link rel="shortcut icon" type="image/x-icon" href="images/favicon.png"
/>
<link rel="stylesheet" type="text/css" href="style1.css">
<link rel="stylesheet" type="text/css" href="style2.css">
<link rel="stylesheet" type="text/css" href="style3.css">
<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap"
rel="stylesheet">

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link href="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css"
rel="stylesheet" id="bootstrap-css">

<style > /*shape of filed*/
    .form-control {
        border-radius: 0.75rem;
    }
    #home{ /*circular desgin*/
        background: #4ebbb5;
        border-top-left-radius: 5%;
        border-bottom-left-radius:5%;
        border-top-right-radius:5%;
        border-bottom-right-radius: 5%;
    }
</style>

<script>
    var check = function() {
    if (document.getElementById('password').value ==
    document.getElementById('cpassword').value) {
    document.getElementById('message').style.color = '#5dd05d';
    document.getElementById('message').innerHTML = 'Matched';

```



```
    } else {
        document.getElementById('message').style.color = '#f55252';
        document.getElementById('message').innerHTML = 'Not Matching';
    }
}

function alphaOnly(event) {
    var key = event.keyCode;
    return ((key >= 65 && key <= 90) || key == 8 || key == 32);
};

function checklen()
{
    var pass1 = document.getElementById("password");
    if(pass1.value.length<6){
        alert("Password must be at least 6 characters long. Try again!");
        return false;
    }
}

</script>

</head>

<!------- Include the above in your HEAD tag ----->
<body>
<body style="background:-webkit-linear-gradient(left, #1B837A, #1B837A);
background-size: cover;">
<nav class="navbar navbar-expand-lg navbar-dark fixed-top" id="mainNav"
style="background:-webkit-linear-gradient(left, #1B837A, #4dffbe); background-
size: cover;" >
    <div class="container">

        <a class="navbar-brand js-scroll-trigger" href="#" style="margin-top:
20px;margin-left:-65px;font-family: 'IBM Plex Sans', sans-serif;"><h4><i
class="fa fa-user-plus" aria-hidden="true"></i>&nbsp; GOOD HEALTH AND
CONSULTANCY FOR EVERYONE</h4></a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarResponsive">
            <ul class="navbar-nav ml-auto">
                <li class="nav-item" style="margin-right: 40px;">
                    <a class="nav-link js-scroll-trigger" href="index.php"
style="color: Black;font-family: 'IBM Plex Sans', sans-
serif;"><h6>HOME</h6></a>
```



```

</li>

<li class="nav-item" style="margin-right: 40px;">
  <a class="nav-link js-scroll-trigger" href="services.html"
style="color: Black;font-family: 'IBM Plex Sans', sans-serif;"><h6>ABOUT
US</h6></a>
</li>
<li class="nav-item" style="margin-right: 40px;">
  <a class="nav-link js-scroll-trigger" href="consultant.html"
style="color: Black; font-family: 'IBM Plex Sans', sans-
serif;"><h6>APPLY</h6></a>
</li>
<li class="nav-item" style="margin-right: 40px;">
  <a class="nav-link js-scroll-trigger" href="contact2.html"
style="color: Black; font-family: 'IBM Plex Sans', sans-
serif;"><h6>UPDATES</h6></a>
</li>
<li class="nav-item" style="margin-right: 40px;">
  <a class="nav-link js-scroll-trigger" href="Gallary/slideshow1.php"
style="color: Black; font-family: 'IBM Plex Sans', sans-
serif;"><h6>GALLERY</h6></a>
</li>
<li class="nav-item">
  <a class="nav-link js-scroll-trigger" href="contact.html"
style="color: Black; font-family: 'IBM Plex Sans', sans-
serif;"><h6>CONTACT</h6></a>
</li>
</ul>
</div>
</div>
</nav>

```

```

<div class="container register" style="font-family: 'IBM Plex Sans', sans-
serif;">

```

```

      <div class="row">
        <div style="-webkit-animation: mover 2s infinite alternate;
animation: mover 1s infinite alternate;">
          
        </div>

        <div style="color: white;">
          <h4 style="font-family: 'IBM Plex Sans', sans-serif;font-size:40px;
"> WELCOME TO OUR PROJECT!</h4>

```




```

</div>

<!--right rc-->
<div class="col-md-9 register-right" style="background:-
webkit-linear-gradient(left, #1B837A, #1B837A); background-size:
cover;"style="margin-top: 10px;left: 20px;">
    <ul class="nav nav-tabs nav-justified" id="myTab"
role="tablist" style="width: 50%;"> <!-- DPR-->
        <li class="nav-item">
            <a class="nav-link active" id="home-tab" data-
toggle="tab" href="#home" role="tab" aria-controls="home" aria-
selected="true">Client</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" id="profile-tab" data-
toggle="tab" href="#profile" role="tab" aria-controls="profile" aria-
selected="false">Consultant</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" id="profile-tab" data-
toggle="tab" href="#admin" role="tab" aria-controls="admin" aria-
selected="false">Admin</a>
        </li>
    </ul>
    <div class="tab-content" id="myTabContent">
        <div class="tab-pane fade show active" id="home"
role="tabpanel" aria-labelledby="home-tab">
            <h3 class="register-heading">Register as
Client</h3>

            <form method="post" action="func2.php">
                <div class="row register-form">

                    <div class="col-md-6">
                        <div class="form-group">
                            <input type="text" class="form-
control" placeholder="First Name *" name="fname" onkeydown="return
alphaOnly(event);" required/>
                        </div>
                        <div class="form-group">
                            <input type="email" class="form-
control" placeholder="Your Email *" name="email" />
                        </div>

                        <div class="form-group">
                            <input type="password" class="form-
control" placeholder="Password *" id="password" name="password"
onkeyup='check();' required/>
                        </div>

```



```

        <div class="form-group">
            <div class="maxl">
                <label class="radio inline">
                    <input type="radio"
name="gender" value="Male" checked>
                        <span> Male </span>
                    </label>
                <label class="radio inline">
                    <input type="radio"
name="gender" value="Female">
                        <span>Female </span>
                    </label>
                </div>
                <a href="index1.php">Already have
an account?</a>
            </div>
        </div>

        <div class="col-md-6">
            <div class="form-group">
                <input type="text" class="form-
control" placeholder="Last Name *" name="lname" onkeydown="return
alphaOnly(event);" required/>
            </div>

            <div class="form-group">
                <input type="tel" minlength="10"
maxlength="10" name="contact" class="form-control" placeholder="Your Phone *"
/>
            </div>

            <div class="form-group">
                <input type="password" class="form-
control" id="cpassword" placeholder="Confirm Password *" name="cpassword"
onkeyup='check();' required/><span id='message'></span>
            </div>
            <div class="form-group">
                <input type="file" class="form-
control" placeholder="Your image *" name="image" />
            </div>
            <input type="submit"
class="btnRegister" name="patsub1" onclick="return checklen();"
value="Register"/>
        </div>
    </div>
</form>

```



```
</div>
```

```

    <div class="tab-pane fade show" id="profile"
role="tabpanel" aria-labelledby="profile-tab">
    <h3 class="register-heading">Login as
CONSULTANT</h3>

    <form method="post" action="func1.php">
    <div class="row register-form">
        <div class="col-md-6">
            <div class="form-group">
                <input type="text" class="form-
control" placeholder="User Name *" name="username3" onkeydown="return
alphaOnly(event);" required/>
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <input type="password" class="form-
control" placeholder="Password *" name="password3" required/>
            </div>

            <input type="submit"
class="btnRegister" name="docsub1" value="Login"/>
        </div>
    </div>
    </form>
</div>

```

```

    <div class="tab-pane fade show" id="admin"
role="tabpanel" aria-labelledby="profile-tab">
    <h3 class="register-heading">Login as
Admin</h3>

    <form method="post" action="func3.php">
    <div class="row register-form">
        <div class="col-md-6">
            <div class="form-group">
                <input type="text" class="form-
control" placeholder="User Name *" name="username1" onkeydown="return
alphaOnly(event);" required/>
            </div>

            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">

```



```

        <input type="password" class="form-
control" placeholder="Password *" name="password2" required/>
    </div>

    <input type="submit"
class="btnRegister" name="adsub" value="Login"/>
    </div>
</div>
</form>
</div>
</div>

</div>
</div>

</!--div>

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
U02eT0CpHqdSJJQ6hJty5KVphtPhzWj9W01cLHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

<script
src="https://stackpath.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"
integrity="sha384-
aJ210jLMXNL5UyIL/XNwTMqvzeRMZH2w8c5cRVpZpU8Y5bApTppSuUkhZXN0VxHd"
crossorigin="anonymous"></script>
</html>

*/
```

