This Zenodo deposit contains a publicly available description of the Dataset:

# "The Parkinson's disease kinase LRRK2 impairs release sites of vulnerable dopamine axons-striatal synaptosomes phosphoproteomic study".

## Dataset Description:

We and others previously reported that knock-in mice expressing the pathogenic hyperactive Lrrk2G2019S mutation, exhibit deficits in dopamine release within the striatum. To investigate the underlying molecular mechanisms, we conducted quantitative phosphoproteomic Liquid Chromatography-Mass Spectrometry (LC-MS) studies on striatal synaptosomes from Lrrk2G2019S mice. Mice were treated with vehicle and LRRK2 inhibitor Mli2.

Authors:

- Parisiadou, Loukia; ORCID:0000-0002-2569-4200; Department of Pharmacology, Northwestern University, Chicago, IL, USA
- Chen, Chuyu; ORCID:0000-0001-5666-5173; Department of Pharmacology, Northwestern University, Chicago, IL, USA

ASAP Team: Dombeck

Dataset Name: dombeck-mouse-ms-p-striatum-spm-phospho, v0.1

Principal Investigator: Loukia Parisiadou loukia.parisiadou@northwestern.edu

Dataset Submitter: Chuyu Chen chuyu.chen@northwestern.edu

Publication DOI:

Grant IDs: ['ASAP- 020600']

ASAP Lab:

ASAP Project: Redefining PD pathophysiology mechanisms in the context of heterogeneous substantia nigra neuron subtypes.

Project Description: The degeneration of substantia nigra dopamine neurons leads to deficits in striatal dopaminergic transmission that underlie the motor symptoms of Parkinson's disease. We have revealed molecularly distinct, pro-motor and anti-motor dopamine subtypes. We hypothesize that motor dysfunction in Parkinson's Disease is caused by an imbalance in pro- and antimotor dopamine signaling.

Submission Date: 2026-08-06

---



This research was funded by the Aligning Science Across Parkinson's Collaborative Research Network (ASAP CRN), through the Michael J. Fox Foundation for Parkinson's Research (MJFF).