PAGE INDEX FOLDER REV#: 4.01 TC-UTL-1122-00015 SCALE: 1"= 30' 26+00 /// 25+00 /// 27+00 (PUBLIC STREET, BK 13, PG 25) SEE SHEET 52 SCALE: 1"= 30' 26+00**.**00 52 — SEE SHEET 47 FOR CONTINUATION /[—]46.00 LF 8"PVC S89°21′50′E - SEE SHEET 47 FOR CONTINUATION __ CO #D @ 0.45% N0°38′10′Ė NEW MH#5 NEW MH#3-(PRIVATE) - NEW MH#6 (PRIVATE) SEE SHEET 52 SEE SHEET 54 **SEWERLINE "A" SEWERLINE "B"** 26+00 20+00 27+00 28+00 21+00 22+00 23+00 24+00 FORT LOW AZ 85712 000 FILL AND COMPACT ENTIRE WIDTH
TO 95% MIN DENSITY PRIOR TO TRENCHING (TYP) OR PER SOILS ENGINEER'S RECOMMENDATIONS 2660 2660 2670 2670 STA 28+34.56, RIM A PRIVATE CO *D PER SD RWRD 232 PROPOSED GRADE @ CENTERLINE EXIST GRADE @ CENTERLINE \ EXIST GRADE @ CENTERLINE PROPOSED GRADE © CENTERLINE TION AZ 00.00 PRIVATE 400.00 LF (396.00 LF) 8"PVC @ 0.45% 2660 2660 2650 2650 8"N IE 2649.85 6"S IE 2650.02 6"W IE 2650.02 $\mathbb{TFER}\mathbb{N}\mathbb{A}$ - STA SHEET 8"W 1E 2647.85 8"E 1E 2647.89 8"S 1E 2648.05 MATCH PRIVATE 46.00 LF (44.00 LF) 8"PVC @ 0.45% PRIVATE 376.50 LF (372.50 LF) 8"PVC @ 0.45% SEWERLINE "B"

SCALE: HORIZ 1" = 30'

VERT 1" = 3' 2650 2650 Contact Arizona 811 at least two full working days before you begin excavation ARZONASII.

Call 811 or click Arizona811.com DP22-0122 C15-22-01 SEWERLINE "A" REVIEWED FOR PLUMBING CODE COMPLIANCE SCALE: HORIZ 1" = 30' VERT 1" = 3' HORIZ : 1'' = 30'RSHERRY1 02/23/2023 VERT : 1" = 3' TUCSON PLANNING AND DEVELOPMENT SERVICE SHEET 53 OF 86 \\cp.rickeng.com\projects\T_TUC_F\4329_Los_Reales_Alvernon_Property\Civi\PHASE 1\PDFs\TUC CorpStds 2005.dscript \\cp.rickeng.com\projects\T_TUC_F\4329_Los_Reales_Alvernon_Property\Civil\PHASE 1\4329APH1dp53.dgn 30-JAN-2023