DS	**Session**	Hashing	**Question Information**	Level 1 Challenge 100

Problem Description

Mathison has uncovered an ancient piece of paper on which are written N integers. This set of numbers will be referred to as A. Mathison learned in History class that a group of integers is unique if and only if their total is divisible by a mythological constant M.

Mathison tries to find out how many **distinct** triplets of numbers, from the piece of paper, have their sum divisible by *M*. Unfortunately, this problem is quite hard to crack and he needs your help.

Constraints

- $1 \leq N \leq 2 \times 10^5$
- $1 \leq M \leq 10^4$
- $0 \leq A[i] \leq 2 \times 10^9$

Input
The first line of the input file contains two space-separated integers, *N* and *M*, representing the number of integers and the mythical constant.
The next line contains *N* space-separated integers, where the i^{th} integer represents $A[i]$.

Output
The output file should contain only one integer, the answer to Mathison's question.

Explanation for Test case 1

There are 26 *special* trios: (0, 1, 2); (0, 1, 8); (0, 2, 5); (0, 2, 6); (0, 2, 9); (0, 3, 7); (0, 5, 8); (0, 6, 8); (0, 8, 9); (1, 2, 7); (1, 3, 4); (1, 5, 6); (1, 5, 9); (1, 6, 9); (1, 7, 8); (2, 4, 8); (2, 5, 7); (2, 6, 7); (2, 7, 9); (3, 4, 5); (3, 4, 6); (3, 4, 9); (5, 6, 9); (5, 7, 8); (6, 7, 8); (7, 8, 9);

Note: Here we only show the **positions** (0-indexed) in each trio.

Logical Test Cases

Test Case 1

INPUT (STDIN)

```
10 5
1 10 4 3 2 5 0 1 9 5
```

EXPECTED OUTPUT

```
26
```

Test Case 2

INPUT (STDIN)

```
10 5
11 10 14 31 21 15 10 11 9 51
```

EXPECTED OUTPUT

```
31
```

Mandatory Test Cases

Test Case 1

KEYWORD

```
while(i<k)
```

Complexity Test Cases

Test Case 1	Test Case 2	Test Case 3
CYCLOMATIC COMPLEXITY	TOKEN COUNT	NLOC
10	450	55