

DS	Session	Linked List	Question Information	Level 1 Challenge 34
Question description Problem Description: For Engineering Second -year students, the instructor is organising a surprise test. He's given you a new node is added before the given node of the given Linked List. For example if the given Linked List is 5->10->15->20->25 and we add an item 30 before node 15, then the Linked List becomes 5->10->30->15->20->25. Since a Linked List is typically represented by the head of it, we have to traverse the list till node and then insert the node. Constraints: 1 < arr <100 Input Format First line contains the number of datas- N. Second line contains N integers(the given linked list). Third line contains the node P before which the node to be inserted. Fourth line contain the node X to be inserted. Output Format case 1 (node P found in Linked list) :				

Display the final Linked List.

case 2(node P not found in Linked list) :

Print Node not found!

Display the Linked list.

▼ Logical Test Cases

Test Case 1

INPUT (STDIN)

4
115 210 116 110
116
17

EXPECTED OUTPUT

Linked List:->115->210->17->116->110

Test Case 2

INPUT (STDIN)

4
15 20 16 10
25
17

EXPECTED OUTPUT

Node not found!
Linked List:->15->20->16->10

▼ Mandatory Test Cases

Test Case 1

KEYWORD

struct node

Test Case 2

KEYWORD

node *next;

Test Case 3

KEYWORD

*start

Test Case 4

KEYWORD

p2->next=p1;

Test Case 5

KEYWORD

void display()

▼ Complexity Test Cases

Test Case 1
CYCLOMATIC COMPLEXITY
3

Test Case 2
TOKEN COUNT
275

Test Case 3
NLOC
66