

DS	Session	Arrays	Question Information	Level 1	Challenge 29
Problem Description: Tina has given a boolean matrix mat[P][Q] of size P X Q to Laaysa, She wants to modify it such that if a matrix cell mat[m][n] is 1 (or true) then make all the cells of m_th row and nth column as 1. Can you help Laaysa? Constraints: 1 <= p, q <= 1000 Input Format: First line of the input is the how many rows and columns in Laaysa matrix. After that, each line will represent each row and Laaysa need to enter numbers. Output Format: Print the resultant matrix output in a separate lines.					

Logical Test Cases

Test Case 1

INPUT (STDIN)

2 2
1 0
0 1

EXPECTED OUTPUT

1 1
1 1

Test Case 2

INPUT (STDIN)

3 3
0 0 0
0 1 0
0 0 1

EXPECTED OUTPUT

0 1 1
1 1 1
1 1 1

Mandatory Test Cases

Test Case 1

KEYWORD

int arr[r][c];

Test Case 2

KEYWORD

arrTemp[r][c]

Test Case 3

KEYWORD

for(m=0;m<r;m++)

▼ Complexity Test Cases

Test Case 1

CYCLOMATIC COMPLEXITY

13

Test Case 2

TOKEN COUNT

325

Test Case 3

NLOC

51

```
1 #include <stdio.h>
2
3 int main() {
4     int r, c;
5     if (scanf("%d %d", &r, &c) != 2) return 0;
6
7     int arr[r][c];
8     int arrTemp[r][c];
9     int row_flag[r];
10    int col_flag[c];
11
12    int m, n;
13    for (m = 0; m < r; m++) row_flag[m] = 0;
14    for (n = 0; n < c; n++) col_flag[n] = 0;
15
16    for (m = 0; m < r; m++) {
17        for (n = 0; n < c; n++) {
18            scanf("%d", &arr[m][n]);
19            if (arr[m][n] == 1) {
20                row_flag[m] = 1;
21                col_flag[n] = 1;
22            }
23        }
24    }
25
```

```
26     for (m = 0; m < r; m++) {
27         for (n = 0; n < c; n++) {
28             if (row_flag[m] || col_flag[n]) {
29                 arrTemp[m][n] = 1;
30             } else {
31                 arrTemp[m][n] = 0;
32             }
33         }
34     }
35
```

```
36     for (m = 0; m < r; m++) {
37         for (n = 0; n < c; n++) {
38             printf("%d ", arrTemp[m][n]);
39         }
40         printf("\n");
41     }
42     return 0;
43 }
44
```

C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>type t1.txt

2 2

1 0

0 1

C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>Array9.exe

1 1

1 1

C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>

C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>type t2.txt

3 3

0 0 0

0 1 0

0 0 1

C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>Array9.exe

0 1 1

1 1 1

1 1 1

C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>