


DS	Session	Tree 1	Question Information	Level 1	Challenge 64
Question description Darsh, Ratik, Swathy are good friends, They are studying Pre-final year B.E. in reputed institution. Swathy's uncle was a DS teacher in school of computing technologies. He asks to make an application for identifying postorder Traversal of the Tree You have to do the work for the development of the code of their thinking. Functional Description					
CH.SC.U4CSE25225 - M ASHWIN Department of Computer Science & Engineering (CSE) 2026					



Postorder

8 9 4 5 2 10 6 11 12 7 3

- Anti clockwise
- Left-Center-Right

Constraints

$T \leq 100$

$1 \leq n \leq 1000$

$0 \leq k < n$

Input Format

The first line of input consists of the number of test cases T . Then T lines follow each describing a test case. The first line of each test case consists of a number n . Then follow n lines each describing the friendship of a student. Each line starts with a number k telling the number of friends the i th person has. Then follow k integers separated by space which tells the index (1 based) of his friends. All these integers on the i th line are greater than i itself. (See sample for clarity).

Output Format

For each test case, if it is possible to divide the class into teams, then print a line of L's and R's denoting which team that student is a part of. If it is impossible to divide the class then print -1 instead. If there are multiple solutions print the one that would come first in the dictionary.

INPUT (STDIN)

7
90 70 50 75 130 110 150

EXPECTED OUTPUT

50 75 70 110 150 130 90

INPUT (STDIN)

9
50 23 56 89 43 75 130 110 150

EXPECTED OUTPUT

43 23 75 110 150 130 89 56 50

▼ Mandatory Test Cases

Test Case 1

KEYWORD

struct node

Test Case 2

KEYWORD

struct node *left,*right;

Test Case 3

KEYWORD

struct node* newNode(int item)

Test Case 4

KEYWORD

void postorder(struct node* root)

▼ Complexity Test Cases

Test Case 1

CYCLOMATIC COMPLEXITY

1

Test Case 2

TOKEN COUNT

290

Test Case 3

NLOC

50

Tree14.c +

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 struct node {
5     int data;
6     struct node *left,*right;
7 };
8
9 struct node* newNode(int item) {
10     struct node* temp = (struct node*)malloc(sizeof(struct node));
11     temp->data = item;
12     temp->left = NULL;
13     temp->right = NULL;
14     return temp;
15 }
16
17 struct node* insert(struct node* node, int data) {
18     if (node == NULL) return newNode(data);
19     if (data < node->data)
20         node->left = insert(node->left, data);
21     else if (data > node->data)
22         node->right = insert(node->right, data);
23     return node;
24 }
```

```
26 void postorder(struct node* root) {  
27     if (root != NULL) {  
28         postorder(root->left);  
29         postorder(root->right);  
30         printf("%d ", root->data);  
31     }  
32 }  
33  
34 int main() {  
35     int n, val;  
36     if (scanf("%d", &n) != 1) return 0;
```

```
37  struct node* root = NULL;
38  for (int i = 0; i < n; i++) {
39      if (scanf("%d", &val) == 1) {
40          root = insert(root, val);
41      }
42  }
43  postorder(root);
44  printf("\n");
45  return 0;
46}
47
```

```
C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>type t1.txt
```

```
7
```

```
90 70 50 75 130 110 150
```

```
C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>Tree14.exe
```

```
50 75 70 110 150 130 90
```

```
C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>
```

```
C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>type t2.txt
```

```
9
```

```
50 23 56 89 43 75 130 110 150
```

```
C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>Tree14.exe
```

```
43 23 75 110 150 130 89 56 50
```

```
C:\Users\CH.SC.U4CSE25225\Desktop\DSA Lab>
```