

Question :

There is a group of students playing in the playground and they made a circle by joining each other's hands. Help P.E.T Master separate them into two equal circular groups.

Constraints:

$1 \leq N \leq 1000$

Input Description:

Number of Students, N

N student's names

Output Description:

Two group of Student names each group in new line

Solution:

```
class Node:
```

```
    def __init__(self, data):
        self.data = data
        self.next = None
```

```
class CircularLinkedList:
```

```
    def __init__(self):
        self.head = None
    def push(self, data):
        ptr1 = Node(data)
        temp = self.head
        ptr1.next = self.head
        if self.head is not None:
            while (temp.next != self.head):
                temp = temp.next
            temp.next = ptr1
        else:
            ptr1.next = ptr1 # For the first node
        self.head = ptr1
```

```
    def printList(self):
        temp = self.head
        if self.head is not None:
            while (True):
                print("%d" % (temp.data))
                temp = temp.next
                if (temp == self.head):
```

break

```
def splitList(self, head1, head2):
    slow_ptr = self.head
    fast_ptr = self.head
    if self.head is None:
        return
    while (fast_ptr.next != self.head and
           fast_ptr.next.next != self.head):
        fast_ptr = fast_ptr.next.next
        slow_ptr = slow_ptr.next
    if fast_ptr.next.next == self.head:
        fast_ptr = fast_ptr.next
    head1.head = self.head
    if self.head.next != self.head:
        head2.head = slow_ptr.next
    fast_ptr.next = slow_ptr.next
    slow_ptr.next = self.head
```

```
head = CircularLinkedList()
head1 = CircularLinkedList()
head2 = CircularLinkedList()
```

```
head.push(12)
head.push(56)
head.push(2)
head.push(11)
```

```
print("Original Circular Linked List")
head.printList()
```

```
# Split the list
head.splitList(head1, head2)
```

```
print("\nFirst Circular Linked List")
head1.printList()
```

```
print("\nSecond Circular Linked List")
head2.printList()
```

Test Cases:

Test Case 1:

Input:

6

2 5 9 1 4 7

Output:

2 5 9

1 4 7

Test Case 2:

Input:

2

2 5

Output:

2

5

Test Case 3:

Input:

7

A B C G H R E

Output:

A B C

G H R E

Test Case 4:

Input:

3

2 9 7

Output:

2 9

7

Test Case 5:

Input:

10

2 5 9 1 4 7 0 3 6 8

Output:

2 5 9 1 4

7 0 3 6 8