Method	Description	Example	Output
`put(K key, V value)`	Inserts a key-value pair into the map. If the key exists, updates the value.	`map.put("One Piece", 10);`	`{One Piece=10}`
`get(Object key)`	Retrieves the value associated with a given key. Returns `null` if not found.	`map.get("One Piece");`	`10`
`remove(Object key)`	Removes the mapping for a key if it exists.	`map.remove("Death Note");`	After removal: `{One Piece=10, Boruto=0, ...}`
`containsKey(Object key)`	Checks if the map contains a specific key.	`map.containsKey("Boruto");`	`true`
`containsValue(Object value)`	Checks if the map contains a specific value.	`map.containsValue(10);`	`true`
`isEmpty()`	Checks if the map is empty.	`map.isEmpty();`	`false`
`size()`	Returns the number of key-value mappings in the map.	`map.size();`	`5` (example size)
`clear()`	Removes all mappings from the map.	`map.clear();`	`{}` (empty map)
`keySet()`	Returns a `Set` view of the keys contained in the map.	`Set<String> keys = map.keySet();`	`[One Piece, Boruto, ...]`
`values()`	Returns a `Collection` view of the values contained in the map.	`Collection<Integer> ratings = map.values();`	`[10, 0, ...]`
`entrySet()`	Returns a `Set` view of the map's key-value pairs.	`for (Map.Entry<String, Integer> e : map.entrySet())`	Prints: `One Piece=10, Boruto=0, ...`
`putAll(Map<? extends K, ? extends V> m)`	Copies all mappings from the specified map to this map.	`map.putAll(anotherMap);`	Combines both maps' entries.
`replace(K key, V value)`	Replaces the value for the specified key only if it is already mapped.	`map.replace("Vinland Saga", 9);`	Updates `Vinland Saga` to `9`.
`computeIfAbsent(K key, Function<? super K, ? extends V> mappingFunction)`	Computes a value for a key if it's not already present.	`map.computeIfAbsent("Naruto", k -> 7);`	Adds `"Naruto=7"` if not present.
`computeIfPresent(K key, BiFunction<? super K, ? super V, ? extends V> remappingFunction)`	Recomputes a value if the key exists.	`map.computeIfPresent("One Piece", (k, v) -> v + 1);`	Updates `One Piece` to `11`.
`merge(K key, V value, BiFunction<? super V, ? super V, ? extends V> remappingFunction)`	Merges a value with an existing one using the given function.	`map.merge("Boruto", 2, Integer::sum);`	Updates `Boruto` value to `2` + existing value (`0`), resulting in `2`.