

RAJALAKSHMI ENGINEERING COLLEGE

RAJALAKSHMI NAGAR, THANDALAM – 602 105



**RAJALAKSHMI
ENGINEERING COLLEGE**

**CS23221
PYTHON PROGRAMMING LAB**

Laboratory Observation Note Book

NAME: ASHWIN T

YEAR/BRANCH/SECTION: AIML A

REGISTER NO: 231501024

SEMESTER: 2ND

ACADEMIC YEAR: 2023-2024

INDEX

Reg. No : 231501024

Name: ASHWIN T

Year: Ist Year

Branch: AIML

Sec: A

S. No.	Date	Title	Page No.	Teacher's Signature / Remarks
Introduction to python-Variables-Datatypes-Input/Output-Formatting				
1.1	2/3/24	Converting Input Strings	7	
1.2	2/3/24	Gross salary	8	
1.3	2/3/24	Square Root	9	
1.4	2/3/24	Gain percent	10	
1.5	2/3/24	Deposits	12	
1.6	2/3/24	Carpenter	13	
Operators in Python				
2.1	9/3/24	Widgets and Gizmos	15	
2.2	9/3/24	Doll Sings	16	
2.3	9/3/24	Birthday party	17	
2.4	9/3/24	Hamming Weight	19	
2.5	9/3/24	Compound Interest	20	
2.6	9/3/24	Eligible to donate blood	21	
2.7	9/3/24	C or D	22	
2.8	9/3/24	Troy Battle	23	
2.9	9/3/24	Tax and Tip	24	
2.10	9/3/24	Return last digit of the given number	25	
Selection Structures in Python				
3.1	16/3/24	Admission eligibility	27	
3.2	16/3/24	Classifying triangles	29	
3.3	16/3/24	Electricity Bill	30	
3.4	16/3/24	IN/OUT	32	
3.5	16/3/24	Vowel or Constant	34	
3.6	16/3/24	Leap Year	36	
3.7	16/3/24	Month name to Days	37	
3.8	16/3/24	Pythagorean triple	39	
3.9	16/3/24	Second Last Digit	40	

3.10	16/3/24	Chinese Zodiac	41	
Algorithmic Approach: Iteration Control Structures				
4.1	30/3/24	Factors of a Number	44	
4.2	30/3/24	Non-Repeated Digits Count	45	
4.3	30/3/24	Prime Checking	47	
4.4	30/3/24	Next Perfect Square	48	
4.5	30/3/24	Nth Fibonacci	49	
4.6	30/3/24	Disarium Number	50	
4.7	30/3/24	Sum of Seriesv	52	
4.8	30/3/24	Unique Digits Count	54	
4.9	30/3/24	Product of single digits	55	
4.10	30/3/24	Perfect Square After adding One	56	
List in Python				
5.1	6/4/24	Monotonic array	58	
5.2	6/4/24	Check pair with difference k .	60	
5.3	6/4/24	Count Elements	62	
5.4	6/4/24	Distinct Elements in an Array	64	
5.5	6/4/24	Element Insertion	65	
5.6	6/4/24	Find the Factor	67	
5.7	6/4/24	Merge list	69	
5.8	6/4/24	Merge Two Sorted Arrays Without Duplication	70	
5.9	6/4/24	Print Element Location	72	
5.10	6/4/24	Strictly increasing	74	
Strings in Python				
6.1	13/4/24	Count chars	76	
6.2	13/4/24	Decompress the String	77	
6.3	13/4/24	First N Common Characters	78	
6.4	13/4/24	Remove Characters	79	
6.5	13/4/24	Remove Palindrome Words	80	
6.6	13/4/24	Return Second Word in Uppercase	81	
6.7	13/4/24	Reverse String	82	
6.8	13/4/24	String characters balance Test	83	
6.9	13/4/24	Unique Names	84	
6.10	13/4/24	Username Domain Extension	85	
Functions				

7.1	20/4/24	Abundant Number	87	
7.2	20/4/24	Automorphic number or not	88	
7.3	20/4/24	Check Product of Digits	89	
7.4	20/4/24	Christmas Discount	90	
7.5	20/4/24	Coin Change	91	
7.6	20/4/24	Difference Sum	92	
7.7	20/4/24	Ugly number	93	
Tuple & Set				
8.1	27/4/24	Binary String	95	
8.2	27/4/24	Check Pair	96	
8.3	27/4/24	DNA Sequence	97	
8.4	27/4/24	Print repeated no	98	
8.5	27/4/24	Remove repeated	99	
8.6	27/4/24	malfunctioning keyboard	100	
8.7	27/4/24	American keyboard	101	
Dictionary				
9.1	4/5/24	Uncommon Words	104	
9.2	4/5/24	Sort Dictionary By Values Summation	105	
9.3	4/5/24	Winner Of Election	107	
9.4	4/5/24	Student Record	109	
9.5	4/5/24	Scramble Score	111	
Searching & Sorting				
10.1	25/5/24	Merge Sort	113	
10.2	25/5/24	Bubble Sort	114	
10.3	25/5/24	Peak Element	116	
10.4	25/5/24	Binary Search	117	
10.5	25/5/24	Frequency of Numbers	118	
Exceptions				
11.1	1/6/24	Out of Range Numbers	121	
11.2	1/6/24	Divide by Zero	121	
11.3	1/6/24	Valid Age	123	
11.4	1/6/24	Safe Square Root	124	
11.5	1/6/24	Valid Integer	125	

Modules				
12.1	8/6/24	Power of 2	127	
12.2	8/6/24	Square Tiles	128	
12.3	8/6/24	Shoe Size	129	
12.4	8/6/24	Count Unique Pairs	131	
12.5	8/6/24	Calculate Average Marks	133	

01 - Introduction to Python-Variables-Datatypes

Input/Output-Formatting

Ex. No. : 1.1

Date: 2/3/24

Register No.: 231501024

Name: ASHWIN T

Converting Input Strings

Write a program to convert strings to an integer and float and display its type.

Sample Input:

10

10.9

Sample Output:

10,<class 'int'>

10.9,<class 'float'>

For example:

Input	Result
10	10,<class 'int'>
10.9	10.9,<class 'float'>

PROGRAM

```
b=int(input(""))  
c=float(input("")) print("{0},  
{1}".format(b,type(b)))  
print("{:.1f},{1}".format(c,type(c)))
```

Output:

	Input	Expected	Got	
✓	10 10.9	10,<class 'int'> 10.9,<class 'float'>	10,<class 'int'> 10.9,<class 'float'>	✓
✓	12 12.5	12,<class 'int'> 12.5,<class 'float'>	12,<class 'int'> 12.5,<class 'float'>	✓
✓	89 7.56	89,<class 'int'> 7.6,<class 'float'>	89,<class 'int'> 7.6,<class 'float'>	✓
✓	55000 56.2	55000,<class 'int'> 56.2,<class 'float'>	55000,<class 'int'> 56.2,<class 'float'>	✓
✓	2541 2541.679	2541,<class 'int'> 2541.7,<class 'float'>	2541,<class 'int'> 2541.7,<class 'float'>	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 1.2

Date: 2/3/24

Register No.: 231501024

Name: ASHWIN T

Gross Salary

Ramesh's basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

Sample Input:

10000

Sample Output:

16000

For example:

Input	Result
10000	16000

PROGRAM

```
sal=int(input(""))  
  
dea=0.40*sal  
  
ren=0.20*sal  
  
print(round(sal+dea+ren))
```

Output:

	Input	Expected	Got	
✓	10000	16000	16000	✓
✓	20000	32000	32000	✓
✓	28000	44800	44800	✓
✓	5000	8000	8000	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 1.3

Date: 2/3/24

Register No.: 231501024

Name: ASHWIN T

Square Root

Write a simple python program to find the square root of a given floating point number. The output should be displayed with 3 decimal places.

Sample Input:

8.00

Sample Output:

2.828

For example:

Input	Result
14.00	3.742

PROGRAM

```
from math import sqrt  
a=float(input())  
print("{:.3f}".format(sqrt(a)))
```

Output:

	Input	Expected	Got	
✓	8.00	2.828	2.828	✓
✓	14.00	3.742	3.742	✓
✓	4.00	2.000	2.000	✓
✓	487	22.068	22.068	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 1.4

Date: 2/3/24

Register No.: 231501024

Name: ASHWIN T

Gain percent

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z ($Z > X + Y$). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:

The first line contains the Rs X

The second line contains Rs Y

The third line contains Rs Z

Sample Input:

10000

250

15000

Sample Output:

46.34 is the gain percent.

For example:

Input	Result
45500 500 60000	30.43 is the gain percent.

PROGRAM

```
a=int(input())
b=int(input())
c=int(input())
d=a+b
e=c-d
print("{:.2f} is the gain percent.".format((e/d)*100))
```

Output:

	Input	Expected	Got	
✓	10000 250 15000	46.34 is the gain percent.	46.34 is the gain percent.	✓
✓	45500 500 60000	30.43 is the gain percent.	30.43 is the gain percent.	✓
✓	5000 0 7000	40.00 is the gain percent.	40.00 is the gain percent.	✓
✓	12500 5000 18000	2.86 is the gain percent.	2.86 is the gain percent.	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 1.5

Date: 2/3/24

Register No.: 231501024

Name: ASHWIN T

Deposits

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each size (less and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input

10

20

Sample Output

Your total refund will be \$6.00.

For example:

Input	Result
20 20	Your total refund will be \$7.00.

PROGRAM

```
a=int(input())
b=int(input())
c=a*0.10
d=b*0.25
print("Your total refund will be ${:.2f}.".format(c+d))
```

Output:

	Input	Expected	Got	
✓	20 20	Your total refund will be \$7.00.	Your total refund will be \$7.00.	✓
✓	11 22	Your total refund will be \$6.60.	Your total refund will be \$6.60.	✓
✓	123 200	Your total refund will be \$62.30.	Your total refund will be \$62.30.	✓
✓	76 38	Your total refund will be \$17.10.	Your total refund will be \$17.10.	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Ex. No. : 1.6

Date: 2/3/24

Register No.: 231501024

Name: ASHWIN T

Carpenter

Justin is a carpenter who works on an hourly basis. He works in a company where he is paid Rs 50 for an hour on weekdays and Rs 80 for an hour on weekends. He works 10 hrs more on weekdays than weekends. If the salary paid for him is given, write a program to find the number of hours he has worked on weekdays and weekends.

Hint:

If the final result(hrs) are in -ve convert that to +ve using abs() function

The abs() function returns the absolute value of the given number.

number = -20

absolute_number = abs(number)

print(absolute_number)

Output: 20

Sample Input:

450

Sample Output:

weekdays 10.38

weekend 0.38

For example:

Input	Result
450	weekdays 10.38 weekend 0.38

PROGRAM

```
a=int(input())
b=abs(((a-500)/130))
print("weekdays {:.2f}".format(10+b))
print("weekend {:.2f}".format(b))
```

Output:

	Input	Expected	Got	
✓	450	weekdays 10.38 weekend 0.38	weekdays 10.38 weekend 0.38	✓
✓	500	weekdays 10.00 weekend 0.00	weekdays 10.00 weekend 0.00	✓
✓	10000	weekdays 83.08 weekend 73.08	weekdays 83.08 weekend 73.08	✓
✓	6789	weekdays 58.38 weekend 48.38	weekdays 58.38 weekend 48.38	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.