04 - Iteration Control Structures

Ex. No. : **4.1 Date**: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

For example:

Input	Result
20	1 2 4 5 10 20

PROGRAM

```
a=int(input())
for i in range(1,a+1):
    if (a%i==0):
        print(i,end=' ')
```

Output:

	Input	Expected	Got	
~	20	1 2 4 5 10 20	1 2 4 5 10 20	~
~	5	1 5	1 5	~
~	13	1 13	1 13	~

Passed all tests! 🗸

Correct

Ex. No. : **4.2 Date**: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

For example:

Input	Result
292	1
1015	2
108	3
22	0

PROGRAM

```
num=int(input())
count=0
last=len(str(num))
for i in range(1,last):
    temp=num%10
    num=num//10
    if (str(temp)not in str(num)):
        count+=1
if(len(str(num))==1 and count==last-1):
    print(count+1)
else:
    print(count)
```

Output:

	Input	Expected	Got	
~	292	1	1	~
~	1015	2	2	~
~	108	3	3	~
~	22	0	0	~

Passed all tests! 🗸

Correct

Ex. No. : **4.3** Date: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: $2 \le N \le 5000$, where N is the given number.

Example 1: if the given number N is 7, the method must return 2

Example 2: if the given number N is 10, the method must return 1

For example:

Input	Result
7	2
10	1

```
a=int(input())
count=0
for i in range(2,a):
    if (a%i==0):
        count+=1
if(count==0):
    print("2")
else:
    print("1")
```



Ex. No. : **4.4 Date**: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Next Perfect Square

Given a number N, find the next perfect square greater than N.

```
Input Format:
 Integer input from
stdin. Output Format:
  Perfect square greater than N.
Example Input:
  10
Output:
  16
PROGRAM
from math import sqrt
num=int(input())
while True:
      a=int(sqrt(num))
      if(num==pow(a,2)):
        print(num)
        break
      else:
        num+=1
```



Ex. No. : **4.5** Date: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

NOTE: Fibonacci series looks like –

```
0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.
```


i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.

For example:

```
Input Output 7 8
```

```
a=int(input())
b=0
c=1
d=0
for i in range(3,a+1):
    d=c+b
    b=c
    c=d
print(d)
```



Passed all tests! ✓

Correct

Ex. No. : 4.6 Date:

Register No.: 231501024 Name: ASHWIN T

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation

$$1^1 + 7^2 + 5^3 = 175$$

Example Input:

123

Output:

No

For Example:


Input Result

175 Yes

123 No

```
PROGRAM
```

```
num=int(input())
last=len(str(num))
temp=num
Sum=0
for i in range(0,last): n=temp
    %10 temp=temp//10
    sum=sum+(pow(n,last-
    i))
if (sum==num):
    print("Yes")
else:
    print("No")
```



Ex. No. : **4.7 Date**: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Sum of Series

Write a program to find the sum of the series 1 + 11 + 111 + 1111 + ... + n terms (n will be given as input from the user and sum will be the output)

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

As input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

For example:

Input	Result
3	123

PROGRAM

```
num=int(input())
sum1=0
for i in range(1,num+1):
    st='1'*i
    sum1=sum1+int(st)
print(sum1)
```

	Input	Expected	Got	
~	4	1234	1234	~
~	6	123456	123456	~
Passed all tests! 🗸				
orrect arks for this submission: 1.00/1.00.				

Ex. No. : **4.8** Date: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000. For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

For example:

Input	Result
292	2
1015	3

```
num=int(input())

count=0

last=len(str(num))

for i in range(1,last):

n=num%10

num=num//10

if (str(n)not in str(num)):

count+=1

print(count+1)
```

	Input	Expected	Got	
~	292	2	2	~
~	1015	3	3	~
~	123	3	3	~

Passed all tests! ✓

Correct

Ex. No. 4.9 **Date:** 30/3/24

Name: ASHWIN T Register No.: 231501024

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

```
Input Format:
 Single Integer input.
Output Format:
 Output displays Yes if condition satisfies else prints No.
```

```
For Example:
Input Output
```

14 Yes

13 No

```
PROGRAM
a=int(input())
count=0
for i in range(1,10):
   for j in range(1,10):
       if (i*j==a):
          print("Yes")
          count+=1
          break
   if(count>0):
      break
if(count==0):
  print("No")
```



Ex. No. : **4.10** Date: 30/3/24

Register No.: 231501024 Name: ASHWIN T

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

For example:

Input	Result
24	Yes

```
from math import sqrt
num=int(input())
fin=num+1
sq=int(sqrt(fin))
if (fin==pow(sq,2)):
    print("Yes")
else:
    print("No")
```

