```css
.alignment{
    text-align: center;
}
@media
only screen and (max-width: 1000px) {
  table, thead, tbody, th, td, tr,nav {
    display: block;
  }

  thead tr {
    position: absolute;
    top: -9999px;
    left: -9999px;
  }
  tr { border: 1px solid #ccc; }
  td {
    border: none;
    border-bottom: 1px solid #eee;
    position: relative;
    padding-left: 100px;
    margin-left: 150px;
  }
  td:before {
    position: absolute;
    top: 12px;
    left: 6px;
    width: 200px;
    padding-right: 40px;
    white-space: nowrap;
    margin-left: -150px;
  }


  td:nth-of-type(1):before { content: "First Name"; }
  td:nth-of-type(2):before { content: "Last Name"; }
  td:nth-of-type(3):before { content: "Phone Number"; }
  td:nth-of-type(4):before { content: "Address"; }
  td:nth-of-type(5):before { content: "Date of Birth"; }
  td:nth-of-type(6):before { content: "Type of Verification Document"; }
  td:nth-of-type(7):before { content: "Verification ID"; }
  td:nth-of-type(8):before { content: "Create Account"; }
  td:nth-of-type(9):before { content: "Cancel Account Creation"; }
```

```
}
```

```html
<table class="table table-bordered">
  <thead>
    <tr>
      <th class="alignment">First Name</th>
      <th class="alignment">Last Name</th>
      <th class="alignment">Phone Number</th>
      <th class="alignment">Address</th>
      <th class="alignment">Date of Birth</th>
      <th class="alignment">Type of Verification Document</th>
      <th class="alignment">Verification ID No.</th>
      <th class="alignment">Email</th>
      <th class="alignment">Create Account</th>
      <th class="alignment">Cancel Account Creation</th>
    </tr>
  </thead>
  <tbody>
    <tr *ngFor="let authorizeuser of authorizeusers">
      <td class="alignment">{{authorizeuser.fname}}</td>
      <td class="alignment">{{authorizeuser.lname}}</td>
      <td class="alignment">{{authorizeuser.phone}}</td>
      <td class="alignment">{{authorizeuser.address}}</td>
      <td class="alignment">{{authorizeuser.dob}}</td>
      <td class="alignment">{{authorizeuser.identityType}}</td>
      <td class="alignment">{{authorizeuser.identity}}</td>
      <td class="alignment">{{authorizeuser.email}}</td>
      <td class="alignment"><button type="button" class="btn btn-success" (click)="authorizeAccount(authorizeuser.username)">Create</button> </td>
      <td class="alignment"><button type="button" class="btn btn-danger"(click)="rejectRequest(authorizeuser.username)">Cancel</button></td>
    </tr>


  </tbody>
</table>
```

```typescript
import { async, ComponentFixture, TestBed } from '@angular/core/testing';

import { AuthorizeRegistrationComponent } from './authorize-registration.component';

describe('AuthorizeRegistrationComponent', () => {
```

```
    let component: AuthorizeRegistrationComponent;
    let fixture: ComponentFixture<AuthorizeRegistrationComponent>;

    beforeEach(async(() => {
      TestBed.configureTestingModule({
        declarations: [ AuthorizeRegistrationComponent ]
      })
      .compileComponents();
    }));

    beforeEach(() => {
      fixture = TestBed.createComponent(AuthorizeRegistrationComponent);
      component = fixture.componentInstance;
      fixture.detectChanges();
    });

    it('should create', () => {
      expect(component).toBeTruthy();
    });
  });
```

```
import { Component, OnInit } from '@angular/core';
import { AuthorizationService } from '../authorization.service'
import { AuthorizeUser } from '../model/authorizeUser';

@Component({
  selector: 'app-authorize-registration',
  templateUrl: './authorize-registration.component.html',
  styleUrls: ['./authorize-registration.component.css']
})
export class AuthorizeRegistrationComponent implements OnInit {

  authorizeusers:AuthorizeUser[];
  constructor(public authorizeService: AuthorizationService) {

  }

  ngOnInit(){
    this.authorizeService.getRequestData().subscribe(res=>{
      console.log(res);
      this.authorizeusers = res});
  }

  authorizeAccount(username){
```

```
    this.authorizeService.authorizeAccount(username).subscribe(res=>this.ngOnI
nit());
  }

  rejectRequest(username){
    this.authorizeService.rejectRequest(username).subscribe(res=>this.ngOnInit
());
  }


}
```

Admin-Portal>adminportal-angular>src>app>checkbook-request

```
@media

only screen and (max-width: 1000px) {

  table, thead, tbody, th, td, tr,nav {

    display: block;

  }


  thead tr {

    position: absolute;

    top: -9999px;

    left: -9999px;

  }

  tr { border: 1px solid #ccc; }

  td {

    border: none;

    border-bottom: 1px solid #eee;

    position: relative;

    padding-left: 100px;

    margin-left: 150px;

  }

  td:before {

    position: absolute;
```

```css
    top: 12px;

    left: 6px;

    width: 200px;

    padding-right: 40px;

    white-space: nowrap;

    margin-left: -150px;

  }

  td:nth-of-type(1):before { content: "Request Number"; }

  td:nth-of-type(2):before { content: "Type of Account"; }

  td:nth-of-type(3):before { content: "Account Number"; }

  td:nth-of-type(4):before { content: "Applied Date"; }

  td:nth-of-type(5):before { content: "Number of Pages"; }

  td:nth-of-type(6):before { content: " Confirm Request ?"; }



}
```

```html
<table class="table table-bordered-md" style="overflow-x:auto;">

    <thead>

      <tr style="text-align: center">

        <th>Request Number</th>

        <th>Type of Account</th>

        <th>Account Number</th>

        <th>Applied Date</th>

        <th>Number of Pages</th>

        <th> Confirm Request ?</th>

      </tr>

    </thead>

    <tbody>

      <tr *ngFor="let checkbookrequest of checkbookrequests | filter:term"
style="text-align: center">

        <td>{{checkbookrequest.id}}</td>

        <td>{{checkbookrequest.accType}}</td>
```

```html
        <td>{{checkbookrequest.account}}</td>

        <td>{{checkbookrequest.date}}</td>

        <td>{{checkbookrequest.no_of_pages}}</td>

        <td><button (click)="confirmRequest(checkbookrequest.account)"
class="btn btn-primary">Confirm Request</button></td>


    </tr>



    </tbody>

  </table>
```

Ts

```typescript
import { async, ComponentFixture, TestBed } from '@angular/core/testing';


import { CheckbookRequestsComponent } from './checkbook-requests.component';


describe('CheckbookRequestsComponent', () => {

  let component: CheckbookRequestsComponent;

  let fixture: ComponentFixture<CheckbookRequestsComponent>;


  beforeEach(async(() => {

    TestBed.configureTestingModule({

      declarations: [ CheckbookRequestsComponent ]

    })

    .compileComponents();

  }));


  beforeEach(() => {
```

```typescript
    fixture = TestBed.createComponent(CheckbookRequestsComponent);

    component = fixture.componentInstance;

    fixture.detectChanges();

  });


  it('should create', () => {

    expect(component).toBeTruthy();

  });

});
```

Ts

```typescript
import { Component, OnInit } from '@angular/core';

import { CheckbookService } from '../checkbook.service'

import { CheckbookRequest } from '../model/checkbookRequest';

import { NavigationEnd } from '@angular/router';


@Component({

  selector: 'app-checkbook-requests',

  templateUrl: './checkbook-requests.component.html',

  styleUrls: ['./checkbook-requests.component.css']

})
export class CheckbookRequestsComponent implements OnInit {


  checkbookrequests: CheckbookRequest[];

  term: string;



  constructor(public checkbookService: CheckbookService) {


  }
```

```
  ngOnInit() {

    this.checkbookService.getRequestsData().subscribe(res => {

      this.checkbookrequests = res

    });

  }


  getData() {



  }



  confirmRequest(account) {

    this.checkbookService.confirmCheckbookService(account).subscribe(res=>this
.ngOnInit());

  }



}
```

App>guards

Ts

```
import { TestBed } from '@angular/core/testing';



import { AuthGuard } from './auth.guard';



describe('AuthGuard', () => {

  let guard: AuthGuard;



  beforeEach(() => {

    TestBed.configureTestingModule({});

    guard = TestBed.inject(AuthGuard);

  });
```

```typescript
  it('should be created', () => {

    expect(guard).toBeTruthy();

  });

});
```

Ts

```typescript
import { Injectable } from '@angular/core';

import { CanActivate, ActivatedRouteSnapshot, RouterStateSnapshot, UrlTree,
Router } from '@angular/router';

import { Observable } from 'rxjs';

import { AuthenticationService } from
'../service/authentication/authentication.service';


@Injectable({

  providedIn: 'root'

})
export class AuthGuard implements CanActivate {

  constructor(private authenticationService:AuthenticationService,private
router:Router){


  }
  canActivate(

    next: ActivatedRouteSnapshot,

    state: RouterStateSnapshot): Observable<boolean | UrlTree> |
Promise<boolean | UrlTree> | boolean | UrlTree {

    if(this.authenticationService.isAuthenticated){

      return true;

    }

    this.router.navigate(['']);

    return false;

  }


}
```

App>login

Css

```css
.container{

    margin: 10rem auto;

    width:20em;

}


input{

    margin-bottom: 2rem ;

    margin-top: 2rem;

}


html{

    background-image: linear-gradient(#009933,white);

}
```

Html

```html
<div class="container">

<h1>Admin Portal</h1>

<form class="form-login"
(ngSubmit)="onSubmit(loginForm)"  #loginForm="ngForm">


    <label for="inputUserName" class="sr-only">UserName</label>

    <input type="text" id="inputUserName" name="inputUserName" class="form-
control"  [ngClass]="{ 'is-invalid': submitted && inputUserName.errors }"
ngModel placeholder="UserName" required autofocus #inputUserName= ngModel>

    <div *ngIf="submitted && inputUserName.errors" class="invalid-feedback">

      <span *ngIf="inputUserName.errors.required">Please enter a
UserName</span>

    </div>
```

```html
    <label for="inputPassword" class="sr-only">Password</label>

    <input type="password" id="inputPassword" name="password" class="form-
control" [ngClass]="{ 'is-invalid': submitted && password.errors }" ngModel
placeholder="Password" required #password=ngModel>

    <div *ngIf="submitted && password.errors" class="invalid-feedback">

      <span *ngIf="password.errors.required">Please enter a Password</span>

    </div>

    <br>

    <button class="btn btn-lg btn-primary btn-block"
type="submit">Login</button>

  </form>

</div>
```

Ts

```typescript
import { async, ComponentFixture, TestBed } from '@angular/core/testing';


import { LoginComponent } from './login.component';


describe('LoginComponent', () => {

  let component: LoginComponent;

  let fixture: ComponentFixture<LoginComponent>;


  beforeEach(async(() => {

    TestBed.configureTestingModule({

      declarations: [ LoginComponent ]

    })

    .compileComponents();

  }));
```

```
  beforeEach(() => {

    fixture = TestBed.createComponent(LoginComponent);

    component = fixture.componentInstance;

    fixture.detectChanges();

  });


  it('should create', () => {

    expect(component).toBeTruthy();

  });

});
```

Ts

```
import { Component, OnInit } from '@angular/core';

import { NgForm } from '@angular/forms';

import {AuthenticationService} from
'../service/authentication/authentication.service';

import { LoginData } from '../model/loginData';

@Component({

  selector: 'app-login',

  templateUrl: './login.component.html',

  styleUrls: ['./login.component.css']

})

export class LoginComponent implements OnInit {


  constructor(private authenticationService : AuthenticationService) { }

  submitted=false;

  ngOnInit(): void {

  }




  onSubmit(loginForm :NgForm)
```

```
{

  this.submitted=true;

 const Logindata = new
LoginData(loginForm.value.inputUserName,loginForm.value.password);

 this.authenticationService.authenticate(Logindata);

}



}
```

App>model

Ts

```
export class AuthorizeUser{

    fname:string;

    lname: string;

    phone: number;

    address: string;

    pan: string;

    email: string;

    username: string;

}
```

Ts

```
export class CheckbookRequest{

    id:number;

    accType: string;

    username: string;

    account: number;

    date: string;

    no_of_pages: number;

}
```

Ts

```ts
export class LoginData{

    username:string;

    password: string;



constructor (username:string, password:string){
this.username= username;

this.password= password;

}


}
```

Ts

```ts
export class UserData{

    fname:string;

    lname: string;

    username: string;

    email: string;

    account: number;

    saccount: number;

}
```

App.service/authenticaton

Ts

```ts
import { TestBed } from '@angular/core/testing';


import { AuthenticationService } from './authentication.service';


describe('AuthenticationService', () => {

  let service: AuthenticationService;


  beforeEach(() => {

    TestBed.configureTestingModule({});
```

```
    service = TestBed.inject(AuthenticationService);
  });


  it('should be created', () => {
```

```
    expect(service).toBeTruthy();

  });

});
```

Ts

```ts
import { Injectable } from '@angular/core';

import { LoginData } from 'src/app/model/loginData';

import { Router } from '@angular/router';


@Injectable({
  providedIn: 'root'
})


export class AuthenticationService {
private readonly adminUser = new LoginData('madhuri','mad12345');
isAuthenticated=false;
  constructor(private router: Router) { }


  authenticate(login: LoginData):boolean{
    if(this.checkCredentials(login)){
      this.isAuthenticated=true;
      this.router.navigate(['../user-account']);
      return true;
    }
    alert("Incorrect Login or Password");
    this.router.navigate(['../']);
```

```typescript
    this.isAuthenticated = false;

    return false;


  }



checkCredentials(login:LoginData):boolean {
return this.checkEmail(login.username) && this.checkPassword(login.password);

}



checkEmail(email:string):boolean{

  return email=== this.adminUser.username;

}



checkPassword(password:string):boolean{

  return password=== this.adminUser.password;

}



logout(){

  this.isAuthenticated=false;

  this.router.navigate(['']);

}



}
```

App>user-account

Css

```css
@media

only screen and (max-width: 1000px) {

  table, thead, tbody, th, td, tr,nav {

    display: block;

  }
```

```css
thead tr {
  position: absolute;
  top: -9999px;
  left: -9999px;
}
th{
  text-align: center;
}
tr { border: 1px solid #ccc; }
td {
  border: none;
  border-bottom: 1px solid #eee;
  position: relative;
  padding-left: 100px;
  margin-left: 150px;
}
td:before {
  position: absolute;
  top: 12px;
  left: 6px;
  width: 200px;
  padding-right: 40px;
  white-space: nowrap;
  margin-left: -150px;
}
td:nth-of-type(1):before { content: "First Name"; }
td:nth-of-type(2):before { content: "Last Name"; }
td:nth-of-type(3):before { content: "UserName"; }
td:nth-of-type(4):before { content: "Current Account Number"; }
td:nth-of-type(5):before { content: "Savings Account Number"; }
```

```css
td:nth-of-type(6):before { content: "Enable Account"; }

td:nth-of-type(7):before { content: "Disable Account"; }

td:nth-of-type(8):before { content: "Features Granted to the User"; }

td:nth-of-type(9):before { content: "Change Features"; }


}


.select-selected {

  background-color: DodgerBlue;

}


/* Style the arrow inside the select element: */

.select-selected:after {

  position: absolute;

  content: "";

  top: 14px;

  right: 10px;

  width: 0;

  height: 0;

  border: 6px solid transparent;

  border-color: #fff transparent transparent transparent;

}


/* Point the arrow upwards when the select box is open (active): */

.select-selected.select-arrow-active:after {

  border-color: transparent transparent #fff transparent;

  top: 7px;

}


/* style the items (options), including the selected item: */

.select-items div,.select-selected {
```

```css
  color: #ffffff;

  padding: 8px 16px;

  border: 1px solid transparent;

  border-color: transparent transparent rgba(0, 0, 0, 0.1) transparent;

  cursor: pointer;

}


/* Style items (options): */
.select-items {

  position: absolute;

  background-color: DodgerBlue;

  top: 100%;

  left: 0;

  right: 0;

  z-index: 99;

}


/* Hide the items when the select box is closed: */
.select-hide {

  display: none;

}


.select-items div:hover, .same-as-selected {

  background-color: rgba(0, 0, 0, 0.1);

}
```

Html

```html
<table class="table table-bordered-md" style="overflow-x:auto;">

  <thead>

    <tr style="text-align: center">

      <th>First Name</th>
```

```html
        <th>Last Name</th>

        <th style=" padding-bottom: 1.5%;">UserName</th>

        <!--<th>Email</th>-->

        <th>Primary Account Number</th>

        <th>Savings Account Number</th>

        <th>Enable Account</th>

        <th>Disable Account</th>

        <th style=" padding-bottom: 1.5%;">Features Granted to the User</th>

        <th style="padding-bottom: 1.5%;">Change Features</th>


    </tr>
  </thead>
  <tbody>

        <tr *ngFor="let user of users" style="text-align: center">

          <td>{{user.fname}}</td>

          <td>{{user.lname}}</td>

          <td>{{user.username}}</td>

          <td>{{user.primaryAccno}}</td>

          <td>{{user.savingsAccno}}</td>

          <td><button (click)="enableLoginService(user.username)" class="btn
btn-success">Enable</button></td>

          <td><button (click)="disableLoginService(user.username)"
class="btn btn-success">Disable</button></td>

          <td>{{user.featureStatus}}</td>

       <td style="text-align: center">


          <select (change) = "filterSelected($event.target.value)" >

            <option *ngFor="let r of roles" [value]='r.value'>

              {{r.name}}

            </option>

          </select>
```

```html
            <button (click) = "setOption(user.username)" class="btn btn-
success">Set</button>




    </td>

        </tr>



      </tbody>

    </table>
```

Ts

```typescript
import { async, ComponentFixture, TestBed } from '@angular/core/testing';



import { UserAccountComponent } from './user-account.component';



describe('UserAccountComponent', () => {

  let component: UserAccountComponent;

  let fixture: ComponentFixture<UserAccountComponent>;



  beforeEach(async(() => {

    TestBed.configureTestingModule({

      declarations: [ UserAccountComponent ]

    })

    .compileComponents();

  }));



  beforeEach(() => {

    fixture = TestBed.createComponent(UserAccountComponent);

    component = fixture.componentInstance;

    fixture.detectChanges();

  });
```

```
  it('should create', () => {

    expect(component).toBeTruthy();

  });

});
```

Ts

```
import { Component, OnInit } from '@angular/core';

import { EnableService } from '../enable.service'

import { DisableService } from '../disable.service';

import { FeaturesService } from '../features.service';

import { UsersService } from '../users.service';

import { UserData } from '../model/userData';


@Component({

  selector: 'app-user-account',

  templateUrl: './user-account.component.html',

  styleUrls: ['./user-account.component.css']

})
export class UserAccountComponent implements OnInit {


  roles = [

    {name: " ", value:0},

    { name: "Deposit Access", value: 1 },

    { name: "Deposit + Withdraw Access", value: 2 },

    { name: "Deposit + Withdraw + Transfer Access", value: 3 }

  ]


  users: any[]

  //UserData[];
```

```typescript
  constructor(public enableService: EnableService, public disableService:
DisableService, public featuresService: FeaturesService, private service:
UsersService) {


  }
  //selectedOption: string;

  //printedOption: number;

  selectedValue: number;


  ngOnInit() {
    this.service.getAllUsers().subscribe(res => {
      console.log(res)
    //console.log(res[0].featureStatus)
    res.forEach(element => {


      console.log(element.featureStatus)
    // console.log(this.roles[1].name)
      if(element.featureStatus == 1){
        element.featureStatus = this.roles[1].name
      }
      if (element.featureStatus == 2) {
        element.featureStatus = this.roles[2].name
      }
      if (element.featureStatus == 3) {
        element.featureStatus = this.roles[3].name
      }
    });
    this.users = res


  });
}
```

```
  // print() {
  //    // this.printedOption = this.selectedOption;

  //    // console.log(this.selectedOption);

  // }


  filterSelected(selectedValue){

    this.selectedValue = selectedValue

    console.log('selected value= '+selectedValue);

  }


  enableLoginService(username) {

    console.log(username)

    this.enableService.enableLoginService(username).subscribe(res =>
this.ngOnInit());

    //this.enableService.enableLoginService();

  }


  disableLoginService(username) {

    this.disableService.disableLoginService(username).subscribe(res =>
this.ngOnInit());

    //this.disableService.disableLoginService();

  }


  setOption(username) {


    this.featuresService.setFeatures(username,
this.selectedValue).subscribe(res => this.ngOnInit());

    //this.featuresService.setFeatures();

  }



}
```

App>app-routing.module.ts

```typescript
import { NgModule } from '@angular/core';

import { Routes, RouterModule } from '@angular/router';

import { LoginComponent } from './login/login.component';

import { UserAccountComponent } from './user-account/user-account.component';

import { CheckbookRequestsComponent } from './checkbook-requests/checkbook-requests.component';

import {AuthGuard} from './guards/auth.guard'

import { AuthorizeRegistrationComponent } from './authorize-registration/authorize-registration.component';

const routes: Routes = [

  {path: '', component:LoginComponent},

  {path:'user-account',
component:UserAccountComponent,canActivate:[AuthGuard]},

  {path:'checkbook-
requests',component:CheckbookRequestsComponent,canActivate:[AuthGuard]},

  {path:'authorize',component:AuthorizeRegistrationComponent,canActivate:[Auth
Guard]}

];


@NgModule({

  imports: [RouterModule.forRoot(routes)],

  exports: [RouterModule]

})


export class AppRoutingModule { }
```

app>app.component.spec.ts

```typescript
import { TestBed, async } from '@angular/core/testing';

import { RouterTestingModule } from '@angular/router/testing';

import { AppComponent } from './app.component';


describe('AppComponent', () => {
```

```javascript
  beforeEach(async(() => {

    TestBed.configureTestingModule({

      imports: [

        RouterTestingModule

      ],

      declarations: [

        AppComponent

      ],

    }).compileComponents();

  }));


  it('should create the app', () => {

    const fixture = TestBed.createComponent(AppComponent);

    const app = fixture.componentInstance;

    expect(app).toBeTruthy();

  });


  it(`should have as title 'template-app'`, () => {

    const fixture = TestBed.createComponent(AppComponent);

    const app = fixture.componentInstance;

    expect(app.title).toEqual('template-app');

  });


  it('should render title', () => {

    const fixture = TestBed.createComponent(AppComponent);

    fixture.detectChanges();

    const compiled = fixture.nativeElement;

    expect(compiled.querySelector('.content
span').textContent).toContain('template-app app is running!');

  });

});
```

App>component.ts

```typescript
import { Component } from '@angular/core';

import{ AuthenticationService } from
'src/app/service/authentication/authentication.service';


@Component({

  selector: 'app-root',

  templateUrl: './app.component.html',

  styleUrls: ['./app.component.css']

})
export class AppComponent {

  title = 'Admin Portal';


  constructor(public authenticationService:AuthenticationService) {


  }


logout(){

  this.authenticationService.logout();

}
}
```

App>app.module.ts

```typescript
import { BrowserModule } from '@angular/platform-browser';

import { NgModule } from '@angular/core';

import{ FormsModule, NgModel } from '@angular/forms'

import { AppRoutingModule } from './app-routing.module';

import { AppComponent } from './app.component';

import { LoginComponent } from './login/login.component';

import {EnableService} from './enable.service';
```

```typescript
import {DisableService} from './disable.service';

import { UserAccountComponent } from './user-account/user-account.component';

import { CheckbookRequestsComponent } from './checkbook-requests/checkbook-requests.component';

import { HttpClientModule } from '@angular/common/http';

import { AuthorizeRegistrationComponent } from './authorize-registration/authorize-registration.component';

import { Ng2SearchPipeModule } from 'ng2-search-filter';


import { from } from 'rxjs';


@NgModule({
  declarations: [

    AppComponent,

    LoginComponent,

    UserAccountComponent,

    CheckbookRequestsComponent,

    AuthorizeRegistrationComponent,


  ],
  imports: [

    BrowserModule,

    AppRoutingModule,

    FormsModule,

    HttpClientModule,

    Ng2SearchPipeModule

  ],
  providers: [EnableService,DisableService,],

  bootstrap: [AppComponent]

})
export class AppModule { }
```

app>authorization.service.spec.ts

```typescript
import { TestBed } from '@angular/core/testing';

import { AuthorizationService } from './authorization.service';

describe('AuthorizationService', () => {
  let service: AuthorizationService;

  beforeEach(() => {
    TestBed.configureTestingModule({});
    service = TestBed.inject(AuthorizationService);
  });

  it('should be created', () => {
    expect(service).toBeTruthy();
  });
});

import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';
import { Observable } from 'rxjs';
import { AuthorizeUser } from './model/authorizeUser';

@Injectable({
  providedIn: 'root'
})
export class AuthorizationService {

  readonly rootUrl = 'http://localhost:8084/user/';

  constructor(private http: HttpClient) { }
```

```typescript
  getRequestData(){

    return this.http.get<AuthorizeUser[]>(this.rootUrl + '/unauthorized/all');

  }


  authorizeAccount(username){

    return this.http.get(this.rootUrl + username + '/authorize');

  }


  rejectRequest(username){

    return this.http.get(this.rootUrl + username + '/authorize/cancel' );


  }



}
import { TestBed } from '@angular/core/testing';


import { CheckbookService } from './checkbook.service';


describe('CheckbookService', () => {

  let service: CheckbookService;


  beforeEach(() => {

    TestBed.configureTestingModule({});

    service = TestBed.inject(CheckbookService);

  });


  it('should be created', () => {

    expect(service).toBeTruthy();

  });

});
```

```typescript
import { Injectable } from '@angular/core';

import { HttpClient } from '@angular/common/http';

import { Observable } from 'rxjs';

import { CheckbookRequest } from './model/checkbookRequest';


@Injectable({
  providedIn: 'root'
})
export class CheckbookService {


  //readonly rootUrl =
'localhost:<port>/user/{username}/chequebook/request/confirm';

  readonly rootUrl = 'http://localhost:8084/user/';

  //readonly dataUrl= 'localhost:<port>/chequebook/request/all';

  readonly dataUrl= 'http://localhost:8084/chequebook/request/all';

  private data:any=[]

constructor(private http: HttpClient) { }




confirmCheckbookService(account){
  return this.http.get(this.rootUrl + account +
'/chequebook/request/confirm');

}


getRequestsData():Observable<CheckbookRequest[]> {
  return this.http.get<CheckbookRequest[]>(this.dataUrl);

}



}


import { TestBed } from '@angular/core/testing';
```

```typescript
import { DisableService } from './disable.service';


describe('DisableService', () => {
  let service: DisableService;


  beforeEach(() => {
    TestBed.configureTestingModule({});
    service = TestBed.inject(DisableService);
  });


  it('should be created', () => {
    expect(service).toBeTruthy();
  });
});


import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';


@Injectable({
  providedIn: 'root'
})
export class DisableService {
  readonly rootUrl = 'http://localhost:8084/user/';


  constructor(private http: HttpClient) {


  }


  disableLoginService(username){
    return this.http.get(this.rootUrl + username + '/disable');
```

```typescript
  }
  }


import { TestBed } from '@angular/core/testing';

import { EnableService } from './enable.service';

describe('EnableService', () => {
  let service: EnableService;

  beforeEach(() => {
    TestBed.configureTestingModule({});
    service = TestBed.inject(EnableService);
  });

  it('should be created', () => {
    expect(service).toBeTruthy();
  });
});

import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';

@Injectable({
  providedIn: 'root'
})
export class EnableService {

  readonly rootUrl = 'http://localhost:8084/user/';

  constructor(private http: HttpClient) {

  }
```

```typescript
    enableLoginService(username){

      return this.http.get(this.rootUrl + username + '/enable');

    }

}


import { TestBed } from '@angular/core/testing';


import { FeaturesService } from './features.service';


describe('FeaturesService', () => {

  let service: FeaturesService;


  beforeEach(() => {

    TestBed.configureTestingModule({});

    service = TestBed.inject(FeaturesService);

  });


  it('should be created', () => {

    expect(service).toBeTruthy();

  });

});


import { Injectable } from '@angular/core';

import { HttpClient } from '@angular/common/http';


@Injectable({

  providedIn: 'root'

})

export class FeaturesService {
```

```typescript
    id : number

    readonly rootUrl = 'http://localhost:8084/user/';

    constructor(private http: HttpClient) {


    }


    setFeatures(username,value){

      this.id=value

      console.log(this.id)

      return this.http.get(this.rootUrl + username + '/features/' + value);

    }
}


import { TestBed } from '@angular/core/testing';


import { UsersService } from './users.service';


describe('UsersService', () => {
  let service: UsersService;


  beforeEach(() => {
    TestBed.configureTestingModule({});
    service = TestBed.inject(UsersService);
  });


  it('should be created', () => {
    expect(service).toBeTruthy();
  });
});


import { Injectable } from '@angular/core';
```

```typescript
import { HttpClient } from '@angular/common/http';

import { UserData } from './model/userData';

import { Observable } from 'rxjs';



@Injectable({

  providedIn: 'root'

})
export class UsersService {


  readonly url = 'http://localhost:8084/';


  constructor(private http:HttpClient) {

  }


  public getAllUsers(){

    return this.http.get<any[]>(this.url+"user/all");

  }

}
```

Environments

```typescript
export const environment = {

  production: true

};



// This file can be replaced during build by using the `fileReplacements`
array.

// `ng build --prod` replaces `environment.ts` with `environment.prod.ts`.

// The list of file replacements can be found in `angular.json`.
```

```
export const environment = {

  production: false

};



/*

 * For easier debugging in development mode, you can import the following file

 * to ignore zone related error stack frames such as `zone.run`,
`zoneDelegate.invokeTask`.

 *

 * This import should be commented out in production mode because it will have
a negative impact

 * on performance if an error is thrown.

 */

// import 'zone.js/dist/zone-error';  // Included with Angular CLI.



<!doctype html>

<html lang="en" class="full-height">

<head>

  <meta charset="utf-8">

  <title>TemplateApp</title>

  <base href="/">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="icon" type="image/x-icon" href="favicon.ico">

  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.0.4/popper.js"></scrip
t>

</head>

<body>

  <app-root></app-root>

</body>

</html>



import { enableProdMode } from '@angular/core';
```

```typescript
import { platformBrowserDynamic } from '@angular/platform-browser-dynamic';

import { AppModule } from './app/app.module';
import { environment } from './environments/environment';

if (environment.production) {
  enableProdMode();
}

platformBrowserDynamic().bootstrapModule(AppModule)
  .catch(err => console.error(err));

/**
 * This file includes polyfills needed by Angular and is loaded before the app.
 * You can add your own extra polyfills to this file.
 *
 * This file is divided into 2 sections:
 *   1. Browser polyfills. These are applied before loading ZoneJS and are
 * sorted by browsers.
 *   2. Application imports. Files imported after ZoneJS that should be loaded
 * before your main
 *       file.
 *
 * The current setup is for so-called "evergreen" browsers; the last versions
 * of browsers that
 * automatically update themselves. This includes Safari >= 10, Chrome >= 55
 * (including Opera),
 * Edge >= 13 on the desktop, and iOS 10 and Chrome on mobile.
 *
 * Learn more in https://angular.io/guide/browser-support
 */
```

```
/***************************************************************************************
*********************

 * BROWSER POLYFILLS

 */


/** IE10 and IE11 requires the following for NgClass support on SVG elements
*/

// import 'classlist.js';  // Run `npm install --save classlist.js`.


/**

 * Web Animations `@angular/platform-browser/animations`

 * Only required if AnimationBuilder is used within the application and using
IE/Edge or Safari.

 * Standard animation support in Angular DOES NOT require any polyfills (as of
Angular 6.0).

 */

// import 'web-animations-js';  // Run `npm install --save web-animations-js`.


/**

 * By default, zone.js will patch all possible macroTask and DomEvents

 * user can disable parts of macroTask/DomEvents patch by setting following
flags

 * because those flags need to be set before `zone.js` being loaded, and
webpack

 * will put import in the top of bundle, so user need to create a separate
file

 * in this directory (for example: zone-flags.ts), and put the following flags

 * into that file, and then add the following code before importing zone.js.

 * import './zone-flags';

 *

 * The flags allowed in zone-flags.ts are listed here.

 *

 * The following flags will work for all browsers.

 *
```

```
 * (window as any).__Zone_disable_requestAnimationFrame = true; // disable
patch requestAnimationFrame

 * (window as any).__Zone_disable_on_property = true; // disable patch
onProperty such as onclick

 * (window as any).__zone_symbol__UNPATCHED_EVENTS = ['scroll', 'mousemove'];
// disable patch specified eventNames
 *

 *  in IE/Edge developer tools, the addEventListener will also be wrapped by
zone.js

 *  with the following flag, it will bypass `zone.js` patch for IE/Edge
 *

 *  (window as any).__Zone_enable_cross_context_check = true;

 *

 */


/***************************************************************************
*********************
 * Zone JS is required by default for Angular itself.
 */
import 'zone.js/dist/zone';  // Included with Angular CLI.


/***************************************************************************
*********************
 * APPLICATION IMPORTS
 */


// This file is required by karma.conf.js and loads recursively all the .spec
and framework files


import 'zone.js/dist/zone-testing';

import { getTestBed } from '@angular/core/testing';

import {

  BrowserDynamicTestingModule,

  platformBrowserDynamicTesting
```

```typescript
} from '@angular/platform-browser-dynamic/testing';

declare const require: {
  context(path: string, deep?: boolean, filter?: RegExp): {
    keys(): string[];
    <T>(id: string): T;
  };
};


// First, initialize the Angular testing environment.
getTestBed().initTestEnvironment(
  BrowserDynamicTestingModule,
  platformBrowserDynamicTesting()
);
// Then we find all the tests.
const context = require.context('./', true, /\.spec\.ts$/);
// And load the modules.
context.keys().map(context);
```