

EYESPHERE CAREBUDDY

SALES CRM — PRODUCT REQUIREMENTS + TECHNICAL SPECIFICATION

Version 3.0 — developer-ready, with field definitions, workflows, automation rules and CRM enhancements

1. PURPOSE — BUILD THIS, NOT A GENERIC CRM

CareBuddy is a single-user Sales CRM for Eyesphere. Its job is to capture leads, maintain one patient/lead record, manage calling and follow-ups, convert leads into bookings, and show live sales performance. The CRM replaces the current Excel calling tracker.

ACCESS: There is ONE logged-in user with full access. Do not build multi-user roles or assignment logic in MVP. External sources such as Google Sheets/Gmail can still feed the CRM.

2. END-TO-END FLOW

SOURCE / MANUAL ENTRY → MASTER LEAD → PATIENT PROFILE → DAILY CALL QUEUE → FOLLOW-UP → BOOKING / CONVERSION → SYNOPSIS

Stage	What it means	System output
1. Lead enters	New person/lead comes from Meta, camp, offline, Google Sheet, Gmail or manual entry.	Create one Lead ID.
2. Master Lead	All leads live in one inventory.	Search/filter/import/export.
3. Patient Profile	Open one lead and see the complete history.	Calls, remarks, status, temperature, care type, amounts, follow-up.
4. Daily Queue	System decides who must be called today.	New + due follow-up + NP retry + untouched inventory.
5. Outcome	Call produces an outcome.	Update status, temperature, remark, next action.
6. Booking	Lead books At Home, OPD, IPD, referral or surgery.	Booking + amount + insurance.
7. Synopsis	Management sees live performance.	Calls, leads, conversions, revenue, source performance.

3. MVP SCREEN MAP

Screen	Purpose	Primary actions
1. Master Leads	Complete lead inventory.	Create, import, search, filter, bulk update, export, open profile.
2. Patient / Lead Profile	Single source of truth for one lead.	Edit details, log calls, update status, set follow-up, create booking.
3. Bookings	Month calendar/list of confirmed bookings.	Create/update booking, filter by service/date, track amount/insurance.
4. Daily Calling + Synopsis	Daily work queue plus performance dashboard.	Call, outcome, reminders, priorities, daily target, KPIs.

4. BUSINESS DEFINITIONS — DO NOT LEAVE THESE AS VAGUE LABELS

These definitions are part of the software requirements. The developer should implement them exactly unless changed by Eyesphere.

4.1 Lead Temperature

Temperature is a SALES-INTENT label. It is not the patient's medical severity. It should be manually selectable and optionally suggested by rules.

Temperature	Definition	Typical example	System use
HOT	High intent. Patient has expressed clear interest and is likely to book/execute soon, normally within 0–7 days.	Asks price, asks available appointment slot, wants surgery/At Home visit soon.	Show near top of queue; priority badge; frequent follow-up.
WARM	Interested but decision/booking is not immediate, normally 8–30 days.	Interested after discussion but needs family discussion or later appointment.	Active follow-up; scheduled next call.
COLD	Low immediate intent. Patient is aware/interested but has no near-term action.	Says will consider later; no date committed.	Do not let it crowd daily urgent queue.
FUTURE	Patient explicitly wants contact/appointment after 30 days or on a specified future date.	"Call me next month."	Snooze until the specified date; then re-enter queue.

RULE: Temperature can change after every conversation. Example: NEW → COLD after a weak conversation; COLD → HOT after the patient asks to book tomorrow.

4.2 Lead Status vs Temperature

These are different fields and must never be merged into one dropdown.

Field	Answers	Purpose
Lead Status	NEW / OPEN / FOLLOW-UP / CONVERTED / REJECTED / WASTE	Where the lead is in the sales process.
Temperature	HOT / WARM / COLD / FUTURE	How strong the current buying intent is.
Call Outcome	NOT PICKED UP / CONNECTED / CALLBACK / CONVERTED / REJECTED / WRONG NUMBER / PRICING ISSUE / NOT INTERESTED	What happened on the latest attempt.

4.3 Care Type

Care Type describes what service the lead is seeking or may be converted into.

- At Home Screening / Visit
- OPD
- IPD
- Hospital Referred
- Surgery
- Multiple (allowed if journey changes)

4.4 Pipeline / Execution

Field	Meaning
Pipeline Status	Lead is being worked but service is not yet executed.

Field	Meaning
Booked	Appointment/booking has been confirmed.
Executed	Service/procedure has actually happened and Amount Executed is captured.
Cancelled / Rescheduled	A previous booking changed; reason must be stored.
Rejected	Lead explicitly declines / invalid lead / wrong number based on outcome.
Waste / Non-priority	Lead is not being actively worked, including final 4th NP failure.

5. SCREEN 1 — MASTER LEAD INVENTORY

This is the main database view. It must look familiar to the existing Excel sheet but behave as a real CRM.

5.1 Required lead fields

Field	Type	Definition / validation
Lead ID	Auto	Unique ID. Never changes.
Lead Created Date/Time	Auto	Time the CRM created the record.
Name	Text	Required.
Mobile	Phone	Required. Normalize country code. Primary duplicate key.
Alternate Mobile	Phone	Optional.
Email	Email	Optional.
Location	Dropdown + text	City/area such as Delhi, Noida, Gurgaon.
Address	Text	Full/partial address.
Lead Source	Dropdown	Meta, Google, Corporate, Camp, Offline, Referral, Website, WhatsApp, Other.
Campaign	Text/Dropdown	Campaign or source sub-category.
Care Type	Multi-select	At Home, OPD, IPD, Hospital Referred, Surgery.
Eye Health Score	Number / controlled scale	Sales/engagement field only unless clinically defined by approved clinical workflow.
Requirement / Condition	Dropdown + text	Cataract, Glaucoma, Diabetic Retinopathy, LASIK, Screening, Other.
Temperature	Dropdown	HOT / WARM / COLD / FUTURE — definitions in Section 4.
Lead Status	Dropdown	NEW / OPEN / FOLLOW-UP / CONVERTED / REJECTED / WASTE.
Outcome Reason	Dropdown	Not Picked Up, Pricing Issue, Not Interested, Wrong Number, Future Requirement, Other.
Conversation Happened	Yes/No	Yes only when a real conversation occurred.
Amount Pitched	Currency	Latest or agreed quoted amount.
Amount Executed	Currency	Actual realized amount.
Date Executed	Date	Date service/procedure actually happened.
Brochure Sent	Yes/No	Retain current Excel behavior.
Last Called At	Auto	Most recent call activity timestamp.
Call Attempts	Auto	Number of unsuccessful NP attempts in current NP sequence; see Section 8.
Next Follow-up At	Date/Time	Next action if required.
Latest Remark	Auto + editable through call form	Most recent conversation note.

Field	Type	Definition / validation
Priority	Yes/No + priority reason	User can manually flag a lead as priority.
Created From	Auto	Manual, Excel, Google Sheet, Gmail, etc.
External Source ID	Text	Google row ID / email message ID for sync deduplication.

5.2 Master sheet columns matching the current Excel

At minimum the visible columns should include:

- DATE
- LOCATION
- NAME
- MOBILE
- FIRST CALL REMARK
- LAST CALL REMARK
- TODAY REMARK
- BROCHURE SENT
- CALL 1 TIME
- CALL 2 TIME
- CALL 3 TIME
- CALL 4 TIME
- TEMPERATURE
- STATUS
- NEXT FOLLOW-UP
- PRIORITY

TECH: Call 1–4 are displayable convenience columns only. The real system of record is Call Activity history.

5.3 Search / filters

- Global search by name, mobile, Lead ID.
- Date range.
- Location.
- Source / campaign.
- Care type.
- Temperature.
- Status.
- Outcome reason.
- Priority only.
- Not called / least called.
- Next follow-up due.
- Converted / not converted.
- Booking month.

5.4 Priority visual behavior

Priority leads should sort to the top when Priority filter is applied. Show a red/orange PRIORITY badge. Optional pulse/blink can be used only until the lead is opened, not as a permanent animation.

6. SCREEN 2 — PATIENT / LEAD PROFILE

Clicking any lead opens a full-page or side-panel record. This is the working screen for the lead.

Section	Fields / actions
A. Identity	Name, mobile, alternate mobile, email, address, location.
B. Acquisition	Lead source, campaign, created date/time, source ID.
C. Sales classification	Temperature, Lead Status, Priority, Outcome Reason.
D. Care journey	At Home, OPD, IPD, Hospital Referred, Surgery, booking status.
E. Eye health / requirement	Eye Health Score, requirement/condition, relevant notes.
F. Sales values	Amount Pitched, Amount Executed, Date Executed.
G. Conversation	Conversation Happened, detailed notes, latest remark.
H. Call timeline	Every call with date/time, attempt number, outcome, remark, next action.
I. Follow-up	Next date/time, reminder type, snoozed until date.
J. Booking	Service, appointment date/time, hospital, doctor, insurance, booking status.
K. Documents / links	Optional brochure/quotation link, uploaded files if enabled.

6.1 Activity timeline

Show newest to oldest: lead created → call → remark → follow-up → booking → amount update → execution. No important activity should disappear when a field is overwritten.

7. LEAD INGESTION — MANUAL, EXCEL, GOOGLE SHEETS, GMAIL

7.1 Manual entry

- Required minimum: Name + Mobile + Lead Source.
- Show duplicate warning before save.
- After save, create Lead ID and make lead eligible for calling.

7.2 Excel/CSV import

1. Upload file.
2. Preview rows.
3. Map source columns to CRM fields.
4. Validate required fields and phone numbers.
5. Detect duplicates.
6. Show invalid rows and reason.
7. Confirm import.
8. Show imported / skipped / rejected counts.

7.3 Google Sheets

Near-real-time or scheduled sync is acceptable for MVP. Each source row must have an External Source ID so the same row does not create multiple CRM leads.

7.4 Gmail

Connect only an approved mailbox and approved lead email format. Store Gmail message/thread ID. A repeated email must update or attach to the existing lead, not create a duplicate.

8. CORE SALES ENGINE — CALLING RULES

This is the most important automation in the CRM.

8.1 What counts as a call attempt?

Outcome	Counts toward 4-NP limit?	Next action
NOT PICKED UP	YES	Schedule next NP attempt automatically if attempt <4.
BUSY / CALL DISCONNECTED BEFORE CONVERSATION	YES, if configured as no-contact	Retry automatically.
CONNECTED	NO	Save conversation and follow-up/status.
CALLBACK REQUESTED	NO	Create the requested callback task.
CONVERTED / APPOINTMENT BOOKED	NO	Move to Converted/Booked; stop calling automation.
REJECTED / NOT INTERESTED	NO	Stop automatic calls.
WRONG NUMBER	NO	Reject/Waste according to rule.
PRICING ISSUE	NO	Only reappear if a follow-up date is explicitly set.

8.2 Exact 4-call NP automation

Attempt	Automatic behavior
Call 1	New active lead enters queue. If Not Picked Up → Attempt count = 1; next eligible calling day is scheduled.
Call 2	Lead automatically appears in queue. If Not Picked Up → count = 2; schedule next retry.
Call 3	Lead automatically appears in queue. If Not Picked Up → count = 3; schedule final retry.
Call 4	Lead automatically appears in queue. If Not Picked Up → count = 4; set status = WASTE / NON-PRIORITY; remove from automatic calling.

CRITICAL RULE: The retry limit is 4 unsuccessful no-contact attempts. It is not “four calls in one day.” The default retry is the next eligible calling day.

NP sequence reset rule: once a real conversation, callback or other non-NP outcome occurs, the current NP sequence is closed. If the lead later becomes unreachable again during a new follow-up cycle, start a new NP sequence at 0/Call 1 while preserving lifetime call history.

8.3 What happens when conversation occurs?

Situation	System result
Patient says call me tomorrow	Conversation Happened = YES; set Follow-up = tomorrow; NP counter is not increased.
Patient wants price only	Conversation Happened = YES; update Temperature/Status; follow-up only if required.
Patient wants appointment	Create booking; status = CONVERTED/BOOKED according to configured conversion event.
Patient not interested	Status = REJECTED; stop automatic queue.
Patient asks to reconnect next month	Temperature = FUTURE; Follow-up = future date; do not keep in daily queue until due.

9. DAILY CALLING QUEUE — AUTO-GENERATED EVERY DAY

The Daily Calling screen is not a second database. It is a live filtered task list generated from Master Leads + Call Activity + Follow-ups.

9.1 Queue eligibility

- New leads not yet called.
- Follow-ups due today or overdue.
- NP retry leads with attempts 1–3.
- Priority leads.
- Never-called active leads.
- Least-called active leads.
- Manually selected eligible leads from Master Leads.

9.2 Queue priority order

Priority	Who appears first
P0	Urgent / Priority = Yes and due now.
P1	New leads received today.
P2	Follow-ups due today/overdue.
P3	NP retry Attempt 2–4.
P4	Never-called leads.
P5	Least-called active leads; oldest Last Called first.

Default daily target: 60–65 leads. The queue should auto-fill up to the target, then allow the user to add/remove eligible leads manually.

9.3 Daily queue row

- Patient name + mobile + click-to-call.
- Source + campaign.
- Temperature + Priority.
- Call attempt #.
- Last Called.
- Latest Remark.
- Today Remark input.
- Outcome buttons.
- Next Follow-up.
- Open full profile.

10. REMINDERS & FOLLOW-UP ENGINE

- Each lead can have one current next-action date/time.
- Due reminders appear automatically in Daily Calling.
- Overdue reminders remain visible until completed/rescheduled.
- Future-dated leads are hidden from the daily queue until the due date.
- Snooze action moves the next action date without deleting history.
- After a booking/execution, open sales follow-ups can be closed or replaced by post-booking tasks if enabled.

11. SCREEN 3 — MONTHLY BOOKINGS

Bookings are confirmed operational events linked to the same Lead ID.

Field	Definition
Booking Date/Time	Actual appointment date/time.
Service Type	At Home / OPD / IPD / Hospital Referred / Surgery.
Hospital / Doctor	Selected provider if applicable.
Amount Pitched	Amount discussed before booking.
Amount Booked	Commercial value at booking, if different.
Amount Executed	Final realized amount after service.
Insurance	Yes/No.
Insurance Status	Not Applicable / Pending / Approved / Rejected / Settled.
Patient Payable	Amount expected from patient, if applicable.
Booking Status	Booked / Completed / Cancelled / Rescheduled / No Show.
Execution Date	Actual service/procedure date.

11.1 Booking views

- Month calendar.
- Week/day agenda.
- List view.
- Filters by service, hospital, source, temperature and booking status.
- Export selected month.

12. SCREEN 4 — SYNOPSIS / PERFORMANCE DASHBOARD

All numbers are calculated from the database. No manual KPI typing.

KPI	Formula / meaning
Total Leads Created	Count of unique Leads created in selected period.
Calls Completed	Count of Call Activity records with completed outcome in selected period.
Unique Leads Called	Distinct Lead IDs with at least one call activity in selected period.
Conversions	Distinct Lead IDs moved to Converted in selected period.
Lead Conversion % (cohort)	$\text{Conversions from leads created in the selected period} \div \text{leads created in the selected period} \times 100$.
Call Conversion % (activity)	$\text{Conversions from leads worked in the period} \div \text{unique leads called in period} \times 100$.
New Lead Conversion %	$\text{Conversions from leads created today/selected day} \div \text{new leads created that day} \times 100$.
Executed Revenue	Sum of Amount Executed in selected period.
AOV	$\text{Executed Revenue} \div \text{number of completed/executed transactions}$.
NP Rate	$\text{Leads reaching NP outcome} \div \text{leads called, if needed}$.

12.1 Dashboard blocks

- Today: New leads, Calls Completed, Pending Calls, Conversions, Conversion %.
- New Lead Performance: New leads received vs converted.
- Monthly Performance: Total leads, calls, conversions, revenue, AOV.
- Source Performance: leads → calls → conversions → revenue by source/campaign.
- Pipeline Snapshot: Hot, Warm, Cold, Future, Follow-up, Waste.
- Upcoming Bookings: next 7 days.

13. ADDITIONAL CRM FEATURES — RECOMMENDED

These features were added beyond the base requirement because they materially improve CRM reliability and sales productivity. Marked MVP = build now; Phase 2 = after core CRM works.

#	Feature	Phase	What it does
1	Duplicate detection	MVP	Blocks duplicate mobile numbers; warns on possible name+mobile match.
2	Lead ageing	MVP	Shows how many days a lead has been open and flags stale leads.
3	Next Best Action	MVP	Displays the required next action: Call, Follow-up, Book, Close, Reactivate.
4	Priority reason	MVP	Every manual priority flag must have a reason, e.g. high intent, callback promised, surgery enquiry.
5	Lead source attribution	MVP	Preserves source and campaign through conversion so ROI can be measured.
6	Saved filters / views	MVP	Save views such as “Today Calls”, “Hot Leads”, “4th NP”, “Upcoming Bookings”.

#	Feature	Phase	What it does
7	Bulk actions	MVP	Select multiple leads to set follow-up, temperature, status, source or export.
8	Quick call + call outcome panel	MVP	Click phone → call → instantly log outcome and remark without opening multiple screens.
9	Smart reminders	MVP	Due/overdue reminders appear automatically; future leads stay snoozed.
10	Lead reactivation	MVP	Waste/Cold/Future leads can be reactivated with reason and new next action.
11	Lost/rejection reason analytics	MVP	Reports pricing issue, not interested, wrong number, etc. instead of one generic “lost”.
12	Import error center	MVP	Shows exactly which Excel/Sheet/Gmail records failed and why.
13	Audit history	MVP	Shows who changed what and when. One user now, but future-proofed.
14	WhatsApp / message templates	Phase 2	Send approved brochure/follow-up messages from patient profile and record delivery/status when integration is available.
15	Click-to-call integration	Phase 2	Launch phone call from CRM and capture telephony metadata when supported.

14. DATA QUALITY & VALIDATION RULES

- Mobile must be normalized to a standard format before duplicate checking.
- Name cannot be blank for a saved lead.
- Lead Source is mandatory.
- If Status = FOLLOW-UP, Next Follow-up date/time is mandatory.
- If Status = CONVERTED, a booking or conversion reason must exist.
- If Amount Executed > 0, Date Executed is mandatory.
- If Booking Status = Completed, Execution Date should be captured.
- If Temperature = FUTURE, a future follow-up date is strongly recommended/required.
- If Outcome = PRICING ISSUE, capture Amount Pitched and an optional expected/negotiated amount.
- If Outcome = WRONG NUMBER, do not leave the lead active in the NP queue.

15. DUPLICATE LOGIC

Scenario	System behavior
Same mobile already exists	Show existing Lead ID and ask user to open/update instead of creating another lead.
Same mobile + different source	Attach source/campaign to existing lead as new attribution/activity, unless user intentionally creates a separate household/contact record.

Scenario	System behavior
Same name, different mobile	Allow separate lead.
Existing lead + new Google Sheet/Gmail row	Update existing lead / add activity using External Source ID.

16. LEAD AGEING & STALE LEADS

Age	Meaning	UI action
0–2 days	Fresh	Normal.
3–7 days	Ageing	Show ageing badge if still open and no planned follow-up.
8–30 days	Stale risk	Recommend follow-up or close as cold/future.
31+ days	Long-open	Highlight for review; do not automatically delete.

17. STATUS TRANSITION RULES

From	Allowed examples	Notes
NEW	OPEN, NOT PICKED UP, FOLLOW-UP, CONVERTED, REJECTED	New lead is immediately eligible for call.
OPEN	FOLLOW-UP, CONVERTED, REJECTED, NOT PICKED UP	Conversation/work started.
NOT PICKED UP	NOT PICKED UP / OPEN / FOLLOW-UP / CONVERTED / REJECTED / WASTE	NP counter controls the automatic retry loop.
FOLLOW-UP	OPEN / CONVERTED / REJECTED / FUTURE	Next Follow-up date must exist.
CONVERTED	BOOKED / COMPLETED as operational substatus	Stops sales calling automation unless a new sales task is deliberately created.
WASTE	REACTIVATED / CLOSED	No automatic calling.
REJECTED	REACTIVATED / CLOSED	No automatic calling.

18. SOURCE & CAMPAIGN TRACKING

Do not store only “Online/Offline”. Capture the source precisely enough to evaluate marketing economics.

Source	Examples
Meta	Meta lead ad, Facebook, Instagram.
Google	Google Ads, organic website, Google Business.
Corporate	Company/corporate engagement.
Camp	Paid camp, free camp, screening camp.
Offline	Walk-in, referral card, local outreach.
Referral	Doctor, patient, partner.
WhatsApp	Direct WhatsApp enquiry.
Other	Any source not covered.

19. REPORTS & EXPORTS

- Export current filtered Master Lead list to XLSX/CSV.
- Export complete lead database.
- Export Daily Calling list.
- Export call activity history.
- Export monthly bookings.
- Export revenue report.
- Export source/campaign conversion report.
- Export lost/rejection reasons.
- Export dashboard snapshot to PDF optional in Phase 2.

20. NOTIFICATIONS / ALERTS

- Due calls count at top of Daily Calling screen.
- Overdue follow-ups show a visible alert.
- Priority leads show a badge.
- 4th NP attempt should be clearly highlighted before final call.
- No-call stale leads should show a warning count.
- Upcoming bookings for next 24 hours can show an alert.

21. BASIC SECURITY / PRIVACY

- Authenticated single-user access.
- HTTPS/TLS.
- Database backup and restore plan.
- Access logs and audit trail.
- Do not expose patient phone numbers in public URLs.
- Role system not required now, but database structure should not block adding it later.
- Health-related data fields should be treated as sensitive and access-controlled.

22. RECOMMENDED DATA MODEL

Entity	Key fields
Lead	Lead ID, identity, source, status, temperature, care type, amounts, next action.
Call Activity	Call ID, Lead ID, attempt number, timestamp, outcome, remark, next action.
Follow-up Task	Task ID, Lead ID, due date/time, type, completed/snoozed.
Booking	Booking ID, Lead ID, date/time, service, hospital/doctor, amounts, insurance, status.
Source/Campaign	Source ID, source name, campaign name, external source ID.
Import Job	File/source, timestamp, rows read/imported/failed, error detail.
Audit Log	Record ID, field/action, old value, new value, timestamp.

23. DAILY QUEUE LOGIC — PSEUDOCODE FOR DEVELOPER

```
eligible = NEW leads + due FOLLOW_UP + NP retry(attempt 1-3) + PRIORITY + never-called active leads + least-called active leads
exclude = CONVERTED + REJECTED + WASTE + FUTURE not due + booked/completed unless new task exists
sort = PRIORITY DESC → NEW → FOLLOW_UP due → NP attempt → NEVER_CALLED → LAST_CALLED oldest
daily_queue = first 60-65 eligible leads
allow manual_add/remove only from eligible records
```

24. NP AUTOMATION — PSEUDOCODE FOR DEVELOPER

```
if outcome == NOT_PICKED_UP:
    np_attempt += 1
    if np_attempt < 4:
        status = NOT_PICKED_UP
        next_follow_up = next_eligible_calling_day
    else:
        status = WASTE
        temperature = keep current temperature; do not change temperature automatically
        remove from automatic calling queue

if outcome in [CONNECTED, CALLBACK, CONVERTED, REJECTED, WRONG_NUMBER, PRICING_ISSUE]:
    stop NP automation
    create next action only when required
```

TECH: Recommended: keep np_attempt as a separate field from total_call_count. A connected conversation should not reset history or falsely inflate NP count.

25. ACCEPTANCE TESTS — MUST PASS BEFORE MVP GO-LIVE

ID	Scenario	Expected result
T01	Create lead manually	Lead gets unique ID and appears in Master + eligible Daily Queue.
T02	Import 100-row Excel with 5 duplicates	95 new rows imported; 5 duplicate rows reported with reason.
T03	Call new lead, outcome NP	Call 1 timestamp saved; NP count=1; lead scheduled for next eligible day.
T04	NP again	Call 2 visible; NP count=2; automatically scheduled again.
T05	NP for 4th time	NP count=4; status WASTE; removed from automatic queue.
T06	Connect on Call 2	Conversation saved; NP loop stops; next follow-up only if set.
T07	Mark FUTURE	Lead hidden from daily queue until future follow-up date.
T08	Create booking	Booking appears in selected month and patient profile.
T09	Enter Amount Executed	Executed revenue dashboard updates automatically.
T10	Filter Hot leads	Only HOT records shown; counts reflect filter.
T11	Priority lead	Priority badge appears and lead rises in queue priority.
T12	Reactivate WASTE	Lead returns to active pipeline with a new activity entry.
T13	Search by mobile	Correct Lead ID opens instantly.
T14	Edit remark	Old remark remains in history; latest remark updates.
T15	Google Sheet duplicate row	Same lead is updated/linked, not duplicated.

26. RECOMMENDED BUILD ORDER

1. Database + single-user authentication.
2. Master Leads + search + filters + manual entry.
3. Patient Profile + activity timeline.
4. Call Activity + outcome buttons + 4-call NP automation.
5. Daily Calling Queue + 60–65 target + priority sorting.
6. Follow-up/reminder engine.
7. Bookings calendar/list + amounts + insurance.
8. Synopsis dashboard + exact formulas.
9. Excel/CSV import + export.
10. Duplicate detection + validation + ageing + reactivation.
11. Google Sheet sync.
12. Gmail ingestion.

13. Phase 2 messaging/telephony integrations.

27. CURRENT EXCEL — VISUAL REFERENCE

The existing sheet is the starting workflow. The new CRM should preserve its useful columns but eliminate manual synchronization and make the logic automatic.

A	B	C	D	E	F	G	H	I	J	K	L
DATE	LOCATION	NAME	MOB	FIRST CALL REMARK	LAST CALLING REMARKS	TODAY REMARK	BROCHURE SENT	CALL 1 TIME	CALL 2 TIME	STATUS	
2026-09-22T19:	delhi	Tabassum Zaidi	p:+918882281299			not picking up	☐		16:17:09	NOT PICKING UP	
2026-09-22T22:	delhi	Ruchika Grover	p:+919811999866			asked to call between 1-2 pm	☐			COLD PIPELINE	
2026-09-21T09:	delhi	Sanjay Kumar	p:+919650263219	mid level purchasing power, MUKHERJEE NAGAR		np	☐	12:33:48	16:18:12		
2026-09-21T12:	noida	Brijendra Singh	p:+919389325094	CALLED BACK BUT CUTTING THE CALL UPON REVERT		NP	☐	13:01:32	16:19:07	NOT PICKING UP	
2026-09-19T19:	noida	Binita	p:+919650552490	SAID WILL PLAN IN FUTURE			☐			FUTURE LEAD	
2026-09-19T21:	delhi	Ankur Narang	p:+919811215991	SQUINT FOR KID OF 7Yrs Male.		cut the call	☐	13:15:51	16:19:48	COLD PIPELINE	
				62/M, CALL LATER BUSINESS IN			☐			COLD	

Figure 1. Existing Excel-based CRM/calling tracker used as reference.

28. DO NOT BUILD THESE WRONG

- Do not make Temperature and Status one dropdown. They are different dimensions.
- Do not make the Daily Calling screen a manually maintained spreadsheet.
- Do not reset call history when a lead changes status.
- Do not let NP retries run forever.
- Do not calculate conversion % from ambiguous denominators; use the formulas in Section 12.
- Do not create duplicate lead records when Sheet/Gmail sends the same lead again.
- Do not make the dashboard manually editable.
- Do not delete closed/waste leads permanently; preserve history and allow reactivation.

29. ONE-PAGE DEVELOPER SUMMARY

Requirement	Final rule
Users	1 user, full access.
Source of truth	CRM database.
Master record	Lead ID / patient profile.
Temperature	HOT = 0–7 day/high intent; WARM = 8–30 day interest; COLD = low near-term intent; FUTURE = >30 days/future date.
Status	NEW / OPEN / FOLLOW-UP / CONVERTED / REJECTED / WASTE.
Call attempts	Separate total call history from NP attempt count.
NP rule	4 unsuccessful no-contact attempts maximum; after 4th NP → WASTE / NON-PRIORITY.
Daily queue	New + due follow-up + NP retry + priority + never/least-called inventory.
Daily target	60–65 leads by default.
Bookings	Monthly calendar linked to same Lead ID; service + amount + insurance.
Dashboard	Live, database-driven, exact formulas.
Import	Excel/CSV + Google Sheet + Gmail with duplicate protection.
Export	XLSX + CSV across major lists/reports.
Extra CRM	Ageing, duplicate detection, saved views, bulk actions, reactivation, audit trail, templates/telephony later.