

PRODUCT DESIGN AUTHORITY

EXORYN Product Design System V1

A product-level visual and interaction system for EXORYN Console, with shared semantics for future mobile and desktop clients.



Control before execution.

Grounded in the supplied V0 repository snapshot. All mockup values are sample data.

Design thesis

Evidence before decoration

The interface exists to make autonomous financial actions attributable, inspectable and reconstructable.

No magic score

Fleet Risk Vector components stay separate and carry coverage.

Recommendation ≠ enforcement

Intelligence and customer-authorized controls receive different semantics.

Read-only by architecture

The Console must never become a required execution dependency.

Truth states remain distinct

Unavailable, empty, stale, declared, verified and unknown are not interchangeable.

Institutional density

Dense information is appropriate when hierarchy and progressive disclosure remain strong.

Foundations



Typography

Space Grotesk for display, **Inter** for UI/body, **IBM Plex Mono** for evidence/IDs/hashes.

Accessibility

WCAG 2.2 AA target. Product text uses accessible derived semantic tones while preserving the approved brand hues as anchors. State never relies on color alone.

Data language

Availability

LIVE · STALE · UNAVAILABLE · EMPTY

Attestation

A0 unknown · A1 authenticated · A2 workload-attested
· A3 reserved/not produced in V0

Provenance

VERIFIED · DECLARED · UNKNOWN

Control truth

RECOMMENDED ONLY · ENFORCING · REVOKED
· EXPIRED

Evidence

RECORDED · CORRECTION · RECONCILED

Severity

LOW · MEDIUM · HIGH · CRITICAL

Multiple truth axes remain separate. Do not collapse them into one “status”.

Core components

[AppShell](#) · [SideNav](#) · [SurfaceHeader](#) · [MetricCard](#) · [Badge](#) · [DataTable](#) · [SearchField](#) · [FilterBar](#) · [DetailsDrawer](#) · [EmptyState](#) · [UnavailableState](#) · [StaleState](#) · [CopyableIdentifier](#)

Central contract

Unavailable is not empty. When a source cannot be read, the UI explains the failure and shows no fake zero. When a source returns zero rows successfully, the UI shows a neutral empty state.

Interaction vocabulary


Inspect, search, filter, sort, compare, copy and navigate are valid read-only actions. Authorize, revoke, activate, approve, kill or submit are not V0 Console actions.

Operational components

[FleetRiskVector](#) · [CoverageStack](#) · [CohortCard](#) · [IntentSummary](#) · [EvidenceTimeline](#) · [DependencyGraph](#) · [IncidentCard](#) · [IncidentTimeline](#) · [ControlState](#) · [SimulationRun](#) · [ReproducibilityPair](#) · [SystemHealth](#)

These components encode the platform's real domain distinctions. They are the main difference between an EXORYN design system and a generic admin dashboard kit.

Fleet



Flow



F Fleet

++

 Flow

D Dependencies

! Incidents

L Lab

C Controls

DESIGN SPEC · SAMPLE DATA · Sources fresh · 2s

Tenant · Northstar Capital

EXORYN CONSOLE

Flow

Recent financial intents and the append-only evidence chain exactly as recorded.

Recent intents

Recorded outcomes; refusals included.

Search correlation / envelope ID

ENVELOPE	INTENT	ATTESTATION	LAST EVENT	OUTCOME
env_01J9..7D2 14:32:06.018	BUY · instr_92f	A2	broker.order.accepted.v1	ACCEPTED
env_01J9..8A3	SELL · instr_31a	A1	authority.refused.v1	LIMIT_EXCEEDED
env_01J9..9K1	BUY · instr_11c	A2	broker.order.unknown.v1	UNKNOWN

Evidence chain

corr_7H2K4Y · env_01J9..7D2

RECORDED

14:32:04.182 · seq 1

intent.received.v1

producer assurance-gateway · agent-1482 · A2 workload attested

14:32:04.210 · seq 2

authority.reserved.v1

grant gr_227 · exact capacity held

14:32:04.241 · seq 3

execution.decision.committed.v1

policy bundle pb_18 · decision committed before venue call

14:32:05.901 · seq 4

broker.order.submission_attempted.v1

venue Alpaca Paper · attempt recorded after call

14:32:06.018 · seq 5

broker.order.accepted.v1

broker order alp_62ad... · accepted

Raw selected event

EXORYN Console

Read-only operator interface

High-fidelity design reference · sample data only.

Dependencies



F Fleet

++ Flow

D Dependencies

! Incidents

L Lab

C Controls

DESIGN SPEC · SAMPLE DATA · Sources fresh · 2s

Tenant · Northstar Capital

EXORYN CONSOLE

Dependencies

Concentration and provenance of model, strategy and feed dependencies without inventing causality.

Dependency concentration

Graph edges shown here are a design example. Production may render only relationships explicitly supplied by API.

Model-X
63%

Strategy-A

Strategy-B

Feed-7

A2

Feed-2

A1

Provenance coverage

Every concentration is qualified by sourcing.

Model-X74% verified · 14% declared · 12% unknown

Feed-782% verified · 0% declared · 18% unknown

VERIFIEDDECLAREDUNKNOWN

Dependency detail

Exact counts stay available beside the visual relationship model.

TYPE	DEPENDENCY	AGENTS	OBSERVATIONS	VERIFIED	DECLARED	UNKNOWN	LAST SEEN
model	model-x:v4.2	1,027	4,829	3,573	676	580	2s ago
feed	feed-7	412	1,905	1,562	0	343	3s ago

EXORYN Console

Read-only operator interface

High-fidelity design reference · sample data only.

Incidents

EXORYN

EXORYN Console

F

Fleet

++

Flow

D

Dependencies

I

Incidents

L

Lab

C

Controls

DESIGN SPEC · SAMPLE DATA

Sources fresh · 2s

Tenant · Northstar Capital

EXORYN CONSOLE

Incidents

Evidence-derived timelines that keep recommendation, enforcement and human action distinct.

Open incidents

3 active

HIGH

NVDA synchronization

2,184 agents · opened 2m ago

MEDIUM

Model-X concentration

1,027 agents · opened 8m ago

MEDIUM

Feed-7 dependency

412 agents · opened 13m ago

HIGH · INC-8291

NVDA BUY synchronization

2,184 agents · 89.1% directional alignment · burst percentile 99.7

OPEN

14:32:04.182

Directional imbalance deviated from baseline

D = .89 · coverage 96%

14:32:04.901

Intent rate deviation

+4.7 robust deviations from expected context

14:32:05.419

Cohort reached 2,184 agents

shared Model-X + Strategy-A concentration

14:32:05.700

THROTTLE recommended

RECOMMENDED ONLY Intelligence produced a recommendation; no control yet.

14:32:06.018

Shadow mode recorded

No production intervention.

14:33:12.442

Customer control authorized

ENFORCING throttle · actor ops@northstar.example

Context

Dependencies and control truth remain separate.

Shared dependencies

```
graph TD; S1((Strategy A)) --> S2[Strategy A]; S1 --> S3[Strategy B]; S2 --> A1((A1)); S2 --> A2((A2)); S3 --> B1((Model X)); S3 --> B2((Model Y));
```

Control

ENFORCING

THROTTLE

scope · cohort inc-8291

authorized by · ops@northstar.example

expires · 14:43:12

EXORYN Console
Read-only operator interface

Lab



EXORYN

F

Fleet

⇌

Flow

D

Dependencies

!

Incidents

L

Lab

C

Controls

EXORYN Console

Read-only operator interface

DESIGN SPEC · SAMPLE DATA · Sources fresh · 2s

Tenant · Northstar Capital

EXORYN CONSOLE

Lab

Reproducible Digital Twin experiment records, seeds, sources and fingerprints.

Digital Twin runs

Read-only record of reproducible experiments.

No run action in Console

S07 · cross-agent accumulation

run_01J9T... · requested 14:08 · seed 883014

source 19c827af21d1

result e5b48722a099

COMPLETED

S12 · normal consensus

run_01J9S... · requested 13:44 · seed T12944

source aa1796cbb300

result a45f00523e19

COMPLETED

S03 · stale market feed

run_01J9R... · requested 13:02 · seed 540012

source ce36ca98ba01

result —

CANCELLED

Reproducibility comparison

Same scenario source and seed should reproduce within the engine's documented tolerance.

RUN A

S07 · seed 883014

source 19c827af21d1

result e5b48722a099

RUN B

S07 · seed 883014

source 19c827af21d1

result e5b48722a099

The UI may show equality of recorded inputs/fingerprints. It must not claim scientific equivalence beyond the backend's reproducibility contract.

Controls



F Fleet

⇌ Flow

D Dependencies

! Incidents

L Lab

C Controls

DESIGN SPEC · SAMPLE DATA · Sources fresh · 2s

Tenant · Northstar Capital

EXORYN CONSOLE

Controls

What is currently enforcing, what expired or was revoked, and how scope was authorized.

In-force controls

2

Gateway-reported state

Throttle

1

cohort scoped

Read-only

1

agent scoped

Expired / revoked

7

history in current view

Controls

What is binding now and what previously bound. State comes from the gateway.

CONTROL	ACTION	SCOPE	AUTHORIZED BY	STATE
ctrl_8291 abnormal directional cohort	THROTTLE	cohort:inc-8291	ops@northstar	ENFORCING
ctrl_8274 credential containment	READ_ONLY	agent - 204	security@northstar	ENFORCING
ctrl_8201 feed Concentration review	ISOLATE_COHORT	agents[18]	ops@northstar	REVOKED

Why there are no control buttons

The Console is observational and must remain non-authoritative. Authorizing/revoking controls belongs to the customer-controlled gateway plane. This surface explains what is in force; it does not become the fastest route to stop execution.

Recommendation ≠ control

RECOMMENDED ONLY

 non-binding intelligence

ENFORCING


 customer-authorized control

EXORYN Console

Read-only operator interface

High-fidelity design reference · sample data only.

Mobile companion



Mobile is incident-first monitoring, not a compressed workstation.

Initial navigation: Overview, Incidents, Fleet, Flow, More. Complex Lab and dependency exploration remain desktop/web tasks.

Implementation candidate: React Native + Expo, sharing tokens, API contracts and domain presentation logic.

Desktop workstation

EXORYN

DESIGN SPEC • SAMPLE DATA

Sources fresh • 2s

Tenant • Northstar Capital

F Fleet

Flow

D Dependencies

I Incidents

L Lab

C Controls

EXORYN Console

Read-only operator interface

EXORYN CONSOLE

Incident War Room

Desktop workstation pattern: persistent queue, evidence and context for high-attention incident analysis.

Open incidents
3 active

HIGH
NVDA synchronization
2,184 agents • opened 2m ago

MEDIUM
Model-X concentration
1,027 agents • opened 8m ago

MEDIUM
Feed-7 dependency
412 agents • opened 13m ago

HIGH • INC-8291
NVDA BUY synchronization
2,184 agents • 89.1% directional alignment • burst percentile 99.7

14:32:04.182
Directional imbalance deviated from baseline
D = .89 • coverage 96%

14:32:04.901
Intent rate deviation
+4.7 robust deviations from expected context

14:32:05.419
Cohort reached 2,184 agents
shared Model-X + Strategy-A concentration

14:32:05.700
THROTTLE recommended
RECOMMENDED ONLY Intelligence produced a recommendation; no control yet.

14:32:06.018
Shadow mode recorded
No production intervention.

14:33:12.442
Customer control authorized
ENFORCING throttle • actor ops@northstar.example

OPEN

Context
Dependencies and control truth remain separate.

Shared dependencies

```
graph TD; ModelX[Model-X] --> StrategyA[Strategy-A]; ModelX --> StrategyB[Strategy-B]; StrategyA --> Feed7[Feed-7]; StrategyA --> AI1[AI]; StrategyB --> Feed8[Feed-8]; StrategyB --> AI2[AI];
```

Control

ENFORCING

THROTTLE
scope • cohort inc-8291
authorized by • ops@northstar.example
expires • 14:43:12

Desktop differentiates itself through persistent incident workspaces, multi-pane evidence/context, native notifications and secure OS integration. Tauri is a candidate for a later technical study, not yet locked.

Implementation boundaries

Do not do during remediation

This V1 is a design specification. Do not merge UI changes into the active financial-integrity remediation branch unless explicitly authorized.

When implementation begins

Consume design tokens, replace inline CSS with product components, preserve all current truth semantics, and implement route by route. API gaps remain gaps: do not fabricate metrics/relationships because a mockup contains a design slot.

Acceptance

Visual implementation must be checked against this system using screenshots at wide desktop, laptop/tablet and small viewport sizes, plus keyboard/accessibility review.

Source traceability

This V1 is grounded in Master Build Spec §17, §28, §48, §49 and §59; ADR-017; the six current `apps/console-web/app/*`` surfaces; `Surface.tsx``; and the read-only API client.

The current Console is functional source material rather than a design system: it has the six required routes and careful semantics, but uses mostly inline styling, a global monospace root, basic tables and no shared visual/token architecture.

Preserve the semantics. Replace the scaffold visual language.

V1 decision

Approve the product design direction before implementation.

Master direction: Light institutional operator UI.

Signature screen: Incidents / evidence reconstruction.

Signature visualization: Dependency concentration + provenance.

Mobile role: monitoring companion.

Desktop role: incident workstation.

Console authority: read-only.

After approval, create a dedicated UI implementation handoff for Claude against the post-remediation repository state.