


Ex.No:8a

**Set Up a Honeypot and Monitor Network Connections Using
Python**

Date:

AIM:

ALGORITHM:



CODE:

Honey-pot.py:

```
import socket

from datetime import datetime

HOST = "0.0.0.0"

PORT = 8888

server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)

server.bind((HOST, PORT))

server.listen(5)

print("=====")

print("    SIMPLE PYTHON HONEYPOT")

print("=====")

print(f'Honeypot started on port {PORT}')

print("Waiting for connections...")

while True:

    client, address = server.accept()

    print("\n[+] Connection Detected")

    print("IP Address :", address[0])

    print("Port      :", address[1])

    print("Time       :", datetime.now())

    client.send(b"Welcome to Test Server\nEnter a message: ")

    data = client.recv(1024)

    message = data.decode().strip()

    print("Message   :", message)

    client.send(b"Message received\n")

    client.close()

    print("[+] Connection Closed")
```

```
print("-----")
```

Client.py:

```
import socket

HOST = "127.0.0.1"
PORT = 8888

client = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
client.connect((HOST, PORT))

message = client.recv(1024)
print(message.decode())

user_message = input("Type Message: ")
client.send(user_message.encode())

response = client.recv(1024)
print(response.decode())

client.close()
```

OUTPUT:

```
C:\Users\DELL\PycharmProjects\PythonProject2\.venv\Scripts
=====
SIMPLE PYTHON HONEYPOT
=====
HoneyPot started on port 8888
Waiting for connections...

[+] Connection Detected
IP Address : 127.0.0.1
Port      : 64230
Time      : 2026-08-29 12:37:22.973467
Message   : Hello HoneyPot
[+] Connection Closed
-----
```

```
| :
C:\Users\DELL\PycharmProjects\PythonProject2\.venv\Scripts
Welcome to Test Server
Enter a message:
Type Message: Hello HoneyPot
Message received

Process finished with exit code 0
```

RESULT:

Ex.No:8b

**Implementation of a Python-Based Honeypot with TCP
Client-Server Communication**

Date:

AIM:

ALGORITHM:

CODE:

Honey-pot1.py:

```
import socket

from datetime import datetime

HOST = "0.0.0.0"

PORT = 8888

server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)

server.bind((HOST, PORT))

server.listen(5)

print("=====")

print(" SIMPLE PYTHON HONEYPOT")

print("=====")

print(f'Honeypot started on port {PORT}')

print("Waiting for connections...")

while True:

    client, address = server.accept()

    print("\n[+] Connection Detected")

    print("IP Address :", address[0])

    print("Port :", address[1])

    print("Time :", datetime.now())

    client.send(b"Welcome to Test Server\nEnter a message: ")

    data = client.recv(1024)

    message = data.decode().strip()

    print("Message :", message)

    client.send(b"Message received\n")

    client.close()

    print("[+] Connection Closed")
```

```
print("-----")
```

client2.py:

```
import socket

HOST = "127.0.0.1"
PORT = 8888

client = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
client.connect((HOST, PORT))

message = client.recv(1024)
print(message.decode())

user_message = input("Type Message: ")
client.send(user_message.encode())

response = client.recv(1024)
print(response.decode())

client.close()
```

OUTPUT:

```
C:\Users\DELL\PycharmProjects\PythonProject2\
=====
SIMPLE PYTHON HONEYPOT
=====
Honeypot started on port 8888
Waiting for connections...

[+] Connection Detected
IP Address : 127.0.0.1
Port : 56696
Time : 2026-08-29 13:32:38.213794
Message : Hello Honeypot
[+] Connection Closed
-----
```

```

C:\Users\DELL\PycharmProjects\PythonProject2\
Welcome to Test Server
Enter a message:
Type Message: Hello Honeypot
Message received

Process finished with exit code 0
```

RESULT: