
## **Cucumber Report**



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login Functionality	14.230 s	1	0	1	0	4	1	1	2	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login Functionality	Login with a valid mobile number

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	0	1	0	14.230 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Login with a valid mobile number	4	1	1	2	14.227 s

DETAILED SECTION -- 6 --

## **Login Functionality**

FAILED	DURATION - 14.230 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 3:39:43.886 PM // 3	3:39:58.116 PM /	Pass - 0	1	Pass - 1	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## Login with a valid mobile number



#	Step / Hook Details	Status	Duration
1	Given The user is on the login screen	PASSED	14.179 s
2	When The user enters a valid mobile number	FAILED	0.003 s
	io.cucumber.java.PendingException: TODO: implement me     at stepDef.SignInStep.the_user_enters_a_valid_mobile_number(SignInStep.java:36)     at ?.The user enters a valid mobile number(file:///E:/Appium/YatharthGeeta/src/test/resources/features/login.feature:5) * Not displayable characters are replaced by '?'.		
3	And Clicks on the login button	SKIPPED	0.000 s
4	And user enters enter OTP	SKIPPED	0.000 s